

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN121218\
 Data File : BN003862.D
 Acq On : 12 Dec 2018 21:44
 Operator : JU/SJ
 Sample : J6228-12
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 F9E91

Quant Time: Dec 13 04:16:25 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN121218MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Dec 13 04:12:26 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.83	152	19880	20.00	ng/ul	0.00
18) Naphthalene-d8	10.63	136	99677	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.46	164	65571	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.21	188	165440	20.00	ng/ul	0.00
77) Chrysene-d12	21.39	240	216772	20.00	ng/ul	0.00
85) Perylene-d12	23.71	264	260729	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.29	96	1409	4.64	ng/uL	0.00
5) Phenol-d5	6.99	99	42156	21.57	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.16	67	26454	24.86	ng/ul	0.00
9) 2-Chlorophenol-d4	7.36	132	35176	22.97	ng/ul	0.00
13) 4-Methylphenol-d8	8.53	113	36988	22.58	ng/ul	0.00
19) Nitrobenzene-d5	9.00	128	19682	24.92	ng/ul	0.00
22) 2-Nitrophenol-d4	9.72	143	22377	25.02	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.24	165	37614	22.93	ng/ul	0.00
29) 4-Chloroaniline-d4	10.77	131	61301	39.93	ng/ul	0.00
43) Dimethylphthalate-d6	13.87	166	157090	26.84	ng/ul	0.00
46) Acenaphthylene-d8	14.16	160	183262	26.39	ng/ul	0.00
51) 4-Nitrophenol-d4	14.66	143	26927	22.25	ng/ul	0.00
57) Fluorene-d10	15.46	176	136901	27.05	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.58	200	23359	19.60	ng/ul	0.00
70) Anthracene-d10	17.31	188	227674	27.23	ng/ul	0.00
78) Pyrene-d10	19.60	212	276411	28.50	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.56	264	401441	28.38	ng/ul	0.00

Target Compounds


					Ovalue
6) Phenol	7.01	94	11470	5.814 ng/ul	97
44) Dimethylphthalate	13.92	163	41523	7.267 ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN121218\
Data File : BN003862.D
Acq On : 12 Dec 2018 21:44
Operator : JU/SJ
Sample : J6228-12
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
F9E91

Quant Time: Dec 13 04:16:25 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN121218MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Dec 13 04:12:26 2018
Response via : Initial Calibration





#6

Phenol

Concen: 5.814 ng/ul

RT: 7.01 min Scan# 684

Delta R.T. 0.00 min

Lab File: BN003862.D

Acq: 12 Dec 2018 21:44

Instrument :

BNA_N

ClientSampleId :

F9E91


Tot Ion: 94 Resp: 11470

Ion Ratio Lower Upper

94 100

65 24.1 21.2 31.8




66 34.4 26.9 40.3



Abundance Ion 94.00 (93.70 to 94.70): BN003852.D (-679) (-)

Ion 65.00 (64.70 to 65.70): BN003852.D (-679) (-)

Ion 66.00 (65.70 to 66.70): BN003852.D (-679) (-)



#44

Dimethylphthalate

Concen: 7.267 ng/ul

RT: 13.92 min Scan# 1858

Delta R.T. 0.00 min

Lab File: BN003862.D

Acq: 12 Dec 2018 21:44


Tgt Ion:163 Resp: 41523

Ion Ratio Lower Upper

163 100

194 4.4 3.4 5.0

164 10.4 7.9 11.9



Abundance Ion 163.00 (162.70 to 163.70): BN003852.D (-1853) (-)

Ion 194.00 (193.70 to 194.70): BN003852.D (-1853) (-)

Ion 164.00 (163.70 to 164.70): BN003852.D (-1853) (-)

