

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN121218\
 Data File : BN003875.D
 Acq On : 13 Dec 2018 05:19
 Operator : JU/SJ
 Sample : J6228-17
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 F9E52

Quant Time: Dec 13 06:04:40 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN121218MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Dec 13 06:00:44 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.83	152	24262	20.00	ng/ul	0.00
18) Naphthalene-d8	10.63	136	122897	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.47	164	77812	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.21	188	194793	20.00	ng/ul	0.00
77) Chrysene-d12	21.39	240	258359	20.00	ng/ul	0.00
85) Perylene-d12	23.70	264	322143	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.29	96	1226	3.31	ng/uL	0.00
5) Phenol-d5	6.98	99	41030	17.20	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.16	67	24076	18.54	ng/ul	0.00
9) 2-Chlorophenol-d4	7.36	132	34036	18.21	ng/ul	0.00
13) 4-Methylphenol-d8	8.52	113	30518	15.27	ng/ul	0.00
19) Nitrobenzene-d5	9.00	128	18200	18.69	ng/ul	0.00
22) 2-Nitrophenol-d4	9.71	143	20698	18.77	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.24	165	36555	18.07	ng/ul	0.00
29) 4-Chloroaniline-d4	10.77	131	46685	24.67	ng/ul	0.00
43) Dimethylphthalate-d6	13.87	166	128786	18.54	ng/ul	0.00
46) Acenaphthylene-d8	14.16	160	160741	19.50	ng/ul	0.00
51) 4-Nitrophenol-d4	14.66	143	21416	14.91	ng/ul	0.00
57) Fluorene-d10	15.46	176	120340	20.04	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.58	200	18047	12.86	ng/ul	0.00
70) Anthracene-d10	17.31	188	193500	19.66	ng/ul	0.00
78) Pyrene-d10	19.60	212	234526	20.29	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.56	264	344566	19.72	ng/ul	0.00

Target Compounds


					Ovalue
6) Phenol	7.01	94	11037	4.584	ng/ul 96
44) Dimethylphthalate	13.92	163	35877	5.291	ng/ul 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN121218\
Data File : BN003875.D
Acq On : 13 Dec 2018 05:19
Operator : JU/SJ
Sample : J6228-17
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
F9E52

Quant Time: Dec 13 06:04:40 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN121218MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Dec 13 06:00:44 2018
Response via : Initial Calibration





#6

Phenol

Concen: 4.584 ng/ul

RT: 7.01 min Scan# 684

Delta R.T. -0.00 min

Lab File: BN003875.D

Acq: 13 Dec 2018 05:19

Instrument :

BNA_N

ClientSampleId :

F9E52


Tot Ion: 94 Resp: 11037

Ion Ratio Lower Upper

94 100

65 28.2 21.2 31.8




66 35.7 26.9 40.3



Abundance Ion 94.00 (93.70 to 94.70): BN003868.D (-679) (-)

Ion 65.00 (64.70 to 65.70): BN003868.D (-679) (-)

Ion 66.00 (65.70 to 66.70): BN003868.D (-679) (-)



#44

Dimethylphthalate

Concen: 5.291 ng/ul

RT: 13.92 min Scan# 1858

Delta R.T. -0.00 min

Lab File: BN003875.D

Acq: 13 Dec 2018 05:19


Tgt Ion:163 Resp: 35877

Ion Ratio Lower Upper

163 100

194 4.1 3.4 5.0

164 10.6 7.9 11.9



Abundance Ion 163.00 (162.70 to 163.70): BN003868.D (-1853) (-)

Ion 194.00 (193.70 to 194.70): BN003868.D (-1853) (-)

Ion 164.00 (163.70 to 164.70): BN003868.D (-1853) (-)

