

Data File : BN003898.D
Acq On : 13 Dec 2018 18:45
Operator : JU/SJ
Sample : J6299-05
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
F9F48

Quant Time: Dec 14 03:54:00 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN121218MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Dec 14 03:50:13 2018
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.83	152	17996	20.00	ng/ul	0.00
18) Naphthalene-d8	10.63	136	94860	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.46	164	64896	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.21	188	171778	20.00	ng/ul	0.00
77) Chrysene-d12	21.39	240	249966	20.00	ng/ul	0.00
85) Perylene-d12	23.71	264	326811	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.29	96	777	2.83	ng/uL	0.00
5) Phenol-d5	6.99	99	26768	15.13	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.16	67	18052	18.74	ng/ul	0.00
9) 2-Chlorophenol-d4	7.36	132	23051	16.63	ng/ul	0.00
13) 4-Methylphenol-d8	8.52	113	24111	16.26	ng/ul	0.00
19) Nitrobenzene-d5	9.00	128	13017	17.32	ng/ul	0.00
22) 2-Nitrophenol-d4	9.72	143	14265	16.76	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.24	165	24437	15.65	ng/ul	0.00
29) 4-Chloroaniline-d4	10.77	131	32763	22.43	ng/ul	0.00
43) Dimethylphthalate-d6	13.87	166	101965	17.60	ng/ul	0.00
46) Acenaphthylene-d8	14.16	160	116882	17.00	ng/ul	0.00
51) 4-Nitrophenol-d4	14.66	143	16350	13.65	ng/ul	0.00
57) Fluorene-d10	15.46	176	94600	18.89	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.58	200	14088	11.39	ng/ul	0.00
70) Anthracene-d10	17.30	188	156698	18.05	ng/ul	0.00
78) Pyrene-d10	19.60	212	190545	17.04	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.56	264	305098	17.21	ng/ul	0.00


Target Compounds					Qvalue	
6) Phenol	7.01	94	4589	2.570	ng/ul	96
44) Dimethylphthalate	13.92	163	14928	2.640	ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : BN003898.D
Acq On : 13 Dec 2018 18:45
Operator : JU/SJ
Sample : J6299-05
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
F9F48

Quant Time: Dec 14 03:54:00 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN121218MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Dec 14 03:50:13 2018
Response via : Initial Calibration





#6

Phenol

Concen: 2.570 ng/ul

RT: 7.01 min Scan# 684

Delta R.T. 0.00 min

Lab File: BN003898.D

Acq: 13 Dec 2018 18:45

Instrument :

BNA_N

ClientSampleId :

F9F48


Tgt Ion: 94 Resp: 4589

Ion Ratio Lower Upper

94 100

65 26.1 21.2 31.8




66 37.8 26.9 40.3



Abundance Ion 94.00 (93.70 to 94.70): BN003887.D (-679) (-)

Ion 65.00 (64.70 to 65.70): BN003887.D (-679) (-)

Ion 66.00 (65.70 to 66.70): BN003887.D (-679) (-)



#44

Dimethylphthalate

Concen: 2.640 ng/ul

RT: 13.92 min Scan# 1858

Delta R.T. 0.00 min

Lab File: BN003898.D

Acq: 13 Dec 2018 18:45


Tgt Ion: 163 Resp: 14928

Ion Ratio Lower Upper

163 100

194 4.5 3.4 5.0

164 9.9 7.9 11.9



Abundance Ion 163.00 (162.70 to 163.70): BN003887.D (-1853) (-)

Ion 194.00 (193.70 to 194.70): BN003887.D (-1853) (-)

Ion 164.00 (163.70 to 164.70): BN003887.D (-1853) (-)

