

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN121525\
 Data File : BN038401.D
 Acq On : 15 Dec 2025 12:54
 Operator : RC/JU
 Sample : Q3839-02
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 C0AM6

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 12/16/2025
 Supervised By :Jagrut Upadhyay 12/16/2025

Quant Time: Dec 15 15:12:37 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN121025.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 10 13:56:50 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.717	152	5657	0.400	ng	0.00
7) Naphthalene-d8	10.520	136	15482	0.400	ng	-0.01
13) Acenaphthene-d10	14.388	164	7970	0.400	ng	-0.01
19) Phenanthrene-d10	17.136	188	14301	0.400	ng	#-0.01
29) Chrysene-d12	21.331	240	12451	0.400	ng	0.00
35) Perylene-d12	23.622	264	13228	0.400	ng	-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.283	112	4222	0.300	ng	0.00
5) Phenol-d6	6.879	99	4818	0.288	ng	0.00
8) Nitrobenzene-d5	8.865	82	3908	0.299	ng	-0.01
11) 2-Methylnaphthalene-d10	12.116	152	5478	0.251	ng	-0.01
14) 2,4,6-Tribromophenol	15.883	330	917	0.259	ng	-0.01
15) 2-Fluorobiphenyl	13.003	172	11411	0.297	ng	0.00
27) Fluoranthene-d10	19.178	212	7695	0.218	ng	0.00
31) Terphenyl-d14	19.778	244	5093	0.183	ng	-0.01
Target Compounds						Qvalue
9) Naphthalene	10.562	128	1256	0.027	ng	# 80
12) 2-Methylnaphthalene	12.187	142	760	0.026	ng	# 90
25) Phenanthrene	17.173	178	2777m	0.056	ng	
26) Anthracene	17.273	178	958	0.022	ng	95
28) Fluoranthene	19.206	202	11196	0.212	ng	99
30) Pyrene	19.568	202	11303	0.184	ng	# 96
32) Benzo(a)anthracene	21.322	228	9135	0.190	ng	98
33) Chrysene	21.366	228	8411	0.159	ng	96
34) Bis(2-ethylhexyl)phtha...	21.259	149	3874	0.147	ng	# 99
36) Indeno(1,2,3-cd)pyrene	25.937	276	5038	0.072	ng	95
37) Benzo(b)fluoranthene	22.932	252	12088	0.199	ng	# 81
38) Benzo(k)fluoranthene	22.976	252	5078m	0.084	ng	
39) Benzo(a)pyrene	23.519	252	8025	0.161	ng	# 84
40) Dibenzo(a,h)anthracene	25.946	278	1553	0.029	ng	# 37
41) Benzo(g,h,i)perylene	26.648	276	4713	0.078	ng	# 90

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN121525\
Data File : BN038401.D
Acq On : 15 Dec 2025 12:54
Operator : RC/JU
Sample : Q3839-02
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
C0AM6

Manual Integrations
APPROVED

Reviewed By :Rahul Chavli 12/16/2025
Supervised By :Jagrut Upadhyay 12/16/2025


Quant Time: Dec 15 15:12:37 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN121025.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 10 13:56:50 2025
Response via : Initial Calibration





#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.717 min Scan# 64
Delta R.T. -0.007 min
Lab File: BN038401.D
Acq: 15 Dec 2025 12:54




Instrument :
BNA_N
ClientSampleId :
COAM6




Tgt Ion:152 Resp: 565
Ion Ratio Lower Upper
152 100
150 149.9 122.4 183.6
115 58.6 47.3 70.9

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 12/16/2025
Supervised By :Jagrut Upadhyay 12/16/2025




#4
2-Fluorophenol
Concen: 0.300 ng
RT: 5.283 min Scan# 305
Delta R.T. -0.007 min
Lab File: BN038401.D
Acq: 15 Dec 2025 12:54




Tgt Ion:112 Resp: 4222
Ion Ratio Lower Upper
112 100
64 56.7 44.4 66.6
63 28.8 23.4 35.0





#5
Phenol-d6
Concen: 0.288 ng
RT: 6.879 min Scan# 51
Delta R.T. -0.007 min
Lab File: BN038401.D
Acq: 15 Dec 2025 12:54




Instrument :
BNA_N
ClientSampleId :
COAM6




Tgt Ion: 99 Resp: 4818
Ion Ratio Lower Upper
99 100
42 22.1 16.5 24.7
71 32.1 24.9 37.3

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 12/16/2025
Supervised By :Jagrut Upadhyay 12/16/2025



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.520 min Scan# 931
Delta R.T. -0.011 min
Lab File: BN038401.D
Acq: 15 Dec 2025 12:54



Tgt Ion:136 Resp: 15482
Ion Ratio Lower Upper
136 100
137 11.5 9.1 13.7
54 6.8 5.2 7.8
68 5.5 4.1 6.1









#8
 Nitrobenzene-d5
 Concen: 0.299 ng
 RT: 8.865 min Scan# 71
 Delta R.T. -0.011 min
 Lab File: BN038401.D
 Acq: 15 Dec 2025 12:54

Instrument :
 BNA_N
 ClientSampleId :
 COAM6

Tgt Ion: 82 Resp: 390
 Ion Ratio Lower Upper
 82 100
 128 43.2 34.0 51.0
 54 58.2 44.4 66.6




Manual Integrations
 APPROVED


Reviewed By :Rahul Chavli 12/16/2025
 Supervised By :Jagrut Upadhyay 12/16/2025



#9
 Naphthalene
 Concen: 0.027 ng
 RT: 10.562 min Scan# 935
 Delta R.T. -0.011 min
 Lab File: BN038401.D
 Acq: 15 Dec 2025 12:54


Tgt Ion:128 Resp: 1256
 Ion Ratio Lower Upper
 128 100
 129 20.5 9.1 13.7#
 127 20.0 10.9 16.3#





#11
2-Methylnaphthalene-d10
Concen: 0.251 ng
RT: 12.116 min Scan# 1143
Delta R.T. -0.010 min
Lab File: BN038401.D
Acq: 15 Dec 2025 12:54




Instrument :
BNA_N
ClientSampleId :
COAM6



Tgt Ion:152 Resp: 5478
Ion Ratio Lower Upper
152 100
151 21.1 17.0 25.6




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 12/16/2025
Supervised By :Jagrut Upadhyay 12/16/2025



#12
2-Methylnaphthalene
Concen: 0.026 ng
RT: 12.187 min Scan# 1157
Delta R.T. -0.015 min
Lab File: BN038401.D
Acq: 15 Dec 2025 12:54


Tgt Ion:142 Resp: 760
Ion Ratio Lower Upper
142 100
141 90.5 71.4 107.2
115 53.4 28.4 42.6#





#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.388 min Scan# 1448
Delta R.T. -0.011 min
Lab File: BN038401.D
Acq: 15 Dec 2025 12:54




Instrument :
BNA_N
ClientSampleId :
COAM6




Tgt Ion:164 Resp: 7970
Ion Ratio Lower Upper
164 100
162 101.0 86.2 129.4
160 48.2 44.6 67.0

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 12/16/2025
Supervised By :Jagrut Upadhyay 12/16/2025



#14
2,4,6-Tribromophenol
Concen: 0.259 ng
RT: 15.883 min Scan# 1583
Delta R.T. -0.012 min
Lab File: BN038401.D
Acq: 15 Dec 2025 12:54




Tgt Ion:330 Resp: 917
Ion Ratio Lower Upper
330 100
332 98.7 75.8 113.6
141 37.1 31.8 47.8





#15
2-Fluorobiphenyl
Concen: 0.297 ng
RT: 13.003 min Scan# 1141
Delta R.T. -0.005 min
Lab File: BN038401.D
Acq: 15 Dec 2025 12:54




Instrument :
BNA_N
ClientSampleId :
COAM6




Tgt Ion:172 Resp: 1141
Ion Ratio Lower Upper
172 100
171 35.6 28.6 42.8
170 23.6 19.3 28.9

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 12/16/2025
Supervised By :Jagrut Upadhyay 12/16/2025




#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.136 min Scan# 1684
Delta R.T. -0.012 min
Lab File: BN038401.D
Acq: 15 Dec 2025 12:54




Tgt Ion:188 Resp: 14301
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 13.5 7.4 11.0#





#25
Phenanthrene
Concen: 0.056 ng m
RT: 17.173 min Scan# 1687
Delta R.T. -0.012 min
Lab File: BN038401.D
Acq: 15 Dec 2025 12:54




Instrument :
BNA_N
ClientSampleId :
COAM6



Tgt Ion:178 Resp: 277
Ion Ratio Lower Upper
178 100
176 5.7 15.5 23.3
179 5.3 12.2 18.2




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 12/16/2025
Supervised By :Jagrut Upadhyay 12/16/2025



#26
Anthracene
Concen: 0.022 ng
RT: 17.273 min Scan# 1695
Delta R.T. -0.012 min
Lab File: BN038401.D
Acq: 15 Dec 2025 12:54

Tgt Ion:178 Resp: 958
Ion Ratio Lower Upper
178 100
176 16.3 15.1 22.7
179 16.3 12.0 18.0









#27
Fluoranthene-d10
Concen: 0.218 ng
RT: 19.178 min Scan# 1938
Delta R.T. -0.009 min
Lab File: BN038401.D
Acq: 15 Dec 2025 12:54

Instrument :
BNA_N
ClientSampleId :
COAM6

Tgt Ion:212 Resp: 769
Ion Ratio Lower Upper
212 100
106 17.3 13.7 20.5
104 9.7 7.8 11.8




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 12/16/2025
Supervised By :Jagrut Upadhyay 12/16/2025



#28
Fluoranthene
Concen: 0.212 ng
RT: 19.206 min Scan# 1944
Delta R.T. -0.014 min
Lab File: BN038401.D
Acq: 15 Dec 2025 12:54


Tgt Ion:202 Resp: 11196
Ion Ratio Lower Upper
202 100
101 12.7 9.6 14.4
203 17.3 13.5 20.3





#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.331 min Scan# 21
Delta R.T. -0.009 min
Lab File: BN038401.D
Acq: 15 Dec 2025 12:54




Instrument :
BNA_N
ClientSampleId :
C0AM6




Tgt Ion:240 Resp: 1245
Ion Ratio Lower Upper
240 100
120 21.1 15.4 23.2
236 30.1 23.9 35.9

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 12/16/2025
Supervised By :Jagrut Upadhyay 12/16/2025




#30
Pyrene
Concen: 0.184 ng
RT: 19.568 min Scan# 2022
Delta R.T. -0.014 min
Lab File: BN038401.D
Acq: 15 Dec 2025 12:54




Tgt Ion:202 Resp: 11303
Ion Ratio Lower Upper
202 100
200 20.9 16.9 25.3
203 21.7 14.2 21.2#





#31
Terphenyl-d14
Concen: 0.183 ng
RT: 19.778 min Scan# 2067
Delta R.T. -0.014 min
Lab File: BN038401.D
Acq: 15 Dec 2025 12:54




Instrument :
BNA_N
ClientSampleId :
COAM6




Tgt Ion:244 Resp: 509
Ion Ratio Lower Upper
244 100
212 10.2 7.9 11.9
122 20.6 15.0 22.6

Manual Integrations
APPROVED



Reviewed By :Rahul Chavli 12/16/2025
Supervised By :Jagrut Upadhyay 12/16/2025




#32
Benzo(a)anthracene
Concen: 0.190 ng
RT: 21.322 min Scan# 2263
Delta R.T. -0.009 min
Lab File: BN038401.D
Acq: 15 Dec 2025 12:54




Tgt Ion:228 Resp: 9135
Ion Ratio Lower Upper
228 100
226 29.1 23.3 34.9
229 21.7 15.7 23.5





#33
Chrysene
Concen: 0.159 ng
RT: 21.366 min Scan# 2136
Delta R.T. -0.009 min
Lab File: BN038401.D
Acq: 15 Dec 2025 12:54




Instrument :
BNA_N
ClientSampleId :
COAM6



Tgt Ion:228 Resp: 841
Ion Ratio Lower Upper
228 100
226 32.2 25.0 37.4
229 23.1 15.5 23.3




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 12/16/2025
Supervised By :Jagrut Upadhyay 12/16/2025



#34
Bis(2-ethylhexyl)phthalate
Concen: 0.147 ng
RT: 21.259 min Scan# 2256
Delta R.T. -0.009 min
Lab File: BN038401.D
Acq: 15 Dec 2025 12:54


Tgt Ion:149 Resp: 3874
Ion Ratio Lower Upper
149 100
167 26.8 21.4 32.0
279 4.3 2.4 3.6#





#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.622 min Scan# 21
 Delta R.T. -0.012 min
 Lab File: BN038401.D
 Acq: 15 Dec 2025 12:54




Instrument :
 BNA_N
 ClientSampleId :
 COAM6




Tgt Ion:264 Resp: 13228
 Ion Ratio Lower Upper
 264 100
 260 26.8 22.2 33.2
 265 82.6 80.2 120.2

Manual Integrations
 APPROVED



Reviewed By :Rahul Chavli 12/16/2025
 Supervised By :Jagrut Upadhyay 12/16/2025




#36
 Indeno(1,2,3-cd)pyrene
 Concen: 0.072 ng
 RT: 25.937 min Scan# 3592
 Delta R.T. -0.026 min
 Lab File: BN038401.D
 Acq: 15 Dec 2025 12:54




Tgt Ion:276 Resp: 5038
 Ion Ratio Lower Upper
 276 100
 138 24.2 23.6 35.4
 277 24.5 19.7 29.5





#37
Benzo(b)fluoranthene
Concen: 0.199 ng
RT: 22.932 min Scan# 2564
Delta R.T. -0.015 min
Lab File: BN038401.D
Acq: 15 Dec 2025 12:54




Instrument :
BNA_N
ClientSampleId :
COAM6



Tgt Ion:252 Resp: 12088
Ion Ratio Lower Upper
252 100
253 33.5 21.1 31.7
125 31.9 16.4 24.6




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 12/16/2025
Supervised By :Jagrut Upadhyay 12/16/2025



#38
Benzo(k)fluoranthene
Concen: 0.084 ng m
RT: 22.976 min Scan# 2579
Delta R.T. -0.015 min
Lab File: BN038401.D
Acq: 15 Dec 2025 12:54


Tgt Ion:252 Resp: 5078
Ion Ratio Lower Upper
252 100
253 41.1 21.4 32.0#
125 42.9 16.2 24.2#





#39
Benzo(a)pyrene
Concen: 0.161 ng
RT: 23.519 min Scan# 21
Delta R.T. -0.015 min
Lab File: BN038401.D
Acq: 15 Dec 2025 12:54




Instrument :
BNA_N
ClientSampleId :
COAM6



Tgt Ion:252 Resp: 802
Ion Ratio Lower Upper
252 100
253 37.9 23.3 34.9#
125 36.4 22.4 33.6#




Manual Integrations
APPROVED


Reviewed By :Rahul Chavli 12/16/2025
Supervised By :Jagrut Upadhyay 12/16/2025



#40
Dibenzo(a,h)anthracene
Concen: 0.029 ng
RT: 25.946 min Scan# 3595
Delta R.T. -0.035 min
Lab File: BN038401.D
Acq: 15 Dec 2025 12:54


Tgt Ion:278 Resp: 1553
Ion Ratio Lower Upper
278 100
139 43.3 17.8 26.8#
279 67.6 21.3 31.9#





#41
 Benzo(g,h,i)perylene
 Concen: 0.078 ng
 RT: 26.648 min Scan# 3842
 Delta R.T. -0.029 min
 Lab File: BN038401.D
 Acq: 15 Dec 2025 12:54

Instrument :
 BNA_N
 ClientSampleId :
 COAM6



Tgt Ion: 276 Resp: 471

Ion	Ratio	Lower	Upper
276	100		
277	30.1	20.0	30.0
138	32.2	21.8	32.6

Manual Integrations
 APPROVED

Reviewed By :Rahul Chavli 12/16/2025
 Supervised By :Jagrut Upadhyay 12/16/2025

