

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN121622\
 Data File : BN023236.D
 Acq On : 16 Dec 2022 12:41
 Operator : CG/JU
 Sample : PB149615BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SLCS615

Quant Time: Dec 16 21:42:57 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN121522.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Dec 15 23:22:36 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.999	152	267367	20.000	ng/ul	0.00
20) Naphthalene-d8	10.822	136	1240947	20.000	ng/ul	0.00
38) Acenaphthene-d10	14.651	164	815046	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.398	188	1867354	20.000	ng/ul	0.00
79) Chrysene-d12	21.592	240	1821103	20.000	ng/ul	0.01
88) Perylene-d12	24.045	264	1950853	20.000	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.346	96	37482	5.800	ng/uL	0.00
4) Pyridine-d5	3.769	84	559296	29.319	ng/ul	0.00
7) Phenol-d5	7.158	99	812399	32.670	ng/ul	0.00
9) Bis-(2-Chloroethyl)eth...	7.328	67	460506	31.823	ng/ul	0.00
11) 2-Chlorophenol-d4	7.528	132	629996	33.622	ng/ul	0.00
15) 4-Methylphenol-d8	8.716	113	653087	32.711	ng/ul	0.00
21) Nitrobenzene-d5	9.175	128	322255	33.611	ng/ul	0.00
24) 2-Nitrophenol-d4	9.899	143	349056	34.565	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	10.440	165	651323	34.166	ng/ul	0.00
31) 4-Chloroaniline-d4	10.957	131	868455	28.312	ng/ul	0.00
46) Dimethylphthalate-d6	14.063	166	2025886	33.168	ng/ul	0.00
49) Acenaphthylene-d8	14.345	160	2280269	33.290	ng/ul	0.00
54) 4-Nitrophenol-d4	14.851	143	438497	32.144	ng/ul	0.00
60) Fluorene-d10	15.645	176	1724589	33.146	ng/ul	0.00
65) 4,6-Dinitro-2-methylph...	15.763	200	377684	34.359	ng/ul	0.00
73) Anthracene-d10	17.498	188	2706505	32.340	ng/ul	0.00
81) Pyrene-d10	19.792	212	3341813	33.734	ng/ul	0.00
92) Benzo(a)pyrene-d12	23.886	264	3284297	34.347	ng/ul	0.01
Target Compounds						
					Qvalue	
2) 1,4-Dioxane	3.381	88	81098	12.109	ng/uL	98
5) Pyridine	3.793	79	588975	30.216	ng/ul	99
6) Benzaldehyde	7.134	77	360759	40.502	ng/ul	98
8) Phenol	7.187	94	870816	34.669	ng/ul	99
10) Bis(2-Chloroethyl)ether	7.422	93	643336	32.976	ng/ul	99
12) 2-Chlorophenol	7.558	128	676617	35.159	ng/ul	97
13) 2-Methylphenol	8.446	108	655632	34.306	ng/ul	99
14) 2,2'-oxybis(1-Chloropr...	8.540	45	847301	34.291	ng/ul	98
16) Acetophenone	8.834	105	1021059	33.801	ng/ul	99
17) N-Nitroso-di-n-propyla...	8.822	70	522022	34.510	ng/ul	99
18) 4-Methylphenol	8.781	108	727117	34.284	ng/ul	97
19) Hexachloroethane	9.093	117	253042	34.139	ng/ul	93
22) Nitrobenzene	9.216	77	790481	34.384	ng/ul	98
23) Isophorone	9.746	82	1522221	35.103	ng/ul	99
25) 2-Nitrophenol	9.934	139	402938	36.584	ng/ul	99
26) 2,4-Dimethylphenol	9.993	107	704434	31.596	ng/ul	98
27) Bis(2-Chloroethoxy)met...	10.228	93	915601	33.007	ng/ul	99
29) 2,4-Dichlorophenol	10.463	162	669610	35.496	ng/ul	99
30) Naphthalene	10.875	128	2218243	33.460	ng/ul	99
32) 4-Chloroaniline	10.981	127	753487	24.621	ng/ul	99
33) Hexachlorobutadiene	11.157	225	387859	36.065	ng/ul	95
34) Caprolactam	11.769	113	120744	16.462	ng/ul	96
35) 4-Chloro-3-methylphenol	12.104	107	776176	36.326	ng/ul	98
36) 2-Methylnaphthalene	12.481	142	1559484	34.902	ng/ul	98

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN121622\
 Data File : BN023236.D
 Acq On : 16 Dec 2022 12:41
 Operator : CG/JU
 Sample : PB149615BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SLCS615

Quant Time: Dec 16 21:42:57 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN121522.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Dec 15 23:22:36 2022
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
37) 1-Methylnaphthalene	12.698	142	1557264	33.820	ng/ul	97
39) 1,2,4,5-Tetrachloroben...	12.845	216	791921	34.352	ng/ul	95
40) Hexachlorocyclopentadiene	12.828	237	383292	27.641	ng/ul	97
41) 2,4,6-Trichlorophenol	13.087	196	533987	33.676	ng/ul	99
42) 2,4,5-Trichlorophenol	13.157	196	603608	34.394	ng/ul	99
43) 1,1'-Biphenyl	13.487	154	2053136	33.337	ng/ul	99
44) 2-Chloronaphthalene	13.528	162	1645599	34.312	ng/ul	98
45) 2-Nitroaniline	13.734	65	516900	37.191	ng/ul	98
47) Dimethylphthalate	14.110	163	2091810	33.940	ng/ul	99
48) 2,6-Dinitrotoluene	14.234	165	449988	37.711	ng/ul	94
50) Acenaphthylene	14.375	152	2561814	34.010	ng/ul	99
51) 3-Nitroaniline	14.557	138	480364	39.536	ng/ul	96
52) Acenaphthene	14.716	153	1747075	33.362	ng/ul	98
53) 2,4-Dinitrophenol	14.763	184	260483	34.258	ng/ul	94
55) 4-Nitrophenol	14.863	109	345482	34.242	ng/ul	95
56) Dibenzofuran	15.051	168	2461023	33.754	ng/ul	99
57) 2,4-Dinitrotoluene	15.016	165	666310	37.829	ng/ul	95
58) 2,3,4,6-Tetrachlorophenol	15.275	232	487163	32.063	ng/ul	98
59) Diethylphthalate	15.475	149	2146845	35.015	ng/ul	99
61) Fluorene	15.698	166	1946792	32.973	ng/ul	100
62) 4-Chlorophenyl-phenyle...	15.692	204	944137	33.365	ng/ul	98
63) 4-Nitroaniline	15.728	138	524942	44.365	ng/ul	99
66) 4,6-Dinitro-2-methylph...	15.781	198	388368	36.189	ng/ul	98
67) N-Nitrosodiphenylamine	15.910	169	1728933	33.454	ng/ul	100
68) 4-Bromophenyl-phenylether	16.586	248	634384	35.208	ng/ul	97
69) Hexachlorobenzene	16.704	284	724309	34.382	ng/ul	94
70) Atrazine	16.857	200	263999	13.979	ng/ul	94
71) Pentachlorophenol	17.045	266	427983	30.767	ng/ul	97
72) Phenanthrene	17.445	178	3380734	34.214	ng/ul	99
74) Anthracene	17.533	178	3267311	33.140	ng/ul	98
75) 1,2,3,4-Tetrachloroben...	13.451	216	812459	34.986	ng/ul	98
76) Pentachlorobenzene	14.969	250	792216	33.666	ng/ul	96
77) Carbazole	17.804	167	3186230	35.096	ng/ul	100
78) Di-n-butylphthalate	18.369	149	3849729	35.713	ng/ul	100
80) Fluoranthene	19.457	202	4107579	35.652	ng/ul	99
82) Pyrene	19.822	202	4128252	34.109	ng/ul	99
83) Butylbenzylphthalate	20.716	149	1870788	37.353	ng/ul	98
84) 3,3'-Dichlorobenzidine	21.504	252	1404217	35.088	ng/ul	98
85) Benzo(a)anthracene	21.574	228	4206839	34.479	ng/ul	97
86) Bis(2-ethylhexyl)phtha...	21.492	149	2654819	37.488	ng/ul	99
87) Chrysene	21.627	228	3931279	34.142	ng/ul	99
89) Di-n-octyl phthalate	22.433	149	4705128	39.826	ng/ul	100
90) Benzo(b)fluoranthene	23.292	252	4359322	35.428	ng/ul	100
91) Benzo(k)fluoranthene	23.345	252	4260387	36.383	ng/ul	98
93) Benzo(a)pyrene	23.939	252	3730819	35.281	ng/ul	98
94) Indeno(1,2,3-cd)pyrene	26.615	276	4287929	32.008	ng/ul	98
95) Dibenzo(a,h)anthracene	26.639	278	3724738	34.101	ng/ul	99
96) Benzo(g,h,i)perylene	27.409	276	3640792	34.349	ng/ul	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN121622\
 Data File : BN023236.D
 Acq On : 16 Dec 2022 12:41
 Operator : CG/JU
 Sample : PB149615BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SLCS615

Quant Time: Dec 16 21:42:57 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN121522.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Dec 15 23:22:36 2022
 Response via : Initial Calibration









#2
1,4-Dioxane
Concen: 12.109 ng/uL
RT: 3.381 min Scan# 50
Delta R.T. 0.000 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41




Instrument :
BNA_N
ClientSampleId :
SLCS615


Tgt Ion: 88 Resp: 81098
Ion Ratio Lower Upper
88 100
43 29.2 23.0 34.6
58 68.2 55.8 83.6



#5
Pyridine
Concen: 30.216 ng/uL
RT: 3.793 min Scan# 120
Delta R.T. 0.000 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41

Tgt Ion: 79 Resp: 588975
Ion Ratio Lower Upper
79 100
52 69.9 56.7 85.1
51 32.3 26.0 39.0









#6
Benzaldehyde
Concen: 40.502 ng/ul
RT: 7.134 min Scan# 688
Delta R.T. 0.000 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41




Instrument :
BNA_N
ClientSampleId :
SLCS615


Tgt Ion: 77 Resp: 360759
Ion Ratio Lower Upper
77 100
105 99.9 78.0 117.0
106 93.0 73.2 109.8



#8
Phenol
Concen: 34.669 ng/ul
RT: 7.187 min Scan# 697
Delta R.T. 0.000 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41

Tgt Ion: 94 Resp: 870816
Ion Ratio Lower Upper
94 100
65 26.7 21.8 32.6
66 35.1 28.4 42.6









#10
Bis(2-Chloroethyl)ether
Concen: 32.976 ng/ul
RT: 7.422 min Scan# 737
Delta R.T. 0.000 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41




Instrument :
BNA_N
ClientSampleId :
SLCS615


Tgt Ion: 93 Resp: 643336
Ion Ratio Lower Upper
93 100
63 73.2 58.9 88.3
95 33.3 26.2 39.4



#12
2-Chlorophenol
Concen: 35.159 ng/ul
RT: 7.558 min Scan# 760
Delta R.T. -0.006 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41

Tgt Ion: 128 Resp: 676617
Ion Ratio Lower Upper
128 100
64 44.8 34.0 51.0
130 32.1 25.0 37.4





#13

2-Methylphenol

Concen: 34.306 ng/ul

RT: 8.446 min Scan# 911

Delta R.T. -0.006 min

Lab File: BN023236.D

Acq: 16 Dec 2022 12:41

Instrument :

BNA_N

ClientSampleId :





SLCS615

Tgt Ion:108 Resp: 655632

Ion Ratio Lower Upper

108 100

107 88.0 71.2 106.8



#14

2,2'-oxybis(1-Chloropropane)

Concen: 34.291 ng/ul

RT: 8.540 min Scan# 927

Delta R.T. 0.006 min

Lab File: BN023236.D

Acq: 16 Dec 2022 12:41




Tgt Ion: 45 Resp: 847301


Ion Ratio Lower Upper

45 100

77 15.6 12.6 19.0

79 12.2 8.8 13.2









#16
Acetophenone
Concen: 33.801 ng/ul
RT: 8.834 min Scan# 91
Delta R.T. 0.000 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41




Instrument :
BNA_N
ClientSampleId :
SLCS615


Tgt Ion:105 Resp: 1021059
Ion Ratio Lower Upper
105 100
77 75.5 61.4 92.0
51 24.1 20.0 30.0



#17
N-Nitroso-di-n-propylamine
Concen: 34.510 ng/ul
RT: 8.822 min Scan# 975
Delta R.T. 0.000 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41

Tgt Ion: 70 Resp: 522022
Ion Ratio Lower Upper
70 100
42 56.2 45.3 67.9
101 10.0 8.1 12.1
130 22.0 17.9 26.9









#18
4-Methylphenol
Concen: 34.284 ng/ul
RT: 8.781 min Scan# 968
Delta R.T. 0.000 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41




Instrument :
BNA_N
ClientSampleId :
SLCS615


Tgt Ion:108 Resp: 727117
Ion Ratio Lower Upper
108 100
107 112.5 87.6 131.4



#19
Hexachloroethane
Concen: 34.139 ng/ul
RT: 9.093 min Scan# 1021
Delta R.T. 0.000 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41

Tgt Ion:117 Resp: 253042
Ion Ratio Lower Upper
117 100
201 99.0 74.6 111.8
199 64.2 46.3 69.5









#22
Nitrobenzene
Concen: 34.384 ng/ul
RT: 9.216 min Scan# 1042
Delta R.T. 0.000 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41




Instrument :
BNA_N
ClientSampleId :
SLCS615


Tgt Ion: 77 Resp: 790481
Ion Ratio Lower Upper
77 100
123 47.8 37.1 55.7
65 12.9 10.1 15.1



#23
Isophorone
Concen: 35.103 ng/ul
RT: 9.746 min Scan# 1132
Delta R.T. 0.000 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41

Tgt Ion: 82 Resp: 1522221
Ion Ratio Lower Upper
82 100
95 7.0 5.4 8.2
138 17.8 14.5 21.7









#25
2-Nitrophenol
Concen: 36.584 ng/ul
RT: 9.934 min Scan# 1164
Delta R.T. 0.000 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41




Instrument :
BNA_N
ClientSampleId :
SLCS615


Tgt Ion:139 Resp: 402938
Ion Ratio Lower Upper
139 100
65 47.3 37.7 56.5
109 27.1 22.6 34.0



#26
2,4-Dimethylphenol
Concen: 31.596 ng/ul
RT: 9.993 min Scan# 1174
Delta R.T. 0.000 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41

Tgt Ion:107 Resp: 704434
Ion Ratio Lower Upper
107 100
121 51.9 41.3 61.9
122 87.8 72.1 108.1









#27
 Bis(2-Chloroethoxy)methane
 Concen: 33.007 ng/ul
 RT: 10.228 min Scan# 1214
 Delta R.T. -0.006 min
 Lab File: BN023236.D
 Acq: 16 Dec 2022 12:41




Instrument :
 BNA_N
 ClientSampleId :
 SLCS615


Tgt Ion: 93 Resp: 915601
 Ion Ratio Lower Upper
 93 100
 95 31.5 25.8 38.6
 123 11.1 9.0 13.4



#29
 2,4-Dichlorophenol
 Concen: 35.496 ng/ul
 RT: 10.463 min Scan# 1254
 Delta R.T. -0.006 min
 Lab File: BN023236.D
 Acq: 16 Dec 2022 12:41

Tgt Ion: 162 Resp: 669610
 Ion Ratio Lower Upper
 162 100
 164 64.2 52.1 78.1
 98 35.8 29.3 43.9









#30
Naphthalene
Concen: 33.460 ng/ul
RT: 10.875 min Scan# 1324
Delta R.T. 0.000 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41




Instrument :
BNA_N
ClientSampleId :
SLCS615


Tgt Ion:128 Resp: 2218243
Ion Ratio Lower Upper
128 100
129 11.1 8.7 13.1
127 13.1 10.3 15.5



#32
4-Chloroaniline
Concen: 24.621 ng/ul
RT: 10.981 min Scan# 1342
Delta R.T. -0.006 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41

Tgt Ion:127 Resp: 753487
Ion Ratio Lower Upper
127 100
129 32.1 26.2 39.4









#33
Hexachlorobutadiene
Concen: 36.065 ng/ul
RT: 11.157 min Scan# 1372
Delta R.T. -0.006 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41




Instrument :
BNA_N
ClientSampleId :
SLCS615


Tgt Ion:225 Resp: 387859
Ion Ratio Lower Upper
225 100
223 61.5 48.9 73.3
227 56.9 51.0 76.4



#34
Caprolactam
Concen: 16.462 ng/ul
RT: 11.769 min Scan# 1476
Delta R.T. 0.012 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41

Tgt Ion:113 Resp: 120744
Ion Ratio Lower Upper
113 100
55 149.0 123.7 185.5
56 111.7 91.7 137.5









#35
 4-Chloro-3-methylphenol
 Concen: 36.326 ng/ul
 RT: 12.104 min Scan# 1533
 Delta R.T. 0.000 min
 Lab File: BN023236.D
 Acq: 16 Dec 2022 12:41




Instrument :
 BNA_N
 ClientSampleId :
 SLCS615


Tgt Ion:107 Resp: 776176
 Ion Ratio Lower Upper
 107 100
 144 26.5 21.8 32.6
 142 80.7 62.6 94.0



#36
 2-Methylnaphthalene
 Concen: 34.902 ng/ul
 RT: 12.481 min Scan# 1597
 Delta R.T. 0.000 min
 Lab File: BN023236.D
 Acq: 16 Dec 2022 12:41

Tgt Ion:142 Resp: 1559484
 Ion Ratio Lower Upper
 142 100
 141 85.8 69.9 104.9





#37

1-Methylnaphthalene

Concen: 33.820 ng/ul

RT: 12.698 min Scan# 1634

Delta R.T. 0.000 min

Lab File: BN023236.D

Acq: 16 Dec 2022 12:41

Instrument :

BNA_N

ClientSampleId :

SLCS615





Tgt Ion:142 Resp: 1557264

Ion Ratio Lower Upper

142 100

141 91.3 70.9 106.3

116 3.9 3.0 4.6



#39

1,2,4,5-Tetrachlorobenzene

Concen: 34.352 ng/ul

RT: 12.845 min Scan# 1659

Delta R.T. 0.000 min

Lab File: BN023236.D

Acq: 16 Dec 2022 12:41

Tgt Ion:216 Resp: 791921




Ion Ratio Lower Upper


216 100

214 82.0 61.1 91.7

179 21.8 16.6 24.8

108 19.2 15.4 23.2









#40
Hexachlorocyclopentadiene
Concen: 27.641 ng/ul
RT: 12.828 min Scan# 1656
Delta R.T. 0.000 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41




Instrument :
BNA_N
ClientSampleId :
SLCS615


Tgt Ion:237 Resp: 383292
Ion Ratio Lower Upper
237 100
235 62.4 48.1 72.1
272 12.6 10.8 16.2



#41
2,4,6-Trichlorophenol
Concen: 33.676 ng/ul
RT: 13.087 min Scan# 1700
Delta R.T. 0.000 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41

Tgt Ion:196 Resp: 533987
Ion Ratio Lower Upper
196 100
198 95.0 76.9 115.3
200 29.5 23.8 35.6





#42

2,4,5-Trichlorophenol

Concen: 34.394 ng/ul

RT: 13.157 min Scan# 1712

Delta R.T. 0.000 min

Lab File: BN023236.D

Acq: 16 Dec 2022 12:41

Instrument :

BNA_N

ClientSampleId :

SLCS615





Tgt Ion:196 Resp: 603608

Ion Ratio Lower Upper

196 100

198 94.6 74.8 112.2

200 30.8 24.2 36.2



#43

1,1'-Biphenyl

Concen: 33.337 ng/ul

RT: 13.487 min Scan# 1768

Delta R.T. 0.000 min

Lab File: BN023236.D

Acq: 16 Dec 2022 12:41




Tgt Ion:154 Resp: 2053136


Ion Ratio Lower Upper

154 100

153 39.4 32.0 48.0

76 13.3 11.0 16.4









#44
2-Chloronaphthalene
Concen: 34.312 ng/ul
RT: 13.528 min Scan# 1775
Delta R.T. 0.000 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41




Instrument :
BNA_N
ClientSampleId :
SLCS615


Tgt Ion:162 Resp: 1645599
Ion Ratio Lower Upper
162 100
164 33.3 25.4 38.0
127 39.0 31.8 47.8



#45
2-Nitroaniline
Concen: 37.191 ng/ul
RT: 13.734 min Scan# 1810
Delta R.T. 0.000 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41

Tgt Ion: 65 Resp: 516900
Ion Ratio Lower Upper
65 100
92 69.0 57.4 86.2
138 110.5 89.0 133.6









#47
Dimethylphthalate
Concen: 33.940 ng/ul
RT: 14.110 min Scan# 1874
Delta R.T. 0.000 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41




Instrument :
BNA_N
ClientSampleId :
SLCS615


Tgt Ion:163 Resp: 2091810
Ion Ratio Lower Upper
163 100
194 4.1 3.3 4.9
164 10.1 8.3 12.5



#48
2,6-Dinitrotoluene
Concen: 37.711 ng/ul
RT: 14.234 min Scan# 1895
Delta R.T. 0.006 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41

Tgt Ion:165 Resp: 449988
Ion Ratio Lower Upper
165 100
89 54.8 47.7 71.5
121 20.5 17.8 26.8









#50
Acenaphthylene
Concen: 34.010 ng/ul
RT: 14.375 min Scan# 1919
Delta R.T. 0.000 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41




Instrument :
BNA_N
ClientSampleId :
SLCS615


Tgt Ion:152 Resp: 2561814
Ion Ratio Lower Upper
152 100
151 20.2 16.2 24.4
153 13.4 11.4 17.0



#51
3-Nitroaniline
Concen: 39.536 ng/ul
RT: 14.557 min Scan# 1950
Delta R.T. 0.000 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41

Tgt Ion:138 Resp: 480364
Ion Ratio Lower Upper
138 100
108 10.1 8.3 12.5
92 111.3 92.5 138.7









#52
Acenaphthene
Concen: 33.362 ng/ul
RT: 14.716 min Scan# 1977
Delta R.T. 0.000 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41




Instrument :
BNA_N
ClientSampleId :
SLCS615


Tgt Ion:153 Resp: 1747075
Ion Ratio Lower Upper
153 100
152 47.5 38.9 58.3
154 86.5 70.5 105.7



#53
2,4-Dinitrophenol
Concen: 34.258 ng/ul
RT: 14.763 min Scan# 1985
Delta R.T. 0.006 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41

Tgt Ion:184 Resp: 260483
Ion Ratio Lower Upper
184 100
63 64.3 57.1 85.7
154 62.0 47.7 71.5









#55
4-Nitrophenol
Concen: 34.242 ng/ul
RT: 14.863 min Scan# 2002
Delta R.T. 0.006 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41




Instrument :
BNA_N
ClientSampleId :
SLCS615


Tgt Ion:109 Resp: 345482
Ion Ratio Lower Upper
109 100
139 138.4 115.2 172.8
65 129.8 109.0 163.4



#56
Dibenzofuran
Concen: 33.754 ng/ul
RT: 15.051 min Scan# 2034
Delta R.T. 0.000 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41

Tgt Ion:168 Resp: 2461023
Ion Ratio Lower Upper
168 100
139 37.1 29.2 43.8





#57

2,4-Dinitrotoluene

Concen: 37.829 ng/ul

RT: 15.016 min Scan# 2027

Delta R.T. 0.006 min

Lab File: BN023236.D

Acq: 16 Dec 2022 12:41

Instrument :

BNA_N

ClientSampleId :

SLCS615





Tgt Ion:165 Resp: 666310

Ion Ratio Lower Upper

165 100

63 42.2 36.6 54.8

182 3.1 2.5 3.7



#58

2,3,4,6-Tetrachlorophenol

Concen: 32.063 ng/ul

RT: 15.275 min Scan# 2072

Delta R.T. 0.000 min

Lab File: BN023236.D

Acq: 16 Dec 2022 12:41

Tgt Ion:232 Resp: 487163




Ion Ratio Lower Upper


232 100

131 45.3 37.9 56.9

130 2.4 1.9 2.9

166 29.8 23.8 35.8









#59
Diethylphthalate
Concen: 35.015 ng/ul
RT: 15.475 min Scan# 2106
Delta R.T. 0.006 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41




Instrument :
BNA_N
ClientSampleId :
SLCS615


Tgt Ion:149 Resp: 2146845
Ion Ratio Lower Upper
149 100
177 21.8 17.0 25.4
150 12.3 10.0 15.0



#61
Fluorene
Concen: 32.973 ng/ul
RT: 15.698 min Scan# 2144
Delta R.T. 0.000 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41

Tgt Ion:166 Resp: 1946792
Ion Ratio Lower Upper
166 100
165 97.2 77.8 116.8
167 13.4 10.6 15.8









#62
4-Chlorophenyl-phenylether
Concen: 33.365 ng/ul
RT: 15.692 min Scan# 2143
Delta R.T. 0.000 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41




Instrument :
BNA_N
ClientSampleId :
SLCS615


Tgt Ion:204 Resp: 944137
Ion Ratio Lower Upper
204 100
206 34.2 26.1 39.1
141 61.9 48.2 72.2



#63
4-Nitroaniline
Concen: 44.365 ng/ul
RT: 15.728 min Scan# 2149
Delta R.T. 0.006 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41

Tgt Ion:138 Resp: 524942
Ion Ratio Lower Upper
138 100
92 48.6 39.4 59.2
108 74.6 59.5 89.3









#66
4,6-Dinitro-2-methylphenol
Concen: 36.189 ng/ul
RT: 15.781 min Scan# 2158
Delta R.T. 0.006 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41




Instrument :
BNA_N
ClientSampleId :
SLCS615


Tgt Ion:198 Resp: 388368
Ion Ratio Lower Upper
198 100
182 3.5 3.4 5.0
77 23.7 19.7 29.5



#67
N-Nitrosodiphenylamine
Concen: 33.454 ng/ul
RT: 15.910 min Scan# 2180
Delta R.T. 0.006 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41

Tgt Ion:169 Resp: 1728933
Ion Ratio Lower Upper
169 100
168 68.5 54.7 82.1
167 36.8 29.2 43.8









#68
4-Bromophenyl-phenylether
Concen: 35.208 ng/ul
RT: 16.586 min Scan# 2295
Delta R.T. 0.000 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41




Instrument :
BNA_N
ClientSampleId :
SLCS615


Tgt Ion:248 Resp: 634384
Ion Ratio Lower Upper
248 100
250 97.5 81.0 121.4
141 73.7 60.8 91.2



#69
Hexachlorobenzene
Concen: 34.382 ng/ul
RT: 16.704 min Scan# 2315
Delta R.T. 0.000 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41

Tgt Ion:284 Resp: 724309
Ion Ratio Lower Upper
284 100
142 39.5 29.0 43.4
249 33.1 23.7 35.5









#70
Atrazine
Concen: 13.979 ng/ul
RT: 16.857 min Scan# 21
Delta R.T. 0.000 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41




Instrument :
BNA_N
ClientSampleId :
SLCS615


Tgt Ion:200 Resp: 263999
Ion Ratio Lower Upper
200 100
173 26.2 21.3 31.9
215 43.7 39.8 59.8



#71
Pentachlorophenol
Concen: 30.767 ng/ul
RT: 17.045 min Scan# 2373
Delta R.T. 0.000 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41

Tgt Ion:266 Resp: 427983
Ion Ratio Lower Upper
266 100
264 63.3 50.5 75.7
268 61.8 52.6 78.8









#72
Phenanthrene
Concen: 34.214 ng/ul
RT: 17.445 min Scan# 2441
Delta R.T. 0.006 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41




Instrument :
BNA_N
ClientSampleId :
SLCS615


Tgt Ion:178 Resp: 3380734
Ion Ratio Lower Upper
178 100
179 14.9 12.3 18.5
176 18.7 15.4 23.0



#74
Anthracene
Concen: 33.140 ng/ul
RT: 17.533 min Scan# 2456
Delta R.T. 0.000 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41

Tgt Ion:178 Resp: 3267311
Ion Ratio Lower Upper
178 100
179 15.7 11.8 17.6
176 19.4 14.7 22.1





#75

1,2,3,4-Tetrachlorobenzene

Concen: 34.986 ng/uL

RT: 13.451 min Scan# 1762

Delta R.T. 0.000 min

Lab File: BN023236.D

Acq: 16 Dec 2022 12:41

Instrument :

BNA_N

ClientSampleId :

SLCS615





Tgt Ion:216 Resp: 812459

Ion Ratio Lower Upper

216 100

214 77.3 61.9 92.9

218 45.6 39.4 59.2



#76

Pentachlorobenzene

Concen: 33.666 ng/uL

RT: 14.969 min Scan# 2020

Delta R.T. 0.000 min

Lab File: BN023236.D

Acq: 16 Dec 2022 12:41




Tgt Ion:250 Resp: 792216


Ion Ratio Lower Upper

250 100

248 66.3 49.4 74.0

252 68.2 52.9 79.3









#77
 Carbazole
 Concen: 35.096 ng/ul
 RT: 17.804 min Scan# 21
 Delta R.T. 0.000 min
 Lab File: BN023236.D
 Acq: 16 Dec 2022 12:41




Instrument :
 BNA_N
 ClientSampleId :
 SLCS615


Tgt Ion:167 Resp: 3186230
 Ion Ratio Lower Upper
 167 100
 166 21.8 17.3 25.9
 139 13.4 10.6 16.0



#78
 Di-n-butylphthalate
 Concen: 35.713 ng/ul
 RT: 18.369 min Scan# 2598
 Delta R.T. 0.006 min
 Lab File: BN023236.D
 Acq: 16 Dec 2022 12:41

Tgt Ion:149 Resp: 3849729
 Ion Ratio Lower Upper
 149 100
 150 9.1 7.4 11.2
 104 5.0 4.1 6.1





#80

Fluoranthene

Concen: 35.652 ng/ul

RT: 19.457 min Scan# 2783

Delta R.T. 0.006 min

Lab File: BN023236.D

Acq: 16 Dec 2022 12:41

Instrument :

BNA_N

ClientSampleId :

SLCS615





Tgt Ion:202 Resp: 4107579

Ion Ratio Lower Upper

202 100

101 12.2 10.4 15.6

100 9.3 7.6 11.4



#82

Pyrene

Concen: 34.109 ng/ul

RT: 19.822 min Scan# 2845

Delta R.T. 0.006 min

Lab File: BN023236.D

Acq: 16 Dec 2022 12:41




Tgt Ion:202 Resp: 4128252


Ion Ratio Lower Upper

202 100

101 14.4 12.0 18.0

100 11.7 9.5 14.3





#83

Butylbenzylphthalate

Concen: 37.353 ng/ul

RT: 20.716 min Scan# 2997

Delta R.T. 0.006 min

Lab File: BN023236.D

Acq: 16 Dec 2022 12:41

Instrument :

BNA_N

ClientSampleId :

SLCS615





Tgt Ion:149 Resp: 1870788

Ion Ratio Lower Upper

149 100

91 70.5 57.9 86.9

206 20.3 15.6 23.4



#84

3,3'-Dichlorobenzidine

Concen: 35.088 ng/ul

RT: 21.504 min Scan# 3131

Delta R.T. 0.006 min

Lab File: BN023236.D

Acq: 16 Dec 2022 12:41




Tgt Ion:252 Resp: 1404217


Ion Ratio Lower Upper

252 100

254 64.7 50.3 75.5

126 11.9 9.4 14.0





#85

Benzo(a)anthracene

Concen: 34.479 ng/ul

RT: 21.574 min Scan# 3143

Delta R.T. 0.006 min

Lab File: BN023236.D

Acq: 16 Dec 2022 12:41

Instrument :

BNA_N

ClientSampleId :

SLCS615





Tgt Ion:228 Resp: 4206839

Ion Ratio Lower Upper

228 100

229 18.5 15.5 23.3

226 28.4 21.4 32.0



#86

Bis(2-ethylhexyl)phthalate

Concen: 37.488 ng/ul

RT: 21.492 min Scan# 3129

Delta R.T. 0.006 min

Lab File: BN023236.D

Acq: 16 Dec 2022 12:41




Tgt Ion:149 Resp: 2654819


Ion Ratio Lower Upper

149 100

167 26.9 21.9 32.9

279 4.2 3.4 5.0









#87
 Chrysene
 Concen: 34.142 ng/ul
 RT: 21.627 min Scan# 3152
 Delta R.T. 0.006 min
 Lab File: BN023236.D
 Acq: 16 Dec 2022 12:41

Instrument :
 BNA_N
 ClientSampleId :
 SLCS615




Tgt Ion:228 Resp: 3931279


Ion	Ratio	Lower	Upper
228	100		
226	30.1	24.6	36.8
229	20.4	16.5	24.7



#89
 Di-n-octyl phthalate
 Concen: 39.826 ng/ul
 RT: 22.433 min Scan# 3289
 Delta R.T. 0.006 min
 Lab File: BN023236.D
 Acq: 16 Dec 2022 12:41

Tgt Ion:149 Resp: 4705128





#90

Benzo(b)fluoranthene

Concen: 35.428 ng/ul

RT: 23.292 min Scan# 3435

Delta R.T. 0.012 min

Lab File: BN023236.D

Acq: 16 Dec 2022 12:41

Instrument :

BNA_N

ClientSampleId :

SLCS615





Tgt Ion:252 Resp: 4359322

Ion Ratio Lower Upper

252 100

253 21.2 16.8 25.2

125 10.9 8.8 13.2



#91

Benzo(k)fluoranthene

Concen: 36.383 ng/ul

RT: 23.345 min Scan# 3444

Delta R.T. 0.012 min

Lab File: BN023236.D

Acq: 16 Dec 2022 12:41




Tgt Ion:252 Resp: 4260387


Ion Ratio Lower Upper

252 100

253 20.9 17.9 26.9

125 11.0 9.0 13.6









#93
Benzo(a)pyrene
Concen: 35.281 ng/ul
RT: 23.939 min Scan# 31
Delta R.T. 0.012 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41




Instrument :
BNA_N
ClientSampleId :
SLCS615


Tgt Ion:252 Resp: 3730819
Ion Ratio Lower Upper
252 100
253 21.1 17.6 26.4
125 12.3 9.4 14.2



#94
Indeno(1,2,3-cd)pyrene
Concen: 32.008 ng/ul
RT: 26.615 min Scan# 4000
Delta R.T. 0.018 min
Lab File: BN023236.D
Acq: 16 Dec 2022 12:41

Tgt Ion:276 Resp: 4287929
Ion Ratio Lower Upper
276 100
138 25.8 20.6 30.8
277 24.9 18.2 27.2





#95

Dibenzo(a,h)anthracene

Concen: 34.101 ng/ul

RT: 26.639 min Scan# 4003

Delta R.T. 0.018 min

Lab File: BN023236.D

Acq: 16 Dec 2022 12:41

Instrument :

BNA_N

ClientSampleId :

SLCS615





Tgt Ion:278 Resp: 3724738

Ion Ratio Lower Upper

278 100

139 16.2 13.3 19.9

279 23.6 18.6 27.8



#96

Benzo(g,h,i)perylene

Concen: 34.349 ng/ul

RT: 27.409 min Scan# 4135

Delta R.T. 0.018 min

Lab File: BN023236.D

Acq: 16 Dec 2022 12:41

Tgt Ion:276 Resp: 3640792

Ion Ratio Lower Upper

276 100

138 22.7 19.2 28.8

277 22.0 19.3 28.9

