

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN121919\  
 Data File : BN009076.D  
 Acq On : 20 Dec 2019 19:52  
 Operator : JU  
 Sample : SSTDC00.4  
 Misc :  
 ALS Vial : 2 Sample Multiplier: 1

Instrument :  
 BNA\_N  
 ClientSampleId :  
 SSTDC0.417

Manual Integrations  
 APPROVED

mohammad  
 12/23/2019 11:54:40 AM

Quant Time: Dec 20 23:30:40 2019  
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\SOM-EPA-SIM-BN121619.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Fri Dec 20 22:55:30 2019  
 Response via : Initial Calibration

| Internal Standards          | R.T.  | QIon | Response | Conc   | Units  | Dev(Min) |
|-----------------------------|-------|------|----------|--------|--------|----------|
| 1) 1,4-Dichlorobenzene-d4   | 7.54  | 152  | 3687     | 0.40   | ng/ul  | 0.00     |
| 2) Naphthalene-d8           | 10.29 | 136  | 13849    | 0.40   | ng/ul  | 0.00     |
| 6) Acenaphthene-d10         | 14.16 | 164  | 7082     | 0.40   | ng/ul  | 0.00     |
| 10) Phenanthrene-d10        | 16.91 | 188  | 12875    | 0.40   | ng/ul  | 0.00     |
| 16) Chrysene-d12            | 21.12 | 240  | 7334     | 0.40   | ng/ul  | 0.00     |
| 20) Perylene-d12            | 23.26 | 264  | 7454     | 0.40   | ng/ul  | 0.00     |
| System Monitoring Compounds |       |      |          |        |        |          |
| 4) 2-Methylnaphthalene-d10  | 11.89 | 152  | 8690     | 0.35   | ng/ul  | 0.00     |
| 14) Fluoranthene-d10        | 18.95 | 212  | 12921    | 0.34   | ng/ul  | 0.00     |
| Target Compounds            |       |      |          | Ovalue |        |          |
| 3) Naphthalene              | 10.34 | 128  | 16637    | 0.396  | ng/ul  | 99       |
| 5) 2-Methylnaphthalene      | 11.96 | 142  | 11231    | 0.354  | ng/ul  | 100      |
| 7) Acenaphthylene           | 13.88 | 152  | 14746    | 0.396  | ng/ul  | 100      |
| 8) Acenaphthene             | 14.23 | 153  | 11093    | 0.380  | ng/ul  | 99       |
| 9) Fluorene                 | 15.22 | 166  | 11984    | 0.347  | ng/ul  | 99       |
| 11) Pentachlorophenol       | 16.58 | 266  | 1147     | 0.334  | ng/ul  | 100      |
| 12) Phenanthrene            | 16.95 | 178  | 17707    | 0.395  | ng/ul  | 100      |
| 13) Anthracene              | 17.05 | 178  | 16178    | 0.403  | ng/ul  | 99       |
| 15) Fluoranthene            | 18.98 | 202  | 17203    | 0.336  | ng/ul  | 97       |
| 17) Pyrene                  | 19.34 | 202  | 16927    | 0.452  | ng/ul  | 99       |
| 18) Benzo(a)anthracene      | 21.10 | 228  | 13873    | 0.426  | ng/ul  | 99       |
| 19) Chrysene                | 21.15 | 228  | 13590    | 0.415  | ng/ul  | 99       |
| 21) Benzo(b)fluoranthene    | 22.62 | 252  | 12947    | 0.372  | ng/ul  | 95       |
| 22) Benzo(k)fluoranthene    | 22.66 | 252  | 12971m   | 0.370  | ng/ul  |          |
| 23) Benzo(a)pyrene          | 23.16 | 252  | 12616    | 0.414  | ng/ul  | 94       |
| 24) Indeno(1,2,3-cd)pyrene  | 25.36 | 276  | 14785    | 0.445  | ng/ul# | 99       |
| 25) Dibenzo(a,h)anthracene  | 25.37 | 278  | 11877    | 0.449  | ng/ul  | 98       |
| 26) Benzo(g,h,i)perylene    | 25.99 | 276  | 12586    | 0.450  | ng/ul  | 98       |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN121919\  
Data File : BN009076.D  
Acq On : 20 Dec 2019 19:52  
Operator : JU  
Sample : SSTDCCC0.4  
Misc :  
ALS Vial : 2 Sample Multiplier: 1

Instrument :  
BNA\_N  
ClientSampleId :  
SSTD0.417

Manual Integrations  
APPROVED

mohammad  
12/23/2019 11:54:40 AM

Quant Time: Dec 20 23:30:40 2019  
Quant Method : Z:\SVOASRV\HPCHEM1\BNA N\METHODS\SOM-EPA-SIM-BN121619.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
QLast Update : Fri Dec 20 22:55:30 2019  
Response via : Initial Calibration

