

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN122118\
 Data File : BN004184.D
 Acq On : 22 Dec 2018 05:50
 Operator : JU/SJ
 Sample : PB115737BL
 Misc : GC-MS Confirmation
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SBLK37

Quant Time: Dec 24 07:17:11 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN121218MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Mon Dec 24 07:07:24 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.82	152	29487	20.00	ng/ul	0.00
18) Naphthalene-d8	10.62	136	126769	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.46	164	84291	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.21	188	208357	20.00	ng/ul	0.00
77) Chrysene-d12	21.40	240	226785	20.00	ng/ul	0.00
85) Perylene-d12	23.72	264	209649	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	0.00	96	0	0.00	ng/uL
5) Phenol-d5	0.00	99	0	0.00	ng/ul
7) Bis-(2-Chloroethyl)ether-d	0.00	67	0	0.00	ng/ul
9) 2-Chlorophenol-d4	0.00	132	0	0.00	ng/ul
13) 4-Methylphenol-d8	0.00	113	0	0.00	ng/ul
19) Nitrobenzene-d5	0.00	128	0	0.00	ng/ul
22) 2-Nitrophenol-d4	0.00	143	0	0.00	ng/ul
26) 2,4-Dichlorophenol-d3	0.00	165	0	0.00	ng/ul
29) 4-Chloroaniline-d4	0.00	131	0	0.00	ng/ul
43) Dimethylphthalate-d6	0.00	166	0	0.00	ng/ul
46) Acenaphthylene-d8	0.00	160	0	0.00	ng/ul
51) 4-Nitrophenol-d4	0.00	143	0	0.00	ng/ul
57) Fluorene-d10	0.00	176	0	0.00	ng/ul
62) 4,6-Dinitro-2-methylphenol	0.00	200	0	0.00	ng/ul
70) Anthracene-d10	0.00	188	0d	0.00	ng/ul
78) Pyrene-d10	0.00	212	0	0.00	ng/ul
89) Benzo(a)pyrene-d12	0.00	264	0d	0.00	ng/ul

Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN122118\
Data File : BN004184.D
Acq On : 22 Dec 2018 05:50
Operator : JU/SJ
Sample : PB115737BL
Misc : GC-MS Confirmation
ALS Vial : 34 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
SBLK37

Quant Time: Dec 24 07:17:11 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN121218MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Mon Dec 24 07:07:24 2018
Response via : Initial Calibration

