

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN122321\
 Data File : BN018191.D
 Acq On : 23 Dec 2021 22:38
 Operator : CG/JU
 Sample : PB141183BS
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB141183BS

Quant Time: Dec 24 23:32:53 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN122321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Dec 23 14:22:48 2021
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.633	152	35343	0.400	ng	0.00
7) Naphthalene-d8	10.394	136	151720	0.400	ng	# 0.00
13) Acenaphthene-d10	14.256	164	91351	0.400	ng	0.00
19) Phenanthrene-d10	16.993	188	190155	0.400	ng	0.00
29) Chrysene-d12	21.185	240	185040	0.400	ng	#-0.01
35) Perylene-d12	23.419	264	162783	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.263	112	16357	0.212	ng	0.04
5) Phenol-d6	6.822	99	17040	0.206	ng	0.00
8) Nitrobenzene-d5	8.772	82	21507	0.211	ng	0.00
11) 2-Methylnaphthalene-d10	11.994	152	50901	0.195	ng	0.00
14) 2,4,6-Tribromophenol	15.753	330	7062	0.299	ng	0.00
15) 2-Fluorobiphenyl	12.873	172	75564	0.221	ng	-0.01
27) Fluoranthene-d10	19.033	212	107595	0.179	ng	0.00
31) Terphenyl-d14	19.639	244	89553	0.220	ng	0.00
Target Compounds						
3) n-Nitrosodimethylamine	3.511	42	8528	0.276	ng	# 94
6) bis(2-Chloroethyl)ether	7.061	93	22714	0.255	ng	99
9) Naphthalene	10.445	128	88227	0.236	ng	100
10) Hexachlorobutadiene	10.749	225	23370	0.235	ng	# 100
12) 2-Methylnaphthalene	12.069	142	61165	0.247	ng	99
16) Acenaphthylene	13.964	152	82127	0.242	ng	100
17) Acenaphthene	14.319	154	55124	0.233	ng	99
18) Fluorene	15.296	166	69000	0.237	ng	100
20) 4,6-Dinitro-2-methylph...	15.398	198	1181	0.246	ng	100
21) 4-Bromophenyl-phenylether	16.202	248	25983	0.223	ng	# 76
22) Hexachlorobenzene	16.312	284	31822	0.231	ng	99
23) Atrazine	16.470	200	16792	0.278	ng	98
24) Pentachlorophenol	16.665	266	9621	0.448	ng	99
25) Phenanthrene	17.030	178	114461	0.227	ng	100
26) Anthracene	17.127	178	99965	0.240	ng	100
28) Fluoranthene	19.063	202	135493	0.230	ng	100
30) Pyrene	19.425	202	135026	0.227	ng	100
32) Benzo(a)anthracene	21.174	228	122861	0.229	ng	99
33) Chrysene	21.227	228	139367	0.238	ng	99
34) Bis(2-ethylhexyl)phtha...	21.121	149	40559	0.400	ng	100
36) Indeno(1,2,3-cd)pyrene	25.678	276	104948	0.223	ng	99
37) Benzo(b)fluoranthene	22.748	252	118300	0.235	ng	100
38) Benzo(k)fluoranthene	22.793	252	125029	0.246	ng	100
39) Benzo(a)pyrene	23.320	252	105928	0.234	ng	99
40) Dibenzo(a,h)anthracene	25.699	278	77501	0.222	ng	99
41) Benzo(g,h,i)perylene	26.370	276	95063	0.219	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN122321\
Data File : BN018191.D
Acq On : 23 Dec 2021 22:38
Operator : CG/JU
Sample : PB141183BS
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
PB141183BS

Quant Time: Dec 24 23:32:53 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN122321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Dec 23 14:22:48 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.633 min Scan# 49
Delta R.T. 0.009 min
Lab File: BN018191.D
Acq: 23 Dec 2021 22:38




Instrument :
BNA_N
ClientSampleId :
PB141183BS


Tgt Ion:152 Resp: 35343
Ion Ratio Lower Upper
152 100
150 150.4 121.7 182.5
115 52.7 43.8 65.8



#3
n-Nitrosodimethylamine
Concen: 0.276 ng
RT: 3.511 min Scan# 47
Delta R.T. 0.018 min
Lab File: BN018191.D
Acq: 23 Dec 2021 22:38

Tgt Ion: 42 Resp: 8528
Ion Ratio Lower Upper
42 100
74 128.3 108.6 163.0
44 5.5 5.8 8.8









#4
2-Fluorophenol
Concen: 0.212 ng
RT: 5.263 min Scan# 21
Delta R.T. 0.037 min
Lab File: BN018191.D
Acq: 23 Dec 2021 22:38




Instrument :
BNA_N
ClientSampleId :
PB141183BS


Tgt Ion:112 Resp: 16357
Ion Ratio Lower Upper
112 100
64 60.0 48.0 72.0
63 32.2 25.3 37.9



#5
Phenol-d6
Concen: 0.206 ng
RT: 6.822 min Scan# 406
Delta R.T. 0.010 min
Lab File: BN018191.D
Acq: 23 Dec 2021 22:38

Tgt Ion: 99 Resp: 17040
Ion Ratio Lower Upper
99 100
42 21.4 16.3 24.5
71 35.1 26.8 40.2









#6
bis(2-Chloroethyl)ether
Concen: 0.255 ng
RT: 7.061 min Scan# 41
Delta R.T. 0.009 min
Lab File: BN018191.D
Acq: 23 Dec 2021 22:38




Instrument :
BNA_N
ClientSampleId :
PB141183BS


Tgt Ion: 93 Resp: 22714
Ion Ratio Lower Upper
93 100
63 76.5 61.7 92.5
95 32.5 26.2 39.4



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.394 min Scan# 732
Delta R.T. -0.000 min
Lab File: BN018191.D
Acq: 23 Dec 2021 22:38

Tgt Ion: 136 Resp: 151720
Ion Ratio Lower Upper
136 100
137 11.1 8.8 13.2
54 8.0 5.0 7.6#
68 6.7 4.4 6.6#









#8
Nitrobenzene-d5
Concen: 0.211 ng
RT: 8.772 min Scan# 604
Delta R.T. -0.000 min
Lab File: BN018191.D
Acq: 23 Dec 2021 22:38




Instrument :
BNA_N
ClientSampleId :
PB141183BS


Tgt Ion: 82 Resp: 21507
Ion Ratio Lower Upper
82 100
128 42.1 33.7 50.5
54 44.6 36.6 55.0



#9
Naphthalene
Concen: 0.236 ng
RT: 10.445 min Scan# 736
Delta R.T. 0.001 min
Lab File: BN018191.D
Acq: 23 Dec 2021 22:38

Tgt Ion: 128 Resp: 88227
Ion Ratio Lower Upper
128 100
129 11.0 8.7 13.1
127 13.3 10.4 15.6









#10
Hexachlorobutadiene
Concen: 0.235 ng
RT: 10.749 min Scan# 760
Delta R.T. -0.000 min
Lab File: BN018191.D
Acq: 23 Dec 2021 22:38




Instrument :
BNA_N
ClientSampleId :
PB141183BS


Tgt Ion:225 Resp: 23370
Ion Ratio Lower Upper
225 100
223 0.0 0.0 0.0
227 63.9 51.0 76.6



#11
2-Methylnaphthalene-d10
Concen: 0.195 ng
RT: 11.994 min Scan# 929
Delta R.T. -0.000 min
Lab File: BN018191.D
Acq: 23 Dec 2021 22:38

Tgt Ion:152 Resp: 50901
Ion Ratio Lower Upper
152 100
151 19.9 16.2 24.2





#12

2-Methylnaphthalene

Concen: 0.247 ng

RT: 12.069 min Scan# 946

Delta R.T. 0.000 min

Lab File: BN018191.D

Acq: 23 Dec 2021 22:38

Instrument :

BNA_N

ClientSampleId :

PB141183BS





Tgt Ion:142 Resp: 61165

Ion Ratio Lower Upper

142 100

141 87.1 70.0 105.0

115 33.3 27.8 41.8



#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.256 min Scan# 1182

Delta R.T. -0.000 min

Lab File: BN018191.D

Acq: 23 Dec 2021 22:38




Tgt Ion:164 Resp: 91351


Ion Ratio Lower Upper

164 100

162 98.6 80.2 120.2

160 42.8 36.9 55.3









#14
 2,4,6-Tribromophenol
 Concen: 0.299 ng
 RT: 15.753 min Scan# 11
 Delta R.T. 0.000 min
 Lab File: BN018191.D
 Acq: 23 Dec 2021 22:38




Instrument :
 BNA_N
 ClientSampleId :
 PB141183BS


Tgt Ion: 330 Resp: 7062
 Ion Ratio Lower Upper
 330 100
 332 0.0 0.0 0.0
 141 25.4 21.3 31.9



#15
 2-Fluorobiphenyl
 Concen: 0.221 ng
 RT: 12.873 min Scan# 1073
 Delta R.T. -0.013 min
 Lab File: BN018191.D
 Acq: 23 Dec 2021 22:38

Tgt Ion: 172 Resp: 75564
 Ion Ratio Lower Upper
 172 100
 171 35.6 27.4 41.0
 170 24.2 18.4 27.6









#16
Acenaphthylene
Concen: 0.242 ng
RT: 13.964 min Scan# 1159
Delta R.T. -0.013 min
Lab File: BN018191.D
Acq: 23 Dec 2021 22:38




Instrument :
BNA_N
ClientSampleId :
PB141183BS


Tgt Ion:152 Resp: 82127
Ion Ratio Lower Upper
152 100
151 19.6 15.8 23.6
153 13.1 10.5 15.7



#17
Acenaphthene
Concen: 0.233 ng
RT: 14.319 min Scan# 1187
Delta R.T. 0.000 min
Lab File: BN018191.D
Acq: 23 Dec 2021 22:38

Tgt Ion:154 Resp: 55124
Ion Ratio Lower Upper
154 100
153 112.7 90.9 136.3
152 54.6 45.0 67.4









#18
Fluorene
Concen: 0.237 ng
RT: 15.296 min Scan# 1264
Delta R.T. -0.013 min
Lab File: BN018191.D
Acq: 23 Dec 2021 22:38




Instrument :
BNA_N
ClientSampleId :
PB141183BS


Tgt Ion:166 Resp: 69000
Ion Ratio Lower Upper
166 100
165 97.0 77.8 116.6
167 13.6 10.9 16.3



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 16.993 min Scan# 1401
Delta R.T. 0.000 min
Lab File: BN018191.D
Acq: 23 Dec 2021 22:38

Tgt Ion:188 Resp: 190155
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 7.6 7.0 10.4









#20
4,6-Dinitro-2-methylphenol
Concen: 0.246 ng
RT: 15.398 min Scan# 1272
Delta R.T. -0.000 min
Lab File: BN018191.D
Acq: 23 Dec 2021 22:38




Instrument :
BNA_N
ClientSampleId :
PB141183BS


Tgt Ion:198 Resp: 1181
Ion Ratio Lower Upper
198 100
182 19.2 15.5 23.3
77 0.0 0.0 0.0



#21
4-Bromophenyl-phenylether
Concen: 0.223 ng
RT: 16.202 min Scan# 1336
Delta R.T. 0.000 min
Lab File: BN018191.D
Acq: 23 Dec 2021 22:38

Tgt Ion:248 Resp: 25983
Ion Ratio Lower Upper
248 100
250 106.4 74.4 111.6
141 24.9 43.7 65.5#









#22
Hexachlorobenzene
Concen: 0.231 ng
RT: 16.312 min Scan# 1345
Delta R.T. 0.001 min
Lab File: BN018191.D
Acq: 23 Dec 2021 22:38




Instrument :
BNA_N
ClientSampleId :
PB141183BS


Tgt Ion:284 Resp: 31822
Ion Ratio Lower Upper
284 100
142 25.8 21.6 32.4
249 29.2 23.5 35.3



#23
Atrazine
Concen: 0.278 ng
RT: 16.470 min Scan# 1358
Delta R.T. -0.000 min
Lab File: BN018191.D
Acq: 23 Dec 2021 22:38

Tgt Ion:200 Resp: 16792
Ion Ratio Lower Upper
200 100
173 24.3 20.3 30.5
215 51.5 40.4 60.6









#24
 Pentachlorophenol
 Concen: 0.448 ng
 RT: 16.665 min Scan# 11
 Delta R.T. 0.001 min
 Lab File: BN018191.D
 Acq: 23 Dec 2021 22:38




Instrument :
 BNA_N
 ClientSampleId :
 PB141183BS


Tgt Ion:266 Resp: 9621
 Ion Ratio Lower Upper
 266 100
 264 63.4 49.5 74.3
 268 63.8 50.6 76.0



#25
 Phenanthrene
 Concen: 0.227 ng
 RT: 17.030 min Scan# 1404
 Delta R.T. -0.012 min
 Lab File: BN018191.D
 Acq: 23 Dec 2021 22:38

Tgt Ion:178 Resp: 114461
 Ion Ratio Lower Upper
 178 100
 176 18.8 15.3 22.9
 179 15.3 12.3 18.5









#26
 Anthracene
 Concen: 0.240 ng
 RT: 17.127 min Scan# 1412
 Delta R.T. -0.000 min
 Lab File: BN018191.D
 Acq: 23 Dec 2021 22:38




Instrument :
 BNA_N
 ClientSampleId :
 PB141183BS


Tgt Ion:178 Resp: 99965
 Ion Ratio Lower Upper
 178 100
 176 18.2 14.8 22.2
 179 15.2 12.2 18.4



#27
 Fluoranthene-d10
 Concen: 0.179 ng
 RT: 19.033 min Scan# 1690
 Delta R.T. 0.000 min
 Lab File: BN018191.D
 Acq: 23 Dec 2021 22:38

Tgt Ion:212 Resp: 107595
 Ion Ratio Lower Upper
 212 100
 106 10.3 8.4 12.6
 104 5.6 4.5 6.7









#28
Fluoranthene
Concen: 0.230 ng
RT: 19.063 min Scan# 1
Delta R.T. -0.000 min
Lab File: BN018191.D
Acq: 23 Dec 2021 22:38




Instrument :
BNA_N
ClientSampleId :
PB141183BS


Tgt Ion:202 Resp: 135493
Ion Ratio Lower Upper
202 100
101 9.1 7.2 10.8
203 17.4 13.7 20.5



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.185 min Scan# 1997
Delta R.T. -0.010 min
Lab File: BN018191.D
Acq: 23 Dec 2021 22:38

Tgt Ion:240 Resp: 185040
Ion Ratio Lower Upper
240 100
120 10.9 6.0 9.0#
236 27.0 21.4 32.2









#30
Pyrene
Concen: 0.227 ng
RT: 19.425 min Scan# 11
Delta R.T. 0.000 min
Lab File: BN018191.D
Acq: 23 Dec 2021 22:38




Instrument :
BNA_N
ClientSampleId :
PB141183BS


Tgt Ion:202 Resp: 135026
Ion Ratio Lower Upper
202 100
200 20.6 16.6 25.0
203 17.6 14.1 21.1



#31
Terphenyl-d14
Concen: 0.220 ng
RT: 19.639 min Scan# 1812
Delta R.T. -0.005 min
Lab File: BN018191.D
Acq: 23 Dec 2021 22:38

Tgt Ion:244 Resp: 89553
Ion Ratio Lower Upper
244 100
212 7.2 6.2 9.2
122 9.4 7.9 11.9









#32
Benzo(a)anthracene
Concen: 0.229 ng
RT: 21.174 min Scan# 1996
Delta R.T. 0.000 min
Lab File: BN018191.D
Acq: 23 Dec 2021 22:38




Instrument :
BNA_N
ClientSampleId :
PB141183BS


Tgt Ion:228 Resp: 122861
Ion Ratio Lower Upper
228 100
226 26.9 21.3 31.9
229 19.5 15.9 23.9



#33
Chrysene
Concen: 0.238 ng
RT: 21.227 min Scan# 2001
Delta R.T. 0.000 min
Lab File: BN018191.D
Acq: 23 Dec 2021 22:38

Tgt Ion:228 Resp: 139367
Ion Ratio Lower Upper
228 100
226 29.1 24.2 36.4
229 19.5 15.5 23.3









#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.400 ng
 RT: 21.121 min Scan# 1991
 Delta R.T. 0.000 min
 Lab File: BN018191.D
 Acq: 23 Dec 2021 22:38




Instrument :
 BNA_N
 ClientSampleId :
 PB141183BS


Tgt Ion:	149	Resp:	40559
Ion Ratio	Lower	Upper	
149	100		
167	29.5	23.7	35.5
279	4.9	3.6	5.4



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.419 min Scan# 2408
 Delta R.T. 0.000 min
 Lab File: BN018191.D
 Acq: 23 Dec 2021 22:38

Tgt Ion:	264	Resp:	162783
Ion Ratio	Lower	Upper	
264	100		
260	24.5	20.2	30.4
265	21.6	18.2	27.2









#36
Indeno(1,2,3-cd)pyrene
Concen: 0.223 ng
RT: 25.678 min Scan# 3070
Delta R.T. -0.007 min
Lab File: BN018191.D
Acq: 23 Dec 2021 22:38




Instrument :
BNA_N
ClientSampleId :
PB141183BS


Tgt Ion:276 Resp: 104948
Ion Ratio Lower Upper
276 100
138 18.3 14.9 22.3
277 25.1 19.9 29.9



#37
Benzo(b)fluoranthene
Concen: 0.235 ng
RT: 22.748 min Scan# 2212
Delta R.T. -0.004 min
Lab File: BN018191.D
Acq: 23 Dec 2021 22:38


Tgt Ion:252 Resp: 118300
Ion Ratio Lower Upper
252 100
253 22.1 17.8 26.6
125 7.2 6.0 9.0








#38
Benzo(k)fluoranthene
Concen: 0.246 ng
RT: 22.793 min Scan# 211
Delta R.T. -0.003 min
Lab File: BN018191.D
Acq: 23 Dec 2021 22:38

Instrument :
BNA_N
ClientSampleId :
PB141183BS







Tgt Ion:252 Resp: 125029
Ion Ratio Lower Upper
252 100
253 22.1 17.7 26.5
125 7.5 6.2 9.2



#39
Benzo(a)pyrene
Concen: 0.234 ng
RT: 23.320 min Scan# 2379
Delta R.T. -0.003 min
Lab File: BN018191.D
Acq: 23 Dec 2021 22:38

Tgt Ion:252 Resp: 105928
Ion Ratio Lower Upper
252 100
253 22.0 17.8 26.6
125 8.1 7.0 10.4









#40
Dibenzo(a,h)anthracene
Concen: 0.222 ng
RT: 25.699 min Scan# 3074
Delta R.T. -0.000 min
Lab File: BN018191.D
Acq: 23 Dec 2021 22:38

Instrument :
BNA_N
ClientSampleId :
PB141183BS

Tgt Ion:278 Resp: 77501
Ion Ratio Lower Upper
278 100
139 12.1 10.8 16.2
279 23.7 19.0 28.4



#41
Benzo(g,h,i)perylene
Concen: 0.219 ng
RT: 26.370 min Scan# 3270
Delta R.T. -0.000 min
Lab File: BN018191.D
Acq: 23 Dec 2021 22:38

Tgt Ion:276 Resp: 95063
Ion Ratio Lower Upper
276 100
277 24.0 19.0 28.6
138 15.7 12.6 19.0

