

Data File : BN009144.D
Acq On : 25 Dec 2019 02:20
Operator : JU
Sample : K6257-11
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BFEW4

Quant Time: Dec 25 04:40:11 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN122419MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Dec 25 01:06:45 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.52	152	263028	20.00	ng/ul	0.00
18) Naphthalene-d8	10.28	136	1213737	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.16	164	828487	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.90	188	1795064	20.00	ng/ul	0.00
77) Chrysene-d12	21.11	240	1726290	20.00	ng/ul	0.00
85) Perylene-d12	23.24	264	1936222	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.14	96	16354	2.84	ng/uL	0.00
5) Phenol-d5	6.72	99	398087	15.92	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.88	67	271324	16.94	ng/ul	0.00
9) 2-Chlorophenol-d4	7.06	132	296227	16.54	ng/ul	0.00
13) 4-Methylphenol-d8	8.23	113	258654	12.81	ng/ul	0.00
19) Nitrobenzene-d5	8.66	128	158023	17.29	ng/ul	0.00
22) 2-Nitrophenol-d4	9.38	143	176819	17.33	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.91	165	317494	16.48	ng/ul	0.00
29) 4-Chloroaniline-d4	10.42	131	395350	17.03	ng/ul	0.00
43) Dimethylphthalate-d6	13.57	166	1143081	18.37	ng/ul	0.00
46) Acenaphthylene-d8	13.85	160	1372564	18.81	ng/ul	0.00
51) 4-Nitrophenol-d4	14.37	143	183914	14.86	ng/ul	0.00
57) Fluorene-d10	15.16	176	1032956	19.06	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.29	200	136147	12.16	ng/ul	0.00
70) Anthracene-d10	17.00	188	1631051	19.53	ng/ul	0.00
78) Pyrene-d10	19.30	212	1918810	21.31	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.12	264	2005970	20.56	ng/ul	0.00


Target Compounds					Qvalue	
44) Dimethylphthalate	13.62	163	186591	2.932	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : BN009144.D
Acq On : 25 Dec 2019 02:20
Operator : JU
Sample : K6257-11
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BFEW4

Quant Time: Dec 25 04:40:11 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN122419MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Dec 25 01:06:45 2019
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 2.932 ng/ul

RT: 13.62 min Scan# 1808

Delta R.T. -0.01 min

Lab File: BN009144.D

Acq: 25 Dec 2019 02:20

Instrument :

BNA_N

ClientSampleId :

BFEW4


Tgt Ion:163 Resp: 186591

Ion Ratio Lower Upper

163 100

194 4.2 3.5 5.3

164 10.1 8.3 12.5



Abundance

Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

