

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN122419\
 Data File : BN009168.D
 Acq On : 25 Dec 2019 17:14
 Operator : JU
 Sample : K6276-19
 Misc :
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 C0C86

Quant Time: Dec 25 17:47:52 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN122419MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Dec 25 01:06:45 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.52	152	233272	20.00	ng/ul	0.00
18) Naphthalene-d8	10.28	136	1123369	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.15	164	766577	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.90	188	1672998	20.00	ng/ul	0.00
77) Chrysene-d12	21.11	240	1683447	20.00	ng/ul	0.00
85) Perylene-d12	23.24	264	1873376	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.13	96	28901	5.66	ng/uL	0.00
5) Phenol-d5	6.72	99	150315	6.78	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.88	67	388224	27.33	ng/ul	0.00
9) 2-Chlorophenol-d4	7.06	132	366433	23.07	ng/ul	0.00
13) 4-Methylphenol-d8	8.23	113	286277	15.99	ng/ul	0.00
19) Nitrobenzene-d5	8.66	128	242242	28.63	ng/ul	0.00
22) 2-Nitrophenol-d4	9.38	143	272809	28.89	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.91	165	485089	27.21	ng/ul	0.00
29) 4-Chloroaniline-d4	10.43	131	39373	1.83	ng/ul	0.00
43) Dimethylphthalate-d6	13.57	166	1849535	32.12	ng/ul	0.00
46) Acenaphthylene-d8	13.84	160	2132285	31.59	ng/ul	0.00
51) 4-Nitrophenol-d4	14.37	143	74140	6.48	ng/ul	0.00
57) Fluorene-d10	15.15	176	1608921	32.09	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.28	200	290350	27.82	ng/ul	0.00
70) Anthracene-d10	17.00	188	2632214	33.82	ng/ul	0.00
78) Pyrene-d10	19.30	212	3098273	35.28	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.12	264	3310102	35.07	ng/ul	0.00


Target Compounds				Ovalue
44) Dimethylphthalate	13.62	163	82689	1.404 ng/ul# 97




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN122419\
Data File : BN009168.D
Acq On : 25 Dec 2019 17:14
Operator : JU
Sample : K6276-19
Misc :
ALS Vial : 36 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
C0C86

Quant Time: Dec 25 17:47:52 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN122419MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Dec 25 01:06:45 2019
Response via : Initial Calibration





#44

Dimethylphthalate

Concen: 1.404 ng/ul

RT: 13.62 min Scan# 1808

Delta R.T. -0.01 min

Lab File: BN009168.D

Acq: 25 Dec 2019 17:14

Instrument :

BNA_N

ClientSampleId :

C0C86

Tot Ion:163 Resp: 82689

Ion Ratio Lower Upper

163 100

194 5.9 3.5 5.3#

164 11.5 8.3 12.5

