

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN122422\
 Data File : BN023403.D
 Acq On : 24 Dec 2022 10:39
 Operator : CG/JU
 Sample : N6015-07
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 DBXU4

Quant Time: Dec 24 23:17:45 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN122122.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Dec 22 02:28:40 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.990	152	7137	0.400	ng/ul	0.00
4) Naphthalene-d8	10.810	136	23861	0.400	ng/ul	0.00
9) Acenaphthene-d10	14.641	164	14195	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.390	188	33421	0.400	ng/ul	0.00
17) Chrysene-d12	21.578	240	22833	0.400	ng/ul	# 0.00
23) Perylene-d12	24.027	264	18020	0.400	ng/ul	# 0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.340	96	28942	3.732	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.393	152	9209	0.250	ng/ul	-0.01
18) Fluoranthene-d10	19.416	212	21346	0.258	ng/ul	0.00
Target Compounds						
					Qvalue	
2) 1,4-Dioxane	3.365	88	233	0.029	ng/ul#	1
5) Naphthalene	10.854	128	3950	0.056	ng/ul#	92
7) 2-Methylnaphthalene	12.470	142	3429	0.076	ng/ul	99
8) 1-Methylnaphthalene	12.685	142	2773	0.060	ng/ul	100
15) Phenanthrene	17.428	178	13173	0.121	ng/ul	96
19) Fluoranthene	19.448	202	28661	0.259	ng/ul	95
20) Pyrene	19.811	202	24806	0.222	ng/ul	98
21) Benzo(a)anthracene	21.563	228	13473	0.152	ng/ul#	92
22) Chrysene	21.616	228	16457	0.182	ng/ul#	85
24) Benzo(b)fluoranthene	23.279	252	30806	0.331	ng/ul#	70
26) Benzo(a)pyrene	23.919	252	13712	0.186	ng/ul#	77
27) Indeno(1,2,3-cd)pyrene	26.584	276	11369	0.132	ng/ul#	45
28) Dibenzo(a,h)anthracene	26.594	278	2872	0.043	ng/ul#	13
29) Benzo(g,h,i)perylene	27.375	276	11519	0.164	ng/ul#	55


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN122422\
Data File : BN023403.D
Acq On : 24 Dec 2022 10:39
Operator : CG/JU
Sample : N6015-07
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
DBXU4

Quant Time: Dec 24 23:17:45 2022
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN122122.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Dec 22 02:28:40 2022
Response via : Initial Calibration









#2
1,4-Dioxane
Concen: 0.029 ng/ul
RT: 3.365 min Scan# 61
Delta R.T. -0.017 min
Lab File: BN023403.D
Acq: 24 Dec 2022 10:39




Instrument :
BNA_N
ClientSampleId :
DBXU4


Tgt Ion: 88 Resp: 233
Ion Ratio Lower Upper
88 100
43 155.2 28.4 42.6#
58 20.4 45.6 68.4#



#5
Naphthalene
Concen: 0.056 ng/ul
RT: 10.854 min Scan# 1798
Delta R.T. -0.011 min
Lab File: BN023403.D
Acq: 24 Dec 2022 10:39

Tgt Ion: 128 Resp: 3950
Ion Ratio Lower Upper
128 100
129 15.1 9.0 13.4#
127 15.5 10.7 16.1









#7
2-Methylnaphthalene
Concen: 0.076 ng/ul
RT: 12.470 min Scan# 2092
Delta R.T. -0.005 min
Lab File: BN023403.D
Acq: 24 Dec 2022 10:39




Instrument :
BNA_N
ClientSampleId :
DBXU4


Tgt Ion:142 Resp: 3429
Ion Ratio Lower Upper
142 100
141 90.1 71.4 107.2



#8
1-Methylnaphthalene
Concen: 0.060 ng/ul
RT: 12.685 min Scan# 2131
Delta R.T. -0.011 min
Lab File: BN023403.D
Acq: 24 Dec 2022 10:39

Tgt Ion:142 Resp: 2773
Ion Ratio Lower Upper
142 100
141 92.7 74.0 111.0









#15
Phenanthrene
Concen: 0.121 ng/ul
RT: 17.428 min Scan# 3161
Delta R.T. -0.005 min
Lab File: BN023403.D
Acq: 24 Dec 2022 10:39




Instrument :
BNA_N
ClientSampleId :
DBXU4


Tgt Ion:178 Resp: 13173
Ion Ratio Lower Upper
178 100
179 17.8 12.5 18.7
176 21.1 15.7 23.5



#19
Fluoranthene
Concen: 0.259 ng/ul
RT: 19.448 min Scan# 3619
Delta R.T. -0.001 min
Lab File: BN023403.D
Acq: 24 Dec 2022 10:39

Tgt Ion:202 Resp: 28661
Ion Ratio Lower Upper
202 100
101 14.1 9.4 14.2
100 9.9 7.0 10.6









#20
Pyrene
Concen: 0.222 ng/ul
RT: 19.811 min Scan# 3697
Delta R.T. -0.001 min
Lab File: BN023403.D
Acq: 24 Dec 2022 10:39




Instrument :
BNA_N
ClientSampleId :
DBXU4


Tgt Ion:202 Resp: 24806
Ion Ratio Lower Upper
202 100
101 14.6 11.3 16.9
100 12.1 9.0 13.4



#21
Benzo(a)anthracene
Concen: 0.152 ng/ul
RT: 21.563 min Scan# 4209
Delta R.T. 0.002 min
Lab File: BN023403.D
Acq: 24 Dec 2022 10:39

Tgt Ion:228 Resp: 13473
Ion Ratio Lower Upper
228 100
229 26.3 15.6 23.4#
226 29.4 22.2 33.2





#22

Chrysene

Concen: 0.182 ng/ul

RT: 21.616 min Scan# 41

Delta R.T. -0.001 min

Lab File: BN023403.D

Acq: 24 Dec 2022 10:39

Instrument :

BNA_N

ClientSampleId :

DBXU4





Tgt Ion:228 Resp: 16457

Ion Ratio Lower Upper

228 100

226 31.6 24.3 36.5

229 35.3 15.8 23.6#



#24

Benzo(b)fluoranthene

Concen: 0.331 ng/ul

RT: 23.279 min Scan# 4796

Delta R.T. 0.005 min

Lab File: BN023403.D

Acq: 24 Dec 2022 10:39




Tgt Ion:252 Resp: 30806


Ion Ratio Lower Upper

252 100

253 31.0 0.0 49.2

125 39.6 0.0 31.8#









#26
Benzo(a)pyrene
Concen: 0.186 ng/ul
RT: 23.919 min Scan# 5012
Delta R.T. 0.005 min
Lab File: BN023403.D
Acq: 24 Dec 2022 10:39




Instrument :
BNA_N
ClientSampleId :
DBXU4


Tgt Ion:252 Resp: 13712
Ion Ratio Lower Upper
252 100
253 32.3 21.4 32.2#
125 38.2 16.2 24.4#



#27
Indeno(1,2,3-cd)pyrene
Concen: 0.132 ng/ul
RT: 26.584 min Scan# 5857
Delta R.T. 0.006 min
Lab File: BN023403.D
Acq: 24 Dec 2022 10:39

Tgt Ion:276 Resp: 11369
Ion Ratio Lower Upper
276 100
138 0.0 23.4 35.2#
227 0.0 0.0 0.0









#28
 Dibenzo(a,h)anthracene
 Concen: 0.043 ng/ul
 RT: 26.594 min Scan# 5860
 Delta R.T. -0.008 min
 Lab File: BN023403.D
 Acq: 24 Dec 2022 10:39

Instrument :
 BNA_N
 ClientSampleId :
 DBXU4

Tgt Ion: 278 Resp: 2872
 Ion Ratio Lower Upper
 278 100
 139 78.1 16.6 24.8#
 279 57.1 21.3 31.9#



#29
 Benzo(g,h,i)perylene
 Concen: 0.164 ng/ul
 RT: 27.375 min Scan# 6093
 Delta R.T. 0.006 min
 Lab File: BN023403.D
 Acq: 24 Dec 2022 10:39

Tgt Ion: 276 Resp: 11519
 Ion Ratio Lower Upper
 276 100
 138 67.9 20.3 30.5#
 277 26.6 19.7 29.5

