

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN122422\
 Data File : BN023422.D
 Acq On : 24 Dec 2022 22:02
 Operator : CG/JU
 Sample : N6018-01DL 5X
 Misc :
 ALS Vial : 49 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: Dec 25 04:20:48 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN122122.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Dec 22 02:28:40 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.990	152	6144	0.400	ng/ul	0.00
4) Naphthalene-d8	10.804	136	20650	0.400	ng/ul	-0.01
9) Acenaphthene-d10	14.641	164	11999	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.386	188	27581	0.400	ng/ul	0.00
17) Chrysene-d12	21.575	240	18167	0.400	ng/ul	0.00
23) Perylene-d12	24.022	264	14302	0.400	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.340	96	4915	0.736	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.394	152	1695	0.053	ng/ul	-0.01
18) Fluoranthene-d10	19.416	212	3769	0.057	ng/ul	0.00
Target Compounds						
					Qvalue	
5) Naphthalene	10.854	128	1216	0.020	ng/ul#	80
15) Phenanthrene	17.428	178	13242	0.147	ng/ul	98
16) Anthracene	17.521	178	1962	0.026	ng/ul#	85
19) Fluoranthene	19.444	202	37974	0.431	ng/ul	95
20) Pyrene	19.806	202	30325	0.341	ng/ul	98
21) Benzo(a)anthracene	21.558	228	13511	0.191	ng/ul	95
22) Chrysene	21.610	228	16884	0.235	ng/ul	96
24) Benzo(b)fluoranthene	23.273	252	28479	0.385	ng/ul#	65
26) Benzo(a)pyrene	23.911	252	12103	0.207	ng/ul#	70
27) Indeno(1,2,3-cd)pyrene	26.577	276	9354	0.137	ng/ul#	83
28) Dibenzo(a,h)anthracene	26.590	278	2340	0.044	ng/ul#	13
29) Benzo(g,h,i)perylene	27.365	276	9165	0.164	ng/ul#	83


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN122422\
Data File : BN023422.D
Acq On : 24 Dec 2022 22:02
Operator : CG/JU
Sample : N6018-01DL 5X
Misc :
ALS Vial : 49 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :


Quant Time: Dec 25 04:20:48 2022
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN122122.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Dec 22 02:28:40 2022
Response via : Initial Calibration








#5
Naphthalene
Concen: 0.020 ng/ul
RT: 10.854 min Scan# 1798
Delta R.T. -0.011 min
Lab File: BN023422.D
Acq: 24 Dec 2022 22:02

Instrument :
BNA_N
ClientSampleId :







Tgt Ion:128 Resp: 1216
Ion Ratio Lower Upper
128 100
129 21.3 9.0 13.4#
127 19.2 10.7 16.1#



#15
Phenanthrene
Concen: 0.147 ng/ul
RT: 17.428 min Scan# 3161
Delta R.T. -0.005 min
Lab File: BN023422.D
Acq: 24 Dec 2022 22:02


Tgt Ion:178 Resp: 13242
Ion Ratio Lower Upper
178 100
179 16.8 12.5 18.7
176 20.3 15.7 23.5








#16
 Anthracene
 Concen: 0.026 ng/ul
 RT: 17.521 min Scan# 3183
 Delta R.T. -0.005 min
 Lab File: BN023422.D
 Acq: 24 Dec 2022 22:02

Instrument :
 BNA_N
 ClientSampleId :







Tgt Ion:178 Resp: 1962
 Ion Ratio Lower Upper
 178 100
 179 24.1 12.6 18.8#
 176 24.2 15.4 23.0#



#19
 Fluoranthene
 Concen: 0.431 ng/ul
 RT: 19.444 min Scan# 3618
 Delta R.T. -0.005 min
 Lab File: BN023422.D
 Acq: 24 Dec 2022 22:02


Tgt Ion:202 Resp: 37974
 Ion Ratio Lower Upper
 202 100
 101 14.0 9.4 14.2
 100 10.2 7.0 10.6








#20
 Pyrene
 Concen: 0.341 ng/ul
 RT: 19.806 min Scan# 30
 Delta R.T. -0.005 min
 Lab File: BN023422.D
 Acq: 24 Dec 2022 22:02

Instrument :
 BNA_N
 ClientSampleId :







Tgt Ion:202 Resp: 30325
 Ion Ratio Lower Upper
 202 100
 101 14.7 11.3 16.9
 100 11.9 9.0 13.4



#21
 Benzo(a)anthracene
 Concen: 0.191 ng/ul
 RT: 21.558 min Scan# 4207
 Delta R.T. -0.004 min
 Lab File: BN023422.D
 Acq: 24 Dec 2022 22:02

Tgt Ion:228 Resp: 13511
 Ion Ratio Lower Upper
 228 100
 229 22.5 15.6 23.4
 226 29.4 22.2 33.2





#22

Chrysene

Concen: 0.235 ng/ul

RT: 21.610 min Scan# 41

Delta R.T. -0.006 min


Lab File: BN023422.D

Acq: 24 Dec 2022 22:02

Instrument :

BNA_N

ClientSampleId :






Tgt Ion:228 Resp: 16884

Ion Ratio Lower Upper

228 100

226 31.4 24.3 36.5

229 23.3 15.8 23.6



#24

Benzo(b)fluoranthene

Concen: 0.385 ng/ul

RT: 23.273 min Scan# 4794

Delta R.T. -0.001 min

Lab File: BN023422.D

Acq: 24 Dec 2022 22:02




Tgt Ion:252 Resp: 28479


Ion Ratio Lower Upper

252 100

253 31.9 0.0 49.2


125 44.5 0.0 31.8#








#26
Benzo(a)pyrene
Concen: 0.207 ng/ul
RT: 23.911 min Scan# 5012
Delta R.T. -0.004 min
Lab File: BN023422.D
Acq: 24 Dec 2022 22:02

Instrument :
BNA_N
ClientSampleId :







Tgt Ion:252 Resp: 12103
Ion Ratio Lower Upper
252 100
253 34.3 21.4 32.2#
125 43.6 16.2 24.4#



#27
Indeno(1,2,3-cd)pyrene
Concen: 0.137 ng/ul
RT: 26.577 min Scan# 5855
Delta R.T. -0.001 min
Lab File: BN023422.D
Acq: 24 Dec 2022 22:02

Tgt Ion:276 Resp: 9354
Ion Ratio Lower Upper
276 100
138 38.2 23.4 35.2#
227 0.0 0.0 0.0





#28

Dibenzo(a,h)anthracene

Concen: 0.044 ng/ul

RT: 26.590 min Scan# 5859

Delta R.T. -0.011 min


Lab File: BN023422.D

Acq: 24 Dec 2022 22:02

Instrument :

BNA_N

ClientSampleId :






Tgt Ion:278 Resp: 2340

Ion Ratio Lower Upper

278 100

139 73.5 16.6 24.8#

279 60.7 21.3 31.9#



#29

Benzo(g,h,i)perylene

Concen: 0.164 ng/ul

RT: 27.365 min Scan# 6090

Delta R.T. -0.004 min

Lab File: BN023422.D

Acq: 24 Dec 2022 22:02

Tgt Ion:276 Resp: 9165

Ion Ratio Lower Upper

276 100

138 39.0 20.3 30.5#

277 27.9 19.7 29.5

