

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN122422\
 Data File : BN023386.D
 Acq On : 23 Dec 2022 23:53
 Operator : CG/JU
 Sample : N6008-07
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 DBYB4

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 12/24/2022
 Supervised By :Yogesh Patel 12/24/2022

Quant Time: Dec 24 03:08:44 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN122122.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Dec 22 02:28:40 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.994	152	8250	0.400	ng/ul	0.00
4) Naphthalene-d8	10.810	136	27016	0.400	ng/ul	0.00
9) Acenaphthene-d10	14.641	164	15843	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.390	188	37089	0.400	ng/ul	0.00
17) Chrysene-d12	21.577	240	25787	0.400	ng/ul	0.00
23) Perylene-d12	24.026	264	20083	0.400	ng/ul	# 0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.344	96	35601	3.972	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.399	152	10034	0.240	ng/ul	0.00
18) Fluoranthene-d10	19.415	212	23735	0.254	ng/ul	0.00
Target Compounds						
					Qvalue	
5) Naphthalene	10.859	128	6033	0.076	ng/ul	96
7) 2-Methylnaphthalene	12.470	142	2703	0.053	ng/ul	99
8) 1-Methylnaphthalene	12.690	142	2082	0.040	ng/ul	99
10) Acenaphthylene	14.363	152	7096	0.101	ng/ul	96
11) Acenaphthene	14.705	153	3282	0.055	ng/ul	99
12) Fluorene	15.691	166	2684	0.040	ng/ul#	98
15) Phenanthrene	17.428	178	65489	0.542	ng/ul	100
16) Anthracene	17.521	178	12315	0.123	ng/ul	97
19) Fluoranthene	19.448	202	171131	1.368	ng/ul	99
20) Pyrene	19.810	202	133830m	1.061	ng/ul	
21) Benzo(a)anthracene	21.559	228	79611	0.793	ng/ul	98
22) Chrysene	21.612	228	89379	0.875	ng/ul	98
24) Benzo(b)fluoranthene	23.275	252	124147m	1.195	ng/ul	
25) Benzo(k)fluoranthene	23.322	252	39650m	0.407	ng/ul	
26) Benzo(a)pyrene	23.918	252	72387	0.880	ng/ul	94
27) Indeno(1,2,3-cd)pyrene	26.579	276	53168	0.554	ng/ul#	97
28) Dibenzo(a,h)anthracene	26.592	278	12965	0.174	ng/ul#	84
29) Benzo(g,h,i)perylene	27.373	276	52215	0.667	ng/ul	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN122422\
Data File : BN023386.D
Acq On : 23 Dec 2022 23:53
Operator : CG/JU
Sample : N6008-07
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
DBYB4

Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 12/24/2022
Supervised By :Yogesh Patel 12/24/2022

Quant Time: Dec 24 03:08:44 2022
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN122122.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Dec 22 02:28:40 2022
Response via : Initial Calibration

