

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN122918\
 Data File : BN004295.D
 Acq On : 29 Dec 2018 11:28
 Operator : JU/SJ
 Sample : J6428-12
 Misc : GCMS Confirmation
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 A41W5

Manual Integrations
 APPROVED

Sohil
 1/2/2019 3:42:07 PM

Quant Time: Dec 31 00:04:23 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN121218MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Dec 28 03:12:04 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.82	152	28166	20.00	ng/ul	0.00
18) Naphthalene-d8	10.62	136	132168	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.46	164	87145	20.00	ng/ul	0.00
61) Phenanthrene-d10	17.21	188	198628	20.00	ng/ul	0.00
77) Chrysene-d12	21.40	240	223391	20.00	ng/ul	0.00
85) Perylene-d12	23.72	264	203130	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	0.00	96	0	0.00	ng/uL	
5) Phenol-d5	0.00	99	0	0.00	ng/ul	
7) Bis-(2-Chloroethyl)ether-d	0.00	67	0	0.00	ng/ul	
9) 2-Chlorophenol-d4	0.00	132	0	0.00	ng/ul	
13) 4-Methylphenol-d8	0.00	113	0	0.00	ng/ul	
19) Nitrobenzene-d5	0.00	128	0	0.00	ng/ul	
22) 2-Nitrophenol-d4	0.00	143	0	0.00	ng/ul	
26) 2,4-Dichlorophenol-d3	0.00	165	0	0.00	ng/ul	
29) 4-Chloroaniline-d4	0.00	131	0	0.00	ng/ul	
43) Dimethylphthalate-d6	0.00	166	0	0.00	ng/ul	
46) Acenaphthylene-d8	0.00	160	0	0.00	ng/ul	
51) 4-Nitrophenol-d4	0.00	143	0	0.00	ng/ul	
57) Fluorene-d10	0.00	176	0d	0.00	ng/ul	
62) 4,6-Dinitro-2-methylphenol	0.00	200	0	0.00	ng/ul	
70) Anthracene-d10	0.00	188	0d	0.00	ng/ul	
78) Pyrene-d10	0.00	212	0	0.00	ng/ul	
89) Benzo(a)pyrene-d12	0.00	264	0d	0.00	ng/ul	

Target Compounds

					Qvalue	
28) Naphthalene	10.66	128	22673	3.197	ng/ul	99
34) 2-Methylnaphthalene	12.27	142	7795	1.460	ng/ul	98
49) Acenaphthene	14.52	153	21095	3.369	ng/ul	99
53) Dibenzofuran	14.86	168	33680	3.790	ng/ul	98
58) Fluorene	15.51	166	36188	4.890	ng/ul	98
69) Phenanthrene	17.25	178	636954	55.501	ng/ul	99
71) Anthracene	17.34	178	42795	3.638	ng/ul	98
76) Fluoranthene	19.27	202	913580	64.944	ng/ul	99
79) Pyrene	19.63	202	550238	44.089	ng/ul	99
82) Benzo(a)anthracene	21.38	228	308690	22.160	ng/ul	99
84) Chrysene	21.43	228	358780	27.497	ng/ul	99
87) Benzo(b)fluoranthene	23.02	252	231797	19.050	ng/ul	97
88) Benzo(k)fluoranthene	23.05	252	87596m	7.688	ng/ul	
92) Dibenzo(a,h)anthracene	26.07	278	15476	1.219	ng/ul	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN122918\
Data File : BN004295.D
Acq On : 29 Dec 2018 11:28
Operator : JU/SJ
Sample : J6428-12
Misc : GCMS Confirmation
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
A41W5

Manual Integrations
APPROVED

Sohil
1/2/2019 3:42:07 PM

Quant Time: Dec 31 00:04:23 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN121218MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Dec 28 03:12:04 2018
Response via : Initial Calibration

