

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN020122\
 Data File : BN018514.D
 Acq On : 01 Feb 2022 15:05
 Operator : CG/JU
 Sample : N1307-10
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 C0Q25

Quant Time: Feb 02 04:59:28 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN013122.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Feb 01 03:59:58 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.931	152	422	0.400	ng/ul	0.00
4) Naphthalene-d8	10.733	136	1533	0.400	ng/ul	# 0.00
9) Acenaphthene-d10	14.558	164	920	0.400	ng/ul	# 0.00
13) Phenanthrene-d10	17.298	188	1771	0.400	ng/ul	# 0.00
17) Chrysene-d12	21.468	240	1538	0.400	ng/ul	# 0.00
23) Perylene-d12	23.864	264	1532	0.400	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.299	96	1790	3.683	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.323	152	752	0.364	ng/ul	0.00
18) Fluoranthene-d10	19.319	212	2000	0.466	ng/ul	0.00
Target Compounds						
					Qvalue	
5) Naphthalene	10.794	128	277	0.066	ng/ul#	1
12) Fluorene	15.604	166	394	0.116	ng/ul#	93
14) Pentachlorophenol	16.948	266	138405	879.447	ng/ul	99
15) Phenanthrene	17.336	178	168	0.029	ng/ul#	19
19) Fluoranthene	19.347	202	273	0.046	ng/ul#	36
20) Pyrene	19.709	202	400	0.066	ng/ul#	54

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN020122\
Data File : BN018514.D
Acq On : 01 Feb 2022 15:05
Operator : CG/JU
Sample : N1307-10
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
C0Q25

Quant Time: Feb 02 04:59:28 2022
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN013122.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Feb 01 03:59:58 2022
Response via : Initial Calibration

