




Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN030923\
 Data File : BN024232.D
 Acq On : 10 Mar 2023 12:08
 Operator : CG/JU
 Sample : 01784-13RE
 Misc :
 ALS Vial : 73 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 DCAC3RE

Manual IntegrationsAPPROVED

Quant Time: Mar 11 01:53:56 2023
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN030923.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 10 03:43:59 2023
 Response via : Initial Calibration

Reviewed By :Christian Giraldo 03/13/2023
 Supervised By :Jagrut Upadhyay 03/13/2023



TIC: BN024232.D\data.ms

(20) Pyrene

19.845min (-0.000) 0.32 ng/u1

response 30434

Ion	Exp%	Act%
202.00	100.00	100.00
101.00	15.10	17.36
100.00	11.70	14.31#
0.00	0.00	0.00




Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN030923\
 Data File : BN024232.D
 Acq On : 10 Mar 2023 12:08
 Operator : CG/JU
 Sample : 01784-13RE
 Misc :
 ALS Vial : 73 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 DCAC3RE

Manual IntegrationsAPPROVED

Quant Time: Mar 11 00:07:46 2023
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN030923.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 10 03:43:59 2023
 Response via : Initial Calibration

Reviewed By :Christian Giraldo 03/13/2023
 Supervised By :Jagrut Upadhyay 03/13/2023



TIC: BN024232.D\data.ms

(20) Pyrene

19.845min (-0.000) 0.27 ng/ul m

response 26180

Ion	Exp%	Act%
202.00	100.00	100.00
101.00	15.10	17.36
100.00	11.70	14.31#
0.00	0.00	0.00

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN030923\
 Data File : BN024232.D
 Acq On : 10 Mar 2023 12:08
 Operator : CG/JU
 Sample : 01784-13RE
 Misc :
 ALS Vial : 73 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 DCAC3RE

Manual IntegrationsAPPROVED

Reviewed By :Christian Giraldo 03/13/2023
 Supervised By :Jagrut Upadhyay 03/13/2023

Quant Time: Mar 11 00:07:46 2023
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN030923.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Mar 10 03:43:59 2023
 Response via : Initial Calibration

Compound	R.T.	Q	Ion	Response	Conc	Units	Dev(Min)

Internal Standards							
1) 1,4-Dichlorobenzene-d4	8.051	152		9653	0.400	ng/ul	0.00
4) Naphthalene-d8	10.883	136		29936	0.400	ng/ul	# 0.01
9) Acenaphthene-d10	14.689	164		23362	0.400	ng/ul	# 0.00
13) Phenanthrene-d10	17.430	188		34115	0.400	ng/ul	0.00
17) Chrysene-d12	21.618	240		23883	0.400	ng/ul	0.00
23) Perylene-d12	24.120	264		20978	0.400	ng/ul	0.00
System Monitoring Compounds							
3) 1,4-Dioxane-d8	3.405	96		40553	3.817	ng/ul	0.00
6) 2-Methylnaphthalene-d10	12.450	152		13659	0.384	ng/ul	0.00
18) Fluoranthene-d10	19.450	212		27447	0.432	ng/ul	0.00
Target Compounds							Qvalue
5) Naphthalene	10.944	128	35209054	471.199	ng/ul		95
7) 2-Methylnaphthalene	12.533	142	7071827	156.001	ng/ul		99
8) 1-Methylnaphthalene	12.753	142	6628775	139.141	ng/ul		99
10) Acenaphthylene	14.407	152	437680	4.490	ng/ul		97
11) Acenaphthene	14.758	153	7428297	98.917	ng/ul		97
12) Fluorene	15.734	166	1646586	19.635	ng/ul		99
14) Pentachlorophenol	17.075	266	38353	4.048	ng/ul#		73
15) Phenanthrene	17.472	178	1691585	17.312	ng/ul		99
16) Anthracene	17.565	178	93947	1.096	ng/ul		99
19) Fluoranthene	19.483	202	80473	0.847	ng/ul		99
20) Pyrene	19.845	202	26180m	0.271	ng/ul		

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN030923\
Data File : BN024232.D
Acq On : 10 Mar 2023 12:08
Operator : CG/JU
Sample : 01784-13RE
Misc :
ALS Vial : 73 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
DCAC3RE

Manual IntegrationsAPPROVED

Quant Time: Mar 11 00:07:46 2023
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN030923.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Mar 10 03:43:59 2023
Response via : Initial Calibration

Reviewed By :Christian Giraldo 03/13/2023
Supervised By :Jagrut Upadhyay 03/13/2023

