

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN032421\
 Data File : BN014081.D
 Acq On : 24 Mar 2021 21:35
 Operator : CG/JU
 Sample : M1787-13
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE-122D3-20210319

Quant Time: Mar 25 05:38:30 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN032021.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 23 11:06:27 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.700	152	5237	0.40	ng	0.00
7) Naphthalene-d8	10.467	136	20144	0.40	ng	-0.01
13) Acenaphthene-d10	14.321	164	11585	0.40	ng	0.00
19) Phenanthrene-d10	17.055	188	24585	0.40	ng	-0.01
29) Chrysene-d12	21.237	240	23765	0.40	ng	# 0.00
36) Perylene-d12	23.439	264	22635	0.40	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.292	112	1599	0.13	ng	0.00
5) Phenol-d6	6.863	99	1135	0.07	ng	0.00
8) Nitrobenzene-d5	8.832	82	4006	0.30	ng	-0.01
11) 2-Methylnaphthalene-d10	12.057	152	9844	0.31	ng	0.00
14) 2,4,6-Tribromophenol	15.805	330	1030	0.27	ng	-0.01
15) 2-Fluorobiphenyl	12.938	172	13126	0.30	ng	-0.01
27) Fluoranthene-d10	19.086	212	28281	0.41	ng	0.00
31) Terphenyl-d14	19.687	244	24219	0.46	ng	0.00
Target Compounds						
34) Bis(2-ethylhexyl)phtha...	21.152	149	2280	0.09	ng	Qvalue 94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN032421\
Data File : BN014081.D
Acq On : 24 Mar 2021 21:35
Operator : CG/JU
Sample : M1787-13
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE-122D3-20210319

Quant Time: Mar 25 05:38:30 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN032021.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 23 11:06:27 2021
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.40 ng
 RT: 7.700 min Scan# 611
 Delta R.T. 0.000 min
 Lab File: BN014081.D
 Acq: 24 Mar 2021 21:35




Instrument :
 BNA_N
 ClientSampleId :
 RE-122D3-20210319


Tgt Ion:152 Resp: 5237
 Ion Ratio Lower Upper
 152 100
 150 150.8 121.8 182.8
 115 57.5 46.6 69.8



#4
 2-Fluorophenol
 Concen: 0.13 ng
 RT: 5.292 min Scan# 312
 Delta R.T. 0.000 min
 Lab File: BN014081.D
 Acq: 24 Mar 2021 21:35

Tgt Ion:112 Resp: 1599
 Ion Ratio Lower Upper
 112 100
 64 59.6 44.3 66.5
 63 31.8 23.0 34.6









#5
Phenol-d6
Concen: 0.07 ng
RT: 6.863 min Scan# 507
Delta R.T. 0.000 min
Lab File: BN014081.D
Acq: 24 Mar 2021 21:35




Instrument :
BNA_N
ClientSampleId :
RE-122D3-20210319


Tgt Ion: 99 Resp: 1135
Ion Ratio Lower Upper
99 100
42 43.0 15.2 22.8#
71 42.4 26.1 39.1#



#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.467 min Scan# 857
Delta R.T. -0.012 min
Lab File: BN014081.D
Acq: 24 Mar 2021 21:35

Tgt Ion: 136 Resp: 20144
Ion Ratio Lower Upper
136 100
137 11.4 9.0 13.6
54 9.0 6.4 9.6
68 6.4 4.5 6.7









#8
Nitrobenzene-d5
Concen: 0.30 ng
RT: 8.832 min Scan# 728
Delta R.T. -0.012 min
Lab File: BN014081.D
Acq: 24 Mar 2021 21:35




Instrument :
BNA_N
ClientSampleId :
RE-122D3-20210319


Tgt Ion: 82 Resp: 4006
Ion Ratio Lower Upper
82 100
128 33.2 39.2 58.8#
54 62.1 40.1 60.1#



#11
2-Methylnaphthalene-d10
Concen: 0.31 ng
RT: 12.057 min Scan# 1063
Delta R.T. -0.008 min
Lab File: BN014081.D
Acq: 24 Mar 2021 21:35

Tgt Ion: 152 Resp: 9844
Ion Ratio Lower Upper
152 100
151 20.1 16.2 24.2









#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.321 min Scan# 1307
Delta R.T. 0.000 min
Lab File: BN014081.D
Acq: 24 Mar 2021 21:35




Instrument :
BNA_N
ClientSampleId :
RE-122D3-20210319


Tgt Ion:	164	Resp:	11585
Ion	Ratio	Lower	Upper
164	100		
162	99.9	79.6	119.4
160	44.0	36.0	54.0



#14
2,4,6-Tribromophenol
Concen: 0.27 ng
RT: 15.805 min Scan# 1424
Delta R.T. -0.012 min
Lab File: BN014081.D
Acq: 24 Mar 2021 21:35

Tgt Ion:	330	Resp:	1030
Ion	Ratio	Lower	Upper
330	100		
332	0.0	0.0	0.0
141	40.9	26.8	40.2









#15
2-Fluorobiphenyl
Concen: 0.30 ng
RT: 12.938 min Scan# 1198
Delta R.T. -0.012 min
Lab File: BN014081.D
Acq: 24 Mar 2021 21:35




Instrument :
BNA_N
ClientSampleId :
RE-122D3-20210319


Tgt Ion:172	Resp:	13126
Ion Ratio	Lower	Upper
172	100	
171	34.8	28.6 42.8
170	24.0	18.9 28.3



#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 17.055 min Scan# 1526
Delta R.T. -0.012 min
Lab File: BN014081.D
Acq: 24 Mar 2021 21:35

Tgt Ion:188	Resp:	24585
Ion Ratio	Lower	Upper
188	100	
94	0.0	0.0 0.0
80	11.5	9.0 13.6









#27
Fluoranthene-d10
Concen: 0.41 ng
RT: 19.086 min Scan# 1822
Delta R.T. -0.002 min
Lab File: BN014081.D
Acq: 24 Mar 2021 21:35




Instrument :
BNA_N
ClientSampleId :
RE-122D3-20210319


Tgt Ion:212 Resp: 28281
Ion Ratio Lower Upper
212 100
106 12.5 9.7 14.5
104 7.5 5.5 8.3



#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.237 min Scan# 2123
Delta R.T. -0.002 min
Lab File: BN014081.D
Acq: 24 Mar 2021 21:35

Tgt Ion:240 Resp: 23765
Ion Ratio Lower Upper
240 100
120 6.6 10.2 15.4#
236 25.6 21.3 31.9









#31
Terphenyl-d14
Concen: 0.46 ng
RT: 19.687 min Scan# 1943
Delta R.T. -0.002 min
Lab File: BN014081.D
Acq: 24 Mar 2021 21:35




Instrument :
BNA_N
ClientSampleId :
RE-122D3-20210319


Tgt Ion:244 Resp: 24219
Ion Ratio Lower Upper
244 100
212 7.5 6.1 9.1
122 11.4 9.8 14.8



#34
Bis(2-ethylhexyl)phthalate
Concen: 0.09 ng
RT: 21.152 min Scan# 2115
Delta R.T. -0.002 min
Lab File: BN014081.D
Acq: 24 Mar 2021 21:35

Tgt Ion:149 Resp: 2280
Ion Ratio Lower Upper
149 100
167 24.3 22.1 33.1
279 4.9 3.5 5.3





#36
 Perylene-d12
 Concen: 0.40 ng
 RT: 23.439 min Scan# 2535
 Delta R.T. -0.009 min
 Lab File: BN014081.D
 Acq: 24 Mar 2021 21:35

Instrument :
 BNA_N
 ClientSampleId :
 RE-122D3-20210319

Tgt Ion:264	Resp:	22635
Ion Ratio	Lower	Upper
264	100	
260	24.4	19.3 28.9
265	33.3	66.2 99.4#

