

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN032421\
 Data File : BN014095.D
 Acq On : 25 Mar 2021 07:10
 Operator : CG/JU
 Sample : M1787-18
 Misc :
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 MW203D1-20210320

Quant Time: Mar 25 07:53:03 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN032021.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Mar 23 11:06:27 2021
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.700	152	5280	0.40	ng	0.00
7) Naphthalene-d8	10.467	136	20048	0.40	ng	#-0.01
13) Acenaphthene-d10	14.321	164	11741	0.40	ng	0.00
19) Phenanthrene-d10	17.055	188	25697	0.40	ng	-0.01
29) Chrysene-d12	21.236	240	24414	0.40	ng	# 0.00
36) Perylene-d12	23.442	264	23414	0.40	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.292	112	1674	0.14	ng	0.00
5) Phenol-d6	6.863	99	1206	0.08	ng	0.00
8) Nitrobenzene-d5	8.832	82	4135	0.31	ng	-0.01
11) 2-Methylnaphthalene-d10	12.062	152	9669	0.31	ng	0.00
14) 2,4,6-Tribromophenol	15.805	330	1177	0.31	ng	-0.01
15) 2-Fluorobiphenyl	12.938	172	13918	0.32	ng	-0.01
27) Fluoranthene-d10	19.086	212	26922	0.38	ng	0.00
31) Terphenyl-d14	19.687	244	30637	0.57	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.239	88	8487	1.22	ng	# 91
34) Bis(2-ethylhexyl)phtha...	21.152	149	1461	0.06	ng	# 93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN032421\
Data File : BN014095.D
Acq On : 25 Mar 2021 07:10
Operator : CG/JU
Sample : M1787-18
Misc :
ALS Vial : 23 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
MW203D1-20210320

Quant Time: Mar 25 07:53:03 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN032021.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Mar 23 11:06:27 2021
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.40 ng
 RT: 7.700 min Scan# 611
 Delta R.T. 0.000 min
 Lab File: BN014095.D
 Acq: 25 Mar 2021 07:10

Instrument :
 BNA_N
 ClientSampleId :
 MW203D1-20210320

Tgt Ion: 152 Resp: 5280




Ion	Ratio	Lower	Upper
152	100		
150	149.6	121.8	182.8
115	57.1	46.6	69.8




#2
 1,4-Dioxane
 Concen: 1.22 ng
 RT: 3.239 min Scan# 57
 Delta R.T. -0.008 min
 Lab File: BN014095.D
 Acq: 25 Mar 2021 07:10

Tgt Ion: 88 Resp: 8487

Ion	Ratio	Lower	Upper
88	100		
58	81.3	64.6	96.8
43	49.3	26.6	40.0









#4
2-Fluorophenol
Concen: 0.14 ng
RT: 5.292 min Scan# 312
Delta R.T. 0.000 min
Lab File: BN014095.D
Acq: 25 Mar 2021 07:10

Instrument :
BNA_N
ClientSampleId :
MW203D1-20210320

Tgt Ion: 112 Resp: 1674




Ion	Ratio	Lower	Upper
112	100		
64	61.6	44.3	66.5
63	33.6	23.0	34.6




#5
Phenol-d6
Concen: 0.08 ng
RT: 6.863 min Scan# 507
Delta R.T. 0.000 min
Lab File: BN014095.D
Acq: 25 Mar 2021 07:10

Tgt Ion: 99 Resp: 1206

Ion	Ratio	Lower	Upper
99	100		
42	0.0	15.2	22.8#
71	38.3	26.1	39.1









#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.467 min Scan# 857
Delta R.T. -0.012 min
Lab File: BN014095.D
Acq: 25 Mar 2021 07:10




Instrument :
BNA_N
ClientSampleId :
MW203D1-20210320


Tgt Ion:	136	Resp:	20048
Ion Ratio	Lower	Upper	
136	100		
137	11.3	9.0	13.6
54	9.1	6.4	9.6
68	6.8	4.5	6.7#



#8
Nitrobenzene-d5
Concen: 0.31 ng
RT: 8.832 min Scan# 728
Delta R.T. -0.012 min
Lab File: BN014095.D
Acq: 25 Mar 2021 07:10

Tgt Ion:	82	Resp:	4135
Ion Ratio	Lower	Upper	
82	100		
128	33.3	39.2	58.8#
54	62.3	40.1	60.1#









#11
2-Methylnaphthalene-d10
Concen: 0.31 ng
RT: 12.062 min Scan# 1064
Delta R.T. -0.004 min
Lab File: BN014095.D
Acq: 25 Mar 2021 07:10




Instrument :
BNA_N
ClientSampleId :
MW203D1-20210320


Tgt Ion:152 Resp: 9669
Ion Ratio Lower Upper
152 100
151 20.0 16.2 24.2



#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.321 min Scan# 1307
Delta R.T. 0.000 min
Lab File: BN014095.D
Acq: 25 Mar 2021 07:10

Tgt Ion:164 Resp: 11741
Ion Ratio Lower Upper
164 100
162 101.3 79.6 119.4
160 45.1 36.0 54.0









#14
2,4,6-Tribromophenol
Concen: 0.31 ng
RT: 15.805 min Scan# 1424
Delta R.T. -0.012 min
Lab File: BN014095.D
Acq: 25 Mar 2021 07:10




Instrument :
BNA_N
ClientSampleId :
MW203D1-20210320


Tgt Ion: 330 Resp: 1177
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 39.2 26.8 40.2



#15
2-Fluorobiphenyl
Concen: 0.32 ng
RT: 12.938 min Scan# 1198
Delta R.T. -0.012 min
Lab File: BN014095.D
Acq: 25 Mar 2021 07:10

Tgt Ion: 172 Resp: 13918
Ion Ratio Lower Upper
172 100
171 35.0 28.6 42.8
170 24.1 18.9 28.3









#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 17.055 min Scan# 1526
Delta R.T. -0.012 min
Lab File: BN014095.D
Acq: 25 Mar 2021 07:10




Instrument :
BNA_N
ClientSampleId :
MW203D1-20210320


Tgt Ion:188	Resp:	25697
Ion Ratio	Lower	Upper
188	100	
94	0.0	0.0
80	10.9	13.6



#27
Fluoranthene-d10
Concen: 0.38 ng
RT: 19.086 min Scan# 1822
Delta R.T. -0.002 min
Lab File: BN014095.D
Acq: 25 Mar 2021 07:10

Tgt Ion:212	Resp:	26922
Ion Ratio	Lower	Upper
212	100	
106	12.6	9.7
104	7.2	5.5









#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.236 min Scan# 2123
Delta R.T. -0.002 min
Lab File: BN014095.D
Acq: 25 Mar 2021 07:10




Instrument :
BNA_N
ClientSampleId :
MW203D1-20210320


Tgt Ion:240 Resp: 24414
Ion Ratio Lower Upper
240 100
120 7.1 10.2 15.4#
236 25.2 21.3 31.9



#31
Terphenyl-d14
Concen: 0.57 ng
RT: 19.687 min Scan# 1943
Delta R.T. -0.002 min
Lab File: BN014095.D
Acq: 25 Mar 2021 07:10

Tgt Ion:244 Resp: 30637
Ion Ratio Lower Upper
244 100
212 7.5 6.1 9.1
122 11.6 9.8 14.8









#34
Bis(2-ethylhexyl)phthalate
Concen: 0.06 ng
RT: 21.152 min Scan# 2115
Delta R.T. -0.002 min
Lab File: BN014095.D
Acq: 25 Mar 2021 07:10

Instrument :
BNA_N
ClientSampleId :
MW203D1-20210320

Tgt Ion:149 Resp: 1461
Ion Ratio Lower Upper
149 100
167 23.6 22.1 33.1
279 5.6 3.5 5.3#



#36
Perylene-d12
Concen: 0.40 ng
RT: 23.442 min Scan# 2536
Delta R.T. -0.006 min
Lab File: BN014095.D
Acq: 25 Mar 2021 07:10

Tgt Ion:264 Resp: 23414
Ion Ratio Lower Upper
264 100
260 24.1 19.3 28.9
265 33.6 66.2 99.4#

