

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN032423\
 Data File : BN024554.D
 Acq On : 24 Mar 2023 20:35
 Operator : CG/JU
 Sample : SP6167
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SP6167

Quant Time: Mar 25 00:27:24 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN031323.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Mar 25 00:22:43 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	8.018	152	8889	0.400	ng	0.00
7) Naphthalene-d8	10.834	136	24888	0.400	ng	# 0.00
13) Acenaphthene-d10	14.654	164	12211	0.400	ng	0.00
19) Phenanthrene-d10	17.400	188	24282	0.400	ng	# 0.00
29) Chrysene-d12	21.592	240	12690	0.400	ng	# 0.00
35) Perylene-d12	24.079	264	10392	0.400	ng	#-0.02
System Monitoring Compounds						
4) 2-Fluorophenol	5.570	112	9692	0.492	ng	0.00
5) Phenol-d6	7.181	99	10944	0.433	ng	0.00
8) Nitrobenzene-d5	9.190	82	9159	0.551	ng	0.00
11) 2-Methylnaphthalene-d10	12.418	152	15045	0.492	ng	0.00
14) 2,4,6-Tribromophenol	16.159	330	1875	0.300	ng	0.01
15) 2-Fluorobiphenyl	13.286	172	22526	0.488	ng	0.00
27) Fluoranthene-d10	19.429	212	24040	0.467	ng	0.00
31) Terphenyl-d14	20.016	244	13016	0.608	ng	0.00
Target Compounds						
3) n-Nitrosodimethylamine	3.736	42	301	0.021	ng	# 1
20) 4,6-Dinitro-2-methylph...	15.799	198	4	0.179	ng	# 1
24) Pentachlorophenol	17.078	266	34	0.132	ng	# 39


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN032423\
Data File : BN024554.D
Acq On : 24 Mar 2023 20:35
Operator : CG/JU
Sample : SP6167
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
SP6167


Quant Time: Mar 25 00:27:24 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN031323.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Mar 25 00:22:43 2023
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 8.018 min Scan# 61
Delta R.T. -0.007 min
Lab File: BN024554.D
Acq: 24 Mar 2023 20:35

Instrument :
BNA_N
ClientSampleId :
SP6167







Tgt Ion:152 Resp: 8889
Ion Ratio Lower Upper
152 100
150 156.9 124.7 187.1
115 61.6 49.1 73.7



#3
n-Nitrosodimethylamine
Concen: 0.021 ng
RT: 3.736 min Scan# 63
Delta R.T. -0.022 min
Lab File: BN024554.D
Acq: 24 Mar 2023 20:35

Tgt Ion: 42 Resp: 301
Ion Ratio Lower Upper
42 100
74 1.7 81.6 122.4#
44 54.2 7.3 10.9#









#4
2-Fluorophenol
Concen: 0.492 ng
RT: 5.570 min Scan# 319
Delta R.T. 0.000 min
Lab File: BN024554.D
Acq: 24 Mar 2023 20:35




Instrument :
BNA_N
ClientSampleId :
SP6167


Tgt Ion:112 Resp: 9692
Ion Ratio Lower Upper
112 100
64 64.1 49.0 73.6
63 34.6 25.7 38.5



#5
Phenol-d6
Concen: 0.433 ng
RT: 7.181 min Scan# 540
Delta R.T. 0.000 min
Lab File: BN024554.D
Acq: 24 Mar 2023 20:35

Tgt Ion: 99 Resp: 10944
Ion Ratio Lower Upper
99 100
42 26.1 20.1 30.1
71 34.3 25.8 38.8









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.834 min Scan# 91
Delta R.T. 0.000 min
Lab File: BN024554.D
Acq: 24 Mar 2023 20:35




Instrument :
BNA_N
ClientSampleId :
SP6167


Tgt Ion:136 Resp: 24888
Ion Ratio Lower Upper
136 100
137 11.2 8.9 13.3
54 10.8 7.1 10.7#
68 7.4 5.3 7.9



#8
Nitrobenzene-d5
Concen: 0.551 ng
RT: 9.190 min Scan# 779
Delta R.T. 0.000 min
Lab File: BN024554.D
Acq: 24 Mar 2023 20:35

Tgt Ion: 82 Resp: 9159
Ion Ratio Lower Upper
82 100
128 41.1 32.4 48.6
54 58.8 45.2 67.8





#11

2-Methylnaphthalene-d10

Concen: 0.492 ng

RT: 12.418 min Scan# 11

Delta R.T. 0.000 min

Lab File: BN024554.D

Acq: 24 Mar 2023 20:35

Instrument :

BNA_N

ClientSampleId :





SP6167

Tgt Ion:152 Resp: 15045

Ion Ratio Lower Upper

152 100

151 21.0 16.8 25.2



#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.654 min Scan# 1547

Delta R.T. 0.000 min

Lab File: BN024554.D

Acq: 24 Mar 2023 20:35




Tgt Ion:164 Resp: 12211


Ion Ratio Lower Upper

164 100

162 102.9 84.7 127.1

160 51.8 44.6 66.8









#14
2,4,6-Tribromophenol
Concen: 0.300 ng
RT: 16.159 min Scan# 1682
Delta R.T. 0.012 min
Lab File: BN024554.D
Acq: 24 Mar 2023 20:35




Instrument :
BNA_N
ClientSampleId :
SP6167


Tgt Ion: 330 Resp: 1875
Ion Ratio Lower Upper
330 100
332 97.2 78.0 117.0
141 38.5 30.8 46.2



#15
2-Fluorobiphenyl
Concen: 0.488 ng
RT: 13.286 min Scan# 1419
Delta R.T. 0.000 min
Lab File: BN024554.D
Acq: 24 Mar 2023 20:35

Tgt Ion: 172 Resp: 22526
Ion Ratio Lower Upper
172 100
171 34.0 27.8 41.8
170 22.5 19.0 28.6









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.400 min Scan# 1784
Delta R.T. 0.000 min
Lab File: BN024554.D
Acq: 24 Mar 2023 20:35




Instrument :
BNA_N
ClientSampleId :
SP6167


Tgt Ion:188 Resp: 24282
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 15.1 8.9 13.3#



#20
4,6-Dinitro-2-methylphenol
Concen: 0.179 ng
RT: 15.799 min Scan# 1653
Delta R.T. 0.025 min
Lab File: BN024554.D
Acq: 24 Mar 2023 20:35

Tgt Ion:198 Resp: 4
Ion Ratio Lower Upper
198 100
51 408.2 68.2 102.2#
105 224.5 51.6 77.4#





#24

Pentachlorophenol

Concen: 0.132 ng

RT: 17.078 min Scan# 11

Delta R.T. 0.025 min

Lab File: BN024554.D

Acq: 24 Mar 2023 20:35

Instrument :

BNA_N

ClientSampleId :

SP6167





Tgt Ion:266 Resp: 34

Ion Ratio Lower Upper

266 100

264 0.0 51.1 76.7#

268 97.1 52.2 78.4#



#27

Fluoranthene-d10

Concen: 0.467 ng

RT: 19.429 min Scan# 2168

Delta R.T. 0.000 min

Lab File: BN024554.D

Acq: 24 Mar 2023 20:35




Tgt Ion:212 Resp: 24040


Ion Ratio Lower Upper

212 100

106 17.1 15.4 23.2

104 9.7 8.6 13.0





#29

Chrysene-d12

Concen: 0.400 ng

RT: 21.592 min Scan# 2482

Delta R.T. 0.000 min

Lab File: BN024554.D

Acq: 24 Mar 2023 20:35

Instrument :

BNA_N

ClientSampleId :

SP6167





Tgt Ion:240 Resp: 12690

Ion Ratio Lower Upper

240 100

120 21.2 12.8 19.2#

236 29.5 22.5 33.7



#31

Terphenyl-d14

Concen: 0.608 ng

RT: 20.016 min Scan# 2306

Delta R.T. 0.000 min

Lab File: BN024554.D

Acq: 24 Mar 2023 20:35




Tgt Ion:244 Resp: 13016


Ion Ratio Lower Upper

244 100

212 10.4 7.6 11.4

122 19.9 15.1 22.7





#35

Perylene-d12

Concen: 0.400 ng

RT: 24.079 min Scan# 31

Delta R.T. -0.018 min

Lab File: BN024554.D


Acq: 24 Mar 2023 20:35

Instrument :

BNA_N

ClientSampleId :

SP6167



Tgt Ion:264 Resp: 10392

Ion Ratio Lower Upper

264 100

260 27.0 21.4 32.2

265 117.9 35.7 53.5#

