

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN042423\
 Data File : BN025111.D
 Acq On : 24 Apr 2023 13:08
 Operator : CG/JU
 Sample : 02400-03
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 COMN7

Quant Time: Apr 25 01:25:46 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN041023.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sun Apr 23 01:54:00 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.922	152	262140	20.000	ng/ul	0.00
20) Naphthalene-d8	10.734	136	1177232	20.000	ng/ul	0.00
38) Acenaphthene-d10	14.563	164	742806	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.310	188	1671461	20.000	ng/ul	0.00
79) Chrysene-d12	21.510	240	1691865	20.000	ng/ul	0.00
88) Perylene-d12	23.933	264	1771732	20.000	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.287	96	29458	4.277	ng/uL	0.00
4) Pyridine-d5	3.728	84	105860	5.133	ng/ul	0.01
7) Phenol-d5	7.075	99	170191	6.659	ng/ul	0.00
9) Bis-(2-Chloroethyl)eth...	7.246	67	508348	29.738	ng/ul	0.00
11) 2-Chlorophenol-d4	7.446	132	451180	24.022	ng/ul	0.00
15) 4-Methylphenol-d8	8.628	113	314618	15.507	ng/ul	0.00
21) Nitrobenzene-d5	9.087	128	289820	30.405	ng/ul	0.00
24) 2-Nitrophenol-d4	9.810	143	314188	30.431	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	10.346	165	509126	27.589	ng/ul	0.00
31) 4-Chloroaniline-d4	10.869	131	533005	19.032	ng/ul	0.00
46) Dimethylphthalate-d6	13.975	166	1928047	33.482	ng/ul	0.00
49) Acenaphthylene-d8	14.257	160	2030027	30.764	ng/ul	0.00
54) 4-Nitrophenol-d4	14.757	143	74494	6.311	ng/ul	0.00
60) Fluorene-d10	15.557	176	1647660	33.890	ng/ul	0.00
65) 4,6-Dinitro-2-methylph...	15.675	200	298101	27.405	ng/ul	0.00
73) Anthracene-d10	17.410	188	2848082	36.280	ng/ul	0.00
81) Pyrene-d10	19.704	212	3425888	34.871	ng/ul	0.00
92) Benzo(a)pyrene-d12	23.780	264	3338508	36.038	ng/ul	0.00
Target Compounds						
					Qvalue	
12) 2-Chlorophenol	7.475	128	44272	2.257	ng/ul	97
22) Nitrobenzene	9.128	77	739120	28.857	ng/ul	100
39) 1,2,4,5-Tetrachloroben...	12.757	216	375657	17.338	ng/ul	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN042423\
Data File : BN025111.D
Acq On : 24 Apr 2023 13:08
Operator : CG/JU
Sample : 02400-03
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
COMN7

Quant Time: Apr 25 01:25:46 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN041023.M
Quant Title : SVOA CALIBRATION
QLast Update : Sun Apr 23 01:54:00 2023
Response via : Initial Calibration









#12
2-Chlorophenol
Concen: 2.257 ng/ul
RT: 7.475 min Scan# 729
Delta R.T. 0.000 min
Lab File: BN025111.D
Acq: 24 Apr 2023 13:08




Instrument :
BNA_N
ClientSampleId :
COMN7


Tgt Ion:128 Resp: 44272
Ion Ratio Lower Upper
128 100
64 58.7 44.8 67.2
130 33.6 26.6 39.8



#22
Nitrobenzene
Concen: 28.857 ng/ul
RT: 9.128 min Scan# 1010
Delta R.T. 0.000 min
Lab File: BN025111.D
Acq: 24 Apr 2023 13:08

Tgt Ion: 77 Resp: 739120
Ion Ratio Lower Upper
77 100
123 42.2 33.5 50.3
65 14.6 11.8 17.8





#39

1,2,4,5-Tetrachlorobenzene

Concen: 17.338 ng/ul

RT: 12.757 min Scan# 1

Delta R.T. 0.000 min

Lab File: BN025111.D


Acq: 24 Apr 2023 13:08

Instrument :

BNA_N

ClientSampleId :

COMN7



Tgt Ion:216 Resp: 375657

Ion Ratio Lower Upper

216 100

214 81.1 62.2 93.4

179 21.1 16.8 25.2

108 19.1 15.0 22.6

