

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN052721\
 Data File : BN014787.D
 Acq On : 27 May 2021 12:02
 Operator : CG/JU
 Sample : M2411-06
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BP-VPB-RW8-GW-798-800

Quant Time: May 27 12:35:04 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN052621.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu May 27 01:39:07 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.717	152	748	0.40	ng	0.00
7) Naphthalene-d8	10.505	136	2639	0.40	ng	# 0.00
13) Acenaphthene-d10	14.359	164	1879	0.40	ng	0.00
19) Phenanthrene-d10	17.116	188	4354	0.40	ng	0.00
29) Chrysene-d12	21.314	240	5576	0.40	ng	0.00
35) Perylene-d12	23.575	264	5436	0.40	ng	-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.325	112	492	0.25	ng	0.00
5) Phenol-d6	6.895	99	475	0.17	ng	0.00
8) Nitrobenzene-d5	8.870	82	741	0.31	ng	0.00
11) 2-Methylnaphthalene-d10	12.098	152	1471	0.28	ng	0.00
14) 2,4,6-Tribromophenol	15.856	330	281	0.26	ng	-0.01
15) 2-Fluorobiphenyl	12.976	172	2407	0.35	ng	-0.01
27) Fluoranthene-d10	19.154	212	4838	0.28	ng	0.00
31) Terphenyl-d14	19.754	244	5572	0.42	ng	0.00
Target Compounds						Qvalue
25) Phenanthrene	17.153	178	302	0.02	ng	# 82
34) Bis(2-ethylhexyl)phtha...	21.229	149	2492	0.52	ng	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN052721\
Data File : BN014787.D
Acq On : 27 May 2021 12:02
Operator : CG/JU
Sample : M2411-06
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BP-VPB-RW8-GW-798-800


Quant Time: May 27 12:35:04 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN052621.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu May 27 01:39:07 2021
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 0.40 ng
RT: 7.717 min Scan# 613
Delta R.T. 0.001 min
Lab File: BN014787.D
Acq: 27 May 2021 12:02

Instrument :
BNA_N
ClientSampleId :
BP-VPB-RW8-GW-798-800



Tgt Ion:152 Resp: 748




Ion	Ratio	Lower	Upper
152	100		
150	152.9	123.4	185.2
115	83.6	73.2	109.8




#4
2-Fluorophenol
Concen: 0.25 ng
RT: 5.325 min Scan# 316
Delta R.T. 0.000 min
Lab File: BN014787.D
Acq: 27 May 2021 12:02

Tgt Ion:112 Resp: 492

Ion	Ratio	Lower	Upper
112	100		
64	54.9	43.6	65.4
63	29.3	25.0	37.6









#5
Phenol-d6
Concen: 0.17 ng
RT: 6.895 min Scan# 511
Delta R.T. 0.000 min
Lab File: BN014787.D
Acq: 27 May 2021 12:02




Instrument :
BNA_N
ClientSampleId :
BP-VPB-RW8-GW-798-800


Tgt Ion: 99 Resp: 475
Ion Ratio Lower Upper
99 100
42 12.0 10.2 15.2
71 50.1 32.4 48.6#



#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.505 min Scan# 860
Delta R.T. 0.000 min
Lab File: BN014787.D
Acq: 27 May 2021 12:02

Tgt Ion: 136 Resp: 2639
Ion Ratio Lower Upper
136 100
137 13.8 13.2 19.8
54 7.7 9.0 13.4#
68 8.1 8.8 13.2#









#8
Nitrobenzene-d5
Concen: 0.31 ng
RT: 8.870 min Scan# 731
Delta R.T. 0.000 min
Lab File: BN014787.D
Acq: 27 May 2021 12:02




Instrument :
BNA_N
ClientSampleId :
BP-VPB-RW8-GW-798-800


Tgt Ion	Ratio	Lower	Upper
82	100		
128	39.7	34.2	51.2
54	41.6	38.4	57.6



#11
2-Methylnaphthalene-d10
Concen: 0.28 ng
RT: 12.098 min Scan# 1072
Delta R.T. -0.004 min
Lab File: BN014787.D
Acq: 27 May 2021 12:02

Tgt Ion	Ratio	Lower	Upper
152	100		
151	20.8	16.8	25.2









#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.359 min Scan# 1310
Delta R.T. 0.000 min
Lab File: BN014787.D
Acq: 27 May 2021 12:02




Instrument :
BNA_N
ClientSampleId :
BP-VPB-RW8-GW-798-800


Tgt Ion:164 Resp: 1879
Ion Ratio Lower Upper
164 100
162 100.9 83.2 124.8
160 47.0 41.8 62.6



#14
2,4,6-Tribromophenol
Concen: 0.26 ng
RT: 15.856 min Scan# 1428
Delta R.T. -0.013 min
Lab File: BN014787.D
Acq: 27 May 2021 12:02

Tgt Ion:330 Resp: 281
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 52.7 21.8 32.6#









#15
2-Fluorobiphenyl
Concen: 0.35 ng
RT: 12.976 min Scan# 1201
Delta R.T. -0.013 min
Lab File: BN014787.D
Acq: 27 May 2021 12:02




Instrument :
BNA_N
ClientSampleId :
BP-VPB-RW8-GW-798-800


Tgt Ion:	172	Resp:	2407
Ion Ratio	Lower	Upper	
172	100		
171	39.0	30.9	46.3
170	26.5	21.4	32.0



#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 17.116 min Scan# 1531
Delta R.T. 0.001 min
Lab File: BN014787.D
Acq: 27 May 2021 12:02

Tgt Ion:	188	Resp:	4354
Ion Ratio	Lower	Upper	
188	100		
94	0.0	0.0	0.0
80	8.3	8.2	12.4









#25
Phenanthrene
Concen: 0.02 ng
RT: 17.153 min Scan# 1534
Delta R.T. 0.001 min
Lab File: BN014787.D
Acq: 27 May 2021 12:02




Instrument :
BNA_N
ClientSampleId :
BP-VPB-RW8-GW-798-800


Tgt Ion:178 Resp: 302
Ion Ratio Lower Upper
178 100
176 29.8 16.0 24.0#
179 21.9 12.6 19.0#



#27
Fluoranthene-d10
Concen: 0.28 ng
RT: 19.154 min Scan# 1834
Delta R.T. -0.002 min
Lab File: BN014787.D
Acq: 27 May 2021 12:02

Tgt Ion:212 Resp: 4838
Ion Ratio Lower Upper
212 100
106 9.6 7.4 11.2
104 5.7 4.1 6.1









#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.314 min Scan# 2129
Delta R.T. -0.008 min
Lab File: BN014787.D
Acq: 27 May 2021 12:02




Instrument :
BNA_N
ClientSampleId :
BP-VPB-RW8-GW-798-800


Tgt Ion:	240	Resp:	5576
Ion Ratio	Lower	Upper	
240	100		
120	7.3	5.2	7.8
236	28.1	21.6	32.4



#31
Terphenyl-d14
Concen: 0.42 ng
RT: 19.754 min Scan# 1955
Delta R.T. -0.007 min
Lab File: BN014787.D
Acq: 27 May 2021 12:02

Tgt Ion:	244	Resp:	5572
Ion Ratio	Lower	Upper	
244	100		
212	8.0	6.8	10.2
122	8.6	6.6	9.8









#34
Bis(2-ethylhexyl)phthalate
Concen: 0.52 ng
RT: 21.229 min Scan# 2121
Delta R.T. -0.008 min
Lab File: BN014787.D
Acq: 27 May 2021 12:02

Instrument :
BNA_N
ClientSampleId :
BP-VPB-RW8-GW-798-800

Tgt Ion:149	Resp:	2492
Ion Ratio	Lower	Upper
149	100	
167	37.8	28.3 42.5
279	8.1	5.5 8.3



#35
Perylene-d12
Concen: 0.40 ng
RT: 23.575 min Scan# 2573
Delta R.T. -0.011 min
Lab File: BN014787.D
Acq: 27 May 2021 12:02

Tgt Ion:264	Resp:	5436
Ion Ratio	Lower	Upper
264	100	
260	26.5	21.4 32.2
265	49.7	40.9 61.3

