

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN052825\
 Data File : BN037107.D
 Acq On : 28 May 2025 13:41
 Operator : RC/JU
 Sample : Q2120-02
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BP-VPB-182-EB-20250522

Quant Time: May 28 15:37:47 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN051425.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 14 11:26:32 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.611	152	1892	0.400	ng	0.00
7) Naphthalene-d8	10.394	136	5067	0.400	ng	-0.01
13) Acenaphthene-d10	14.256	164	2782	0.400	ng	-0.01
19) Phenanthrene-d10	17.009	188	5180	0.400	ng	# 0.00
29) Chrysene-d12	21.198	240	3260	0.400	ng	0.00
35) Perylene-d12	23.398	264	2737	0.400	ng	#-0.02
System Monitoring Compounds						
4) 2-Fluorophenol	5.206	112	585	0.118	ng	0.00
5) Phenol-d6	6.788	99	412	0.066	ng	0.00
8) Nitrobenzene-d5	8.760	82	1680	0.304	ng	-0.01
11) 2-Methylnaphthalene-d10	11.986	152	2091	0.293	ng	-0.01
14) 2,4,6-Tribromophenol	15.755	330	418	0.342	ng	-0.01
15) 2-Fluorobiphenyl	12.878	172	3897	0.306	ng	-0.01
27) Fluoranthene-d10	19.040	212	4918	0.346	ng	0.00
31) Terphenyl-d14	19.644	244	4475	0.642	ng	-0.01
Target Compounds						Qvalue
34) Bis(2-ethylhexyl)phtha...	21.126	149	5000	0.662	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN052825\
Data File : BN037107.D
Acq On : 28 May 2025 13:41
Operator : RC/JU
Sample : Q2120-02
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BP-VPB-182-EB-20250522


Quant Time: May 28 15:37:47 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN051425.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 14 11:26:32 2025
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.611 min Scan# 61
 Delta R.T. -0.007 min
 Lab File: BN037107.D
 Acq: 28 May 2025 13:41

Instrument :
 BNA_N
 ClientSampleId :
 BP-VPB-182-EB-20250522



Tgt Ion:152 Resp: 1892




Ion	Ratio	Lower	Upper
152	100		
150	154.2	123.9	185.9
115	68.4	55.8	83.8




#4
 2-Fluorophenol
 Concen: 0.118 ng
 RT: 5.206 min Scan# 322
 Delta R.T. -0.007 min
 Lab File: BN037107.D
 Acq: 28 May 2025 13:41

Tgt Ion:112 Resp: 585

Ion	Ratio	Lower	Upper
112	100		
64	70.9	55.7	83.5
63	43.8	34.6	51.8









#5
Phenol-d6
Concen: 0.066 ng
RT: 6.788 min Scan# 541
Delta R.T. -0.007 min
Lab File: BN037107.D
Acq: 28 May 2025 13:41




Instrument :
BNA_N
ClientSampleId :
BP-VPB-182-EB-20250522


Tgt Ion: 99 Resp: 412
Ion Ratio Lower Upper
99 100
42 45.6 29.3 43.9#
71 54.4 35.7 53.5#



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.394 min Scan# 947
Delta R.T. -0.011 min
Lab File: BN037107.D
Acq: 28 May 2025 13:41

Tgt Ion: 136 Resp: 5067
Ion Ratio Lower Upper
136 100
137 12.5 10.4 15.6
54 10.4 8.5 12.7
68 6.6 5.1 7.7









#8
Nitrobenzene-d5
Concen: 0.304 ng
RT: 8.760 min Scan# 795
Delta R.T. -0.011 min
Lab File: BN037107.D
Acq: 28 May 2025 13:41




Instrument :
BNA_N
ClientSampleId :
BP-VPB-182-EB-20250522


Tgt Ion: 82 Resp: 1680
Ion Ratio Lower Upper
82 100
128 36.0 34.0 51.0
54 67.4 55.0 82.4



#11
2-Methylnaphthalene-d10
Concen: 0.293 ng
RT: 11.986 min Scan# 1146
Delta R.T. -0.010 min
Lab File: BN037107.D
Acq: 28 May 2025 13:41

Tgt Ion:152 Resp: 2091
Ion Ratio Lower Upper
152 100
151 22.3 17.5 26.3









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.256 min Scan# 1464
Delta R.T. -0.011 min
Lab File: BN037107.D
Acq: 28 May 2025 13:41




Instrument :
BNA_N
ClientSampleId :
BP-VPB-182-EB-20250522


Tgt Ion:164 Resp: 2782
Ion Ratio Lower Upper
164 100
162 105.9 84.2 126.4
160 53.7 42.6 63.8



#14
2,4,6-Tribromophenol
Concen: 0.342 ng
RT: 15.755 min Scan# 1601
Delta R.T. -0.012 min
Lab File: BN037107.D
Acq: 28 May 2025 13:41

Tgt Ion:330 Resp: 418
Ion Ratio Lower Upper
330 100
332 93.8 73.8 110.8
141 62.9 43.9 65.9









#15
2-Fluorobiphenyl
Concen: 0.306 ng
RT: 12.878 min Scan# 11
Delta R.T. -0.010 min
Lab File: BN037107.D
Acq: 28 May 2025 13:41




Instrument :
BNA_N
ClientSampleId :
BP-VPB-182-EB-20250522


Tgt Ion:172 Resp: 3897
Ion Ratio Lower Upper
172 100
171 35.8 29.2 43.8
170 25.4 20.5 30.7



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.009 min Scan# 1702
Delta R.T. 0.000 min
Lab File: BN037107.D
Acq: 28 May 2025 13:41

Tgt Ion:188 Resp: 5180
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 9.4 13.4 20.0#









#27
Fluoranthene-d10
Concen: 0.346 ng
RT: 19.040 min Scan# 1937
Delta R.T. -0.009 min
Lab File: BN037107.D
Acq: 28 May 2025 13:41




Instrument :
BNA_N
ClientSampleId :
BP-VPB-182-EB-20250522


Tgt Ion:212 Resp: 4918
Ion Ratio Lower Upper
212 100
106 13.4 11.3 16.9
104 7.9 6.7 10.1



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.198 min Scan# 2278
Delta R.T. -0.009 min
Lab File: BN037107.D
Acq: 28 May 2025 13:41

Tgt Ion:240 Resp: 3260
Ion Ratio Lower Upper
240 100
120 15.3 15.1 22.7
236 29.4 24.0 36.0









#31
Terphenyl-d14
Concen: 0.642 ng
RT: 19.644 min Scan# 2070
Delta R.T. -0.014 min
Lab File: BN037107.D
Acq: 28 May 2025 13:41




Instrument :
BNA_N
ClientSampleId :
BP-VPB-182-EB-20250522


Tgt Ion:244 Resp: 4475
Ion Ratio Lower Upper
244 100
212 12.3 9.7 14.5
122 17.5 13.4 20.0



#34
Bis(2-ethylhexyl)phthalate
Concen: 0.662 ng
RT: 21.126 min Scan# 2270
Delta R.T. -0.009 min
Lab File: BN037107.D
Acq: 28 May 2025 13:41


Tgt Ion:149 Resp: 5000
Ion Ratio Lower Upper
149 100
167 26.2 20.6 30.8
279 3.5 2.6 3.8





#35
Perylene-d12
Concen: 0.400 ng
RT: 23.398 min Scan# 21
Delta R.T. -0.017 min
Lab File: BN037107.D
Acq: 28 May 2025 13:41

Instrument :
BNA_N
ClientSampleId :
BP-VPB-182-EB-20250522



Tgt Ion: 264 Resp: 2737

Ion	Ratio	Lower	Upper
264	100		
260	28.1	21.9	32.9
265	80.8	51.6	77.4#

