

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN061722\
 Data File : BN020243.D
 Acq On : 17 Jun 2022 17:23
 Operator : CG/JU
 Sample : N3313-08
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 YB7L6

Quant Time: Jun 17 22:57:26 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN060622.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Jun 17 22:53:31 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.793	152	120789	20.000	ng/u1	0.00
20) Naphthalene-d8	10.581	136	599229	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.422	164	415413	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.163	188	863034	20.000	ng/u1	0.00
79) Chrysene-d12	21.351	240	773788	20.000	ng/u1	0.00
88) Perylene-d12	23.668	264	629936	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.252	96	14504	5.201	ng/uL	0.00
4) Pyridine-d5	3.670	84	42361	5.557	ng/u1	0.00
7) Phenol-d5	6.987	99	70063	7.010	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.122	67	216511	34.671	ng/u1	0.00
11) 2-Chlorophenol-d4	7.334	132	221658	27.294	ng/u1	0.00
15) 4-Methylphenol-d8	8.516	113	154836	17.906	ng/u1	0.00
21) Nitrobenzene-d5	8.946	128	150763	33.071	ng/u1	0.00
24) 2-Nitrophenol-d4	9.663	143	164223	33.943	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.222	165	277477	32.853	ng/u1	0.00
31) 4-Chloroaniline-d4	10.716	131	378234	27.654	ng/u1	0.00
46) Dimethylphthalate-d6	13.834	166	1088724	36.019	ng/u1	0.00
49) Acenaphthylene-d8	14.110	160	1253416	35.758	ng/u1	0.00
54) 4-Nitrophenol-d4	14.675	143	26706	4.409	ng/u1	0.02
60) Fluorene-d10	15.410	176	921168	36.829	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.534	200	170312	34.068	ng/u1	0.00
73) Anthracene-d10	17.263	188	1502871	39.901	ng/u1	0.00
81) Pyrene-d10	19.557	212	1738651	41.447	ng/u1	0.00
92) Benzo(a)pyrene-d12	23.516	264	1278115	41.469	ng/u1	0.00
Target Compounds						
2) 1,4-Dioxane	3.293	88	3112	1.057	ng/uL	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN061722\
Data File : BN020243.D
Acq On : 17 Jun 2022 17:23
Operator : CG/JU
Sample : N3313-08
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
YB7L6


Quant Time: Jun 17 22:57:26 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\SFAM-EPA-BN060622.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Jun 17 22:53:31 2022
Response via : Initial Calibration





#2
 1,4-Dioxane
 Concen: 1.057 ng/uL
 RT: 3.293 min Scan# 31
 Delta R.T. 0.006 min
 Lab File: BN020243.D
 Acq: 17 Jun 2022 17:23

Instrument :
 BNA_N
 ClientSampleId :
 YB7L6



Tgt Ion: 88	Resp: 3112
Ion Ratio	Lower Upper
88	100
43	31.8 22.4 33.6
58	69.4 61.0 91.4

