

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN062122\
 Data File : BN020307.D
 Acq On : 21 Jun 2022 14:50
 Operator : CG/JU
 Sample : N3313-03MS
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 YB7L2MS

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 06/22/2022
 Supervised By :mohammad ahmed 06/28/2022

Quant Time: Jun 22 00:08:18 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN061822.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 20 01:13:51 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.800	152	522	0.400	ng/ul	0.00
4) Naphthalene-d8	10.584	136	1863	0.400	ng/ul #	0.00
9) Acenaphthene-d10	14.423	164	1305	0.400	ng/ul	0.00
13) Phenanthrene-d10	17.162	188	3400	0.400	ng/ul	0.00
17) Chrysene-d12	21.355	240	5941	0.400	ng/ul	0.00
23) Perylene-d12	23.664	264	7452	0.400	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.235	96	374m	0.627	ng/ul	-0.02
6) 2-Methylnaphthalene-d10	12.179	152	1049	0.340	ng/ul	0.00
18) Fluoranthene-d10	19.192	212	4588	0.374	ng/ul	0.00
Target Compounds						
					Qvalue	
2) 1,4-Dioxane	3.290	88	1252	2.182	ng/ul#	1
5) Naphthalene	10.634	128	1800	0.302	ng/ul#	92
7) 2-Methylnaphthalene	12.251	142	1090	0.283	ng/ul	100
8) 1-Methylnaphthalene	12.465	142	1243	0.328	ng/ul	99
10) Acenaphthylene	14.146	152	1971	0.316	ng/ul	95
11) Acenaphthene	14.483	153	1560	0.261	ng/ul	98
12) Fluorene	15.473	166	1926	0.312	ng/ul#	93
14) Pentachlorophenol	16.837	266	246	0.377	ng/ul	96
15) Phenanthrene	17.204	178	3953	0.321	ng/ul	98
16) Anthracene	17.301	178	3149	0.302	ng/ul	98
19) Fluoranthene	19.220	202	5885	0.245	ng/ul	95
20) Pyrene	19.583	202	6420	0.247	ng/ul	99
21) Benzo(a)anthracene	21.337	228	6494	0.282	ng/ul	99
22) Chrysene	21.390	228	7670	0.267	ng/ul	99
24) Benzo(b)fluoranthene	22.965	252	9390	0.176	ng/ul	94
25) Benzo(k)fluoranthene	23.012	252	9650	0.195	ng/ul	94
26) Benzo(a)pyrene	23.561	252	9280	0.275	ng/ul	96
27) Indeno(1,2,3-cd)pyrene	26.032	276	13639	0.249	ng/ul#	99
28) Dibenzo(a,h)anthracene	26.049	278	11303	0.258	ng/ul	99
29) Benzo(g,h,i)perylene	26.756	276	12502	0.258	ng/ul	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN062122\
Data File : BN020307.D
Acq On : 21 Jun 2022 14:50
Operator : CG/JU
Sample : N3313-03MS
Misc :
ALS Vial : 9 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampleId :
YB7L2MS

Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022


Quant Time: Jun 22 00:08:18 2022
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SFAM-EPA-SIM-BN061822.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 20 01:13:51 2022
Response via : Initial Calibration





#2
1,4-Dioxane
Concen: 2.182 ng/ul
RT: 3.290 min Scan# 49
Delta R.T. -0.004 min
Lab File: BN020307.D
Acq: 21 Jun 2022 14:50




Instrument :
BNA_N
ClientSampleId :
YB7L2MS




Tgt Ion: 88 Resp: 125
Ion Ratio Lower Upper
88 100
43 242.0 31.6 47.4#
58 121.4 23.8 35.6#

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022




#5
Naphthalene
Concen: 0.302 ng/ul
RT: 10.634 min Scan# 1758
Delta R.T. -0.000 min
Lab File: BN020307.D
Acq: 21 Jun 2022 14:50




Tgt Ion:128 Resp: 1800
Ion Ratio Lower Upper
128 100
129 17.2 11.0 16.4#
127 19.5 12.8 19.2#





#7
2-Methylnaphthalene
Concen: 0.283 ng/ul
RT: 12.251 min Scan# 2052
Delta R.T. -0.000 min
Lab File: BN020307.D
Acq: 21 Jun 2022 14:50




Instrument :
BNA_N
ClientSampleId :
YB7L2MS



Tgt Ion:142 Resp: 1090
Ion Ratio Lower Upper
142 100
141 90.0 71.8 107.8




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022



#8
1-Methylnaphthalene
Concen: 0.328 ng/ul
RT: 12.465 min Scan# 2091
Delta R.T. -0.000 min
Lab File: BN020307.D
Acq: 21 Jun 2022 14:50


Tgt Ion:142 Resp: 1243
Ion Ratio Lower Upper
142 100
141 90.8 73.4 110.0





#10
Acenaphthylene
Concen: 0.316 ng/ul
RT: 14.146 min Scan# 2421
Delta R.T. 0.005 min
Lab File: BN020307.D
Acq: 21 Jun 2022 14:50




Instrument :
BNA_N
ClientSampleId :
YB7L2MS



Tgt Ion:152 Resp: 197
Ion Ratio Lower Upper
152 100
151 24.0 17.2 25.8
153 16.9 11.7 17.5




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022



#11
Acenaphthene
Concen: 0.261 ng/ul
RT: 14.483 min Scan# 2495
Delta R.T. -0.000 min
Lab File: BN020307.D
Acq: 21 Jun 2022 14:50


Tgt Ion:153 Resp: 1560
Ion Ratio Lower Upper
153 100
152 52.3 39.9 59.9
154 86.8 69.2 103.8





#12
Fluorene
Concen: 0.312 ng/ul
RT: 15.473 min Scan# 21
Delta R.T. -0.000 min
Lab File: BN020307.D
Acq: 21 Jun 2022 14:50




Instrument :
BNA_N
ClientSampleId :
YB7L2MS



Tgt Ion:166 Resp: 1920
Ion Ratio Lower Upper
166 100
165 104.6 78.2 117.4
167 18.2 12.1 18.1




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022



#14
Pentachlorophenol
Concen: 0.377 ng/ul
RT: 16.837 min Scan# 3021
Delta R.T. -0.000 min
Lab File: BN020307.D
Acq: 21 Jun 2022 14:50


Tgt Ion:266 Resp: 246
Ion Ratio Lower Upper
266 100
264 66.7 49.8 74.8
268 66.7 51.8 77.6





#15
Phenanthrene
Concen: 0.321 ng/u1
RT: 17.204 min Scan# 3108
Delta R.T. -0.000 min
Lab File: BN020307.D
Acq: 21 Jun 2022 14:50




Instrument :
BNA_N
ClientSampleId :
YB7L2MS




Tgt Ion:178 Resp: 395
Ion Ratio Lower Upper
178 100
179 17.6 13.4 20.0
176 20.9 15.8 23.6

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022




#16
Anthracene
Concen: 0.302 ng/u1
RT: 17.301 min Scan# 3131
Delta R.T. -0.000 min
Lab File: BN020307.D
Acq: 21 Jun 2022 14:50




Tgt Ion:178 Resp: 3149
Ion Ratio Lower Upper
178 100
179 18.1 13.8 20.8
176 20.8 15.6 23.4





#19
Fluoranthene
Concen: 0.245 ng/u1
RT: 19.220 min Scan# 3570
Delta R.T. -0.005 min
Lab File: BN020307.D
Acq: 21 Jun 2022 14:50




Instrument :
BNA_N
ClientSampleId :
YB7L2MS




Tgt Ion:202 Resp: 588
Ion Ratio Lower Upper
202 100
101 14.2 9.9 14.9
100 11.2 7.6 11.4

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022




#20
Pyrene
Concen: 0.247 ng/u1
RT: 19.583 min Scan# 3648
Delta R.T. -0.000 min
Lab File: BN020307.D
Acq: 21 Jun 2022 14:50




Tgt Ion:202 Resp: 6420
Ion Ratio Lower Upper
202 100
101 16.2 12.6 19.0
100 13.2 10.3 15.5





#21
Benzo(a)anthracene
Concen: 0.282 ng/ul
RT: 21.337 min Scan# 4132
Delta R.T. -0.001 min
Lab File: BN020307.D
Acq: 21 Jun 2022 14:50




Instrument :
BNA_N
ClientSampleId :
YB7L2MS



Tgt Ion:228 Resp: 6494
Ion Ratio Lower Upper
228 100
229 20.3 16.0 24.0
226 27.9 21.8 32.6




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022



#22
Chrysene
Concen: 0.267 ng/ul
RT: 21.390 min Scan# 4149
Delta R.T. 0.002 min
Lab File: BN020307.D
Acq: 21 Jun 2022 14:50


Tgt Ion:228 Resp: 7670
Ion Ratio Lower Upper
228 100
226 30.6 24.7 37.1
229 20.9 16.0 24.0





#24
Benzo(b)fluoranthene
Concen: 0.176 ng/ul
RT: 22.965 min Scan# 4688
Delta R.T. -0.001 min
Lab File: BN020307.D
Acq: 21 Jun 2022 14:50




Instrument :
BNA_N
ClientSampleId :
YB7L2MS



Tgt Ion:252 Resp: 9390
Ion Ratio Lower Upper
252 100
253 27.1 0.0 49.4
125 19.9 0.0 33.2




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022



#25
Benzo(k)fluoranthene
Concen: 0.195 ng/ul
RT: 23.012 min Scan# 4704
Delta R.T. 0.002 min
Lab File: BN020307.D
Acq: 21 Jun 2022 14:50


Tgt Ion:252 Resp: 9650
Ion Ratio Lower Upper
252 100
253 28.3 20.2 30.4
125 18.0 12.3 18.5





#26
Benzo(a)pyrene
Concen: 0.275 ng/ul
RT: 23.561 min Scan# 4892
Delta R.T. -0.001 min
Lab File: BN020307.D
Acq: 21 Jun 2022 14:50




Instrument :
BNA_N
ClientSampleId :
YB7L2MS




Tgt Ion:252 Resp: 9280
Ion Ratio Lower Upper
252 100
253 30.0 21.7 32.5
125 24.5 18.6 28.0

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022




#27
Indeno(1,2,3-cd)pyrene
Concen: 0.249 ng/ul
RT: 26.032 min Scan# 5692
Delta R.T. -0.008 min
Lab File: BN020307.D
Acq: 21 Jun 2022 14:50




Tgt Ion:276 Resp: 13639
Ion Ratio Lower Upper
276 100
138 33.4 26.5 39.7
227 0.3 0.0 0.0





#28
Dibenzo(a,h)anthracene
Concen: 0.258 ng/ul
RT: 26.049 min Scan# 5697
Delta R.T. -0.002 min
Lab File: BN020307.D
Acq: 21 Jun 2022 14:50




Instrument :
BNA_N
ClientSampleId :
YB7L2MS




Tgt Ion: 278 Resp: 1130
Ion Ratio Lower Upper
278 100
139 22.8 18.2 27.2
279 26.8 20.8 31.2

Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 06/22/2022
Supervised By :mohammad ahmed 06/28/2022



#29
Benzo(g,h,i)perylene
Concen: 0.258 ng/ul
RT: 26.756 min Scan# 5908
Delta R.T. -0.008 min
Lab File: BN020307.D
Acq: 21 Jun 2022 14:50



Tgt Ion: 276 Resp: 12502
Ion Ratio Lower Upper
276 100
138 29.3 23.0 34.4
277 25.3 19.7 29.5

