

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN062622\
 Data File : BN020478.D
 Acq On : 26 Jun 2022 23:07
 Operator : CG/JU
 Sample : N3354-18
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 MW-62

Quant Time: Jun 27 02:52:45 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN062622.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jun 27 02:03:21 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.739	152	2722	0.400	ng	0.00
7) Naphthalene-d8	10.520	136	9262	0.400	ng	# 0.00
13) Acenaphthene-d10	14.367	164	6120	0.400	ng	# 0.00
19) Phenanthrene-d10	17.113	188	11571	0.400	ng	# 0.00
29) Chrysene-d12	21.306	240	10214	0.400	ng	# 0.00
35) Perylene-d12	23.586	264	9481	0.400	ng	-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.348	112	1190	0.157	ng	0.00
5) Phenol-d6	6.959	99	719	0.080	ng	0.01
8) Nitrobenzene-d5	8.897	82	2065	0.275	ng	0.00
11) 2-Methylnaphthalene-d10	12.117	152	4876	0.307	ng	0.00
14) 2,4,6-Tribromophenol	15.861	330	798	0.346	ng	0.00
15) 2-Fluorobiphenyl	12.999	172	6631	0.262	ng	0.00
27) Fluoranthene-d10	19.143	212	10675	0.311	ng	0.00
31) Terphenyl-d14	19.746	244	8262	0.338	ng	0.00
Target Compounds						
						Qvalue
9) Naphthalene	10.573	128	19448	0.703	ng	# 94
12) 2-Methylnaphthalene	12.193	142	572	0.031	ng	# 60
16) Acenaphthylene	14.089	152	4658	0.158	ng	# 11
17) Acenaphthene	14.431	154	25045	1.251	ng	# 97
18) Fluorene	15.415	166	15577	0.597	ng	# 98
26) Anthracene	17.246	178	2722	0.081	ng	# 73
34) Bis(2-ethylhexyl)phtha...	21.225	149	1898	0.092	ng	# 94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN062622\
Data File : BN020478.D
Acq On : 26 Jun 2022 23:07
Operator : CG/JU
Sample : N3354-18
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
MW-62

Quant Time: Jun 27 02:52:45 2022
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN062622.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jun 27 02:03:21 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.739 min Scan# 645
Delta R.T. -0.000 min
Lab File: BN020478.D
Acq: 26 Jun 2022 23:07




Instrument :
BNA_N
ClientSampleId :
MW-62


Tgt Ion:152 Resp: 2722
Ion Ratio Lower Upper
152 100
150 156.0 127.9 191.9
115 66.4 51.4 77.2



#4
2-Fluorophenol
Concen: 0.157 ng
RT: 5.348 min Scan# 314
Delta R.T. 0.000 min
Lab File: BN020478.D
Acq: 26 Jun 2022 23:07

Tgt Ion:112 Resp: 1190
Ion Ratio Lower Upper
112 100
64 56.7 49.1 73.7
63 29.5 26.3 39.5









#5
Phenol-d6
Concen: 0.080 ng
RT: 6.959 min Scan# 51
Delta R.T. 0.014 min
Lab File: BN020478.D
Acq: 26 Jun 2022 23:07




Instrument :
BNA_N
ClientSampleId :
MW-62


Tgt Ion: 99 Resp: 719
Ion Ratio Lower Upper
99 100
42 26.1 19.3 28.9
71 54.5 27.5 41.3#



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.520 min Scan# 931
Delta R.T. 0.000 min
Lab File: BN020478.D
Acq: 26 Jun 2022 23:07

Tgt Ion: 136 Resp: 9262
Ion Ratio Lower Upper
136 100
137 11.7 9.0 13.6
54 12.4 6.2 9.2#
68 8.6 4.4 6.6#









#8
Nitrobenzene-d5
Concen: 0.275 ng
RT: 8.897 min Scan# 779
Delta R.T. 0.000 min
Lab File: BN020478.D
Acq: 26 Jun 2022 23:07




Instrument :
BNA_N
ClientSampleId :
MW-62


Tgt Ion: 82 Resp: 2065
Ion Ratio Lower Upper
82 100
128 68.7 35.0 52.6#
54 60.0 46.2 69.4



#9
Naphthalene
Concen: 0.703 ng
RT: 10.573 min Scan# 936
Delta R.T. 0.000 min
Lab File: BN020478.D
Acq: 26 Jun 2022 23:07

Tgt Ion: 128 Resp: 19448
Ion Ratio Lower Upper
128 100
129 14.8 8.9 13.3#
127 14.6 10.8 16.2









#11
2-Methylnaphthalene-d10
Concen: 0.307 ng
RT: 12.117 min Scan# 1185
Delta R.T. -0.004 min
Lab File: BN020478.D
Acq: 26 Jun 2022 23:07




Instrument :
BNA_N
ClientSampleId :
MW-62


Tgt Ion:152 Resp: 4876
Ion Ratio Lower Upper
152 100
151 22.2 16.2 24.4



#12
2-Methylnaphthalene
Concen: 0.031 ng
RT: 12.193 min Scan# 1204
Delta R.T. 0.000 min
Lab File: BN020478.D
Acq: 26 Jun 2022 23:07

Tgt Ion:142 Resp: 572
Ion Ratio Lower Upper
142 100
141 99.2 71.6 107.4
115 103.7 29.8 44.8#









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.367 min Scan# 1461
Delta R.T. 0.000 min
Lab File: BN020478.D
Acq: 26 Jun 2022 23:07




Instrument :
BNA_N
ClientSampleId :
MW-62


Tgt Ion:164 Resp: 6120
Ion Ratio Lower Upper
164 100
162 104.9 82.1 123.1
160 104.4 38.6 58.0#



#14
2,4,6-Tribromophenol
Concen: 0.346 ng
RT: 15.861 min Scan# 1601
Delta R.T. 0.000 min
Lab File: BN020478.D
Acq: 26 Jun 2022 23:07

Tgt Ion:330 Resp: 798
Ion Ratio Lower Upper
330 100
332 153.1 77.6 116.4#
141 137.3 41.0 61.4#









#15
2-Fluorobiphenyl
Concen: 0.262 ng
RT: 12.999 min Scan# 1333
Delta R.T. 0.000 min
Lab File: BN020478.D
Acq: 26 Jun 2022 23:07




Instrument :
BNA_N
ClientSampleId :
MW-62


Tgt Ion:	172	Resp:	6631
Ion Ratio	Lower	Upper	
172	100		
171	35.1	27.2	40.8
170	23.4	18.2	27.4



#16
Acenaphthylene
Concen: 0.158 ng
RT: 14.089 min Scan# 1435
Delta R.T. 0.000 min
Lab File: BN020478.D
Acq: 26 Jun 2022 23:07

Tgt Ion:	152	Resp:	4658
Ion Ratio	Lower	Upper	
152	100		
151	32.2	16.2	24.4#
153	87.9	10.7	16.1#









#17
Acenaphthene
Concen: 1.251 ng
RT: 14.431 min Scan# 1467
Delta R.T. 0.000 min
Lab File: BN020478.D
Acq: 26 Jun 2022 23:07




Instrument :
BNA_N
ClientSampleId :
MW-62


Tgt Ion:154 Resp: 25045
Ion Ratio Lower Upper
154 100
153 113.6 87.5 131.3
152 54.1 43.8 65.6



#18
Fluorene
Concen: 0.597 ng
RT: 15.415 min Scan# 1559
Delta R.T. 0.000 min
Lab File: BN020478.D
Acq: 26 Jun 2022 23:07

Tgt Ion:166 Resp: 15577
Ion Ratio Lower Upper
166 100
165 97.6 78.6 118.0
167 18.4 10.8 16.2#









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.113 min Scan# 11
Delta R.T. -0.000 min
Lab File: BN020478.D
Acq: 26 Jun 2022 23:07




Instrument :
BNA_N
ClientSampleId :
MW-62


Tgt Ion:188 Resp: 11571
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 11.9 7.4 11.2#



#26
Anthracene
Concen: 0.081 ng
RT: 17.246 min Scan# 1736
Delta R.T. 0.000 min
Lab File: BN020478.D
Acq: 26 Jun 2022 23:07

Tgt Ion:178 Resp: 2722
Ion Ratio Lower Upper
178 100
176 26.8 14.9 22.3#
179 0.0 12.2 18.4#









#27
Fluoranthene-d10
Concen: 0.311 ng
RT: 19.143 min Scan# 2080
Delta R.T. -0.004 min
Lab File: BN020478.D
Acq: 26 Jun 2022 23:07




Instrument :
BNA_N
ClientSampleId :
MW-62


Tgt Ion:212 Resp: 10675
Ion Ratio Lower Upper
212 100
106 15.8 12.6 19.0
104 9.0 7.2 10.8



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.306 min Scan# 2430
Delta R.T. 0.000 min
Lab File: BN020478.D
Acq: 26 Jun 2022 23:07

Tgt Ion:240 Resp: 10214
Ion Ratio Lower Upper
240 100
120 13.2 14.6 21.8#
236 27.9 22.6 33.8









#31
 Terphenyl-d14
 Concen: 0.338 ng
 RT: 19.746 min Scan# 21
 Delta R.T. -0.008 min
 Lab File: BN020478.D
 Acq: 26 Jun 2022 23:07




Instrument :
 BNA_N
 ClientSampleId :
 MW-62


Tgt Ion:244 Resp: 8262
 Ion Ratio Lower Upper
 244 100
 212 11.2 7.1 10.7#
 122 0.0 0.0 0.0



#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.092 ng
 RT: 21.225 min Scan# 2421
 Delta R.T. -0.009 min
 Lab File: BN020478.D
 Acq: 26 Jun 2022 23:07

Tgt Ion:149 Resp: 1898
 Ion Ratio Lower Upper
 149 100
 167 23.9 21.7 32.5
 279 5.2 2.2 3.2#





#35
Perylene-d12
Concen: 0.400 ng
RT: 23.586 min Scan# 2961
Delta R.T. -0.015 min
Lab File: BN020478.D
Acq: 26 Jun 2022 23:07

Instrument :
BNA_N
ClientSampleId :
MW-62

Tgt Ion:264	Resp:	9481
Ion	Ratio	Lower Upper
264	100	
260	26.5	20.9 31.3
265	41.6	28.0 42.0

