

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN070121\
 Data File : BN015270.D
 Acq On : 01 Jul 2021 21:07
 Operator : CG/JU
 Sample : M2838-06
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE109D2-20210622

Quant Time: Jul 02 01:00:32 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN063021.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jul 01 09:06:31 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.735	152	22469	0.40	ng	# 0.00
7) Naphthalene-d8	10.495	136	102558	0.40	ng	0.00
13) Acenaphthene-d10	14.345	164	55322	0.40	ng	0.00
19) Phenanthrene-d10	17.091	188	110244	0.40	ng	0.00
29) Chrysene-d12	21.291	240	86105	0.40	ng	#-0.01
35) Perylene-d12	23.539	264	70456	0.40	ng	-0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.365	112	9334	0.16	ng	0.00
5) Phenol-d6	6.914	99	6834	0.09	ng	0.01
8) Nitrobenzene-d5	8.873	82	19924	0.35	ng	0.00
11) 2-Methylnaphthalene-d10	12.083	152	53649	0.32	ng	0.00
14) 2,4,6-Tribromophenol	15.842	330	4946	0.43	ng	0.00
15) 2-Fluorobiphenyl	12.962	172	82274	0.37	ng	0.00
27) Fluoranthene-d10	19.128	212	111173	0.34	ng	0.00
31) Terphenyl-d14	19.733	244	92463	0.46	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.355	88	75194	7.14	ng	# 69
20) 4,6-Dinitro-2-methylph...	15.525	198	12	0.20	ng	# 1
23) Atrazine	16.555	200	55	0.17	ng	# 12
24) Pentachlorophenol	16.750	266	148	0.25	ng	# 87
34) Bis(2-ethylhexyl)phtha...	21.217	149	48872	0.60	ng	# 86

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN070121\
Data File : BN015270.D
Acq On : 01 Jul 2021 21:07
Operator : CG/JU
Sample : M2838-06
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE109D2-20210622

Quant Time: Jul 02 01:00:32 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN063021.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jul 01 09:06:31 2021
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.40 ng
 RT: 7.735 min Scan# 505
 Delta R.T. 0.003 min
 Lab File: BN015270.D
 Acq: 01 Jul 2021 21:07




Instrument :
 BNA_N
 ClientSampleId :
 RE109D2-20210622

Tgt Ion: 152 Resp: 22469
 Ion Ratio Lower Upper
 152 100
 150 154.7 119.0 178.6
 115 59.9 62.2 93.4#



#2
 1,4-Dioxane
 Concen: 7.14 ng
 RT: 3.355 min Scan# 30
 Delta R.T. 0.003 min
 Lab File: BN015270.D
 Acq: 01 Jul 2021 21:07

Tgt Ion: 88 Resp: 75194
 Ion Ratio Lower Upper
 88 100
 43 23.3 12.9 19.3#
 58 71.8 38.1 57.1#









#4
2-Fluorophenol
Concen: 0.16 ng
RT: 5.365 min Scan# 248
Delta R.T. 0.003 min
Lab File: BN015270.D
Acq: 01 Jul 2021 21:07




Instrument :
BNA_N
ClientSampleId :
RE109D2-20210622

Tgt Ion:112 Resp: 9334
Ion Ratio Lower Upper
112 100
64 56.0 39.0 58.6
63 28.2 20.6 30.8



#5
Phenol-d6
Concen: 0.09 ng
RT: 6.914 min Scan# 416
Delta R.T. 0.012 min
Lab File: BN015270.D
Acq: 01 Jul 2021 21:07

Tgt Ion: 99 Resp: 6834
Ion Ratio Lower Upper
99 100
42 17.9 8.9 13.3#
71 34.1 35.6 53.4#









#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.495 min Scan# 740
Delta R.T. 0.003 min
Lab File: BN015270.D
Acq: 01 Jul 2021 21:07




Instrument :
BNA_N
ClientSampleId :
RE109D2-20210622

Tgt Ion:136	Resp:	102558
Ion Ratio	Lower	Upper
136	100	
137	10.9	9.8 14.8
54	6.8	5.4 8.2
68	5.7	4.9 7.3



#8
Nitrobenzene-d5
Concen: 0.35 ng
RT: 8.873 min Scan# 612
Delta R.T. 0.003 min
Lab File: BN015270.D
Acq: 01 Jul 2021 21:07

Tgt Ion: 82	Resp:	19924
Ion Ratio	Lower	Upper
82	100	
128	45.0	31.6 47.4
54	43.8	29.0 43.4









#11
2-Methylnaphthalene-d10
Concen: 0.32 ng
RT: 12.083 min Scan# 949
Delta R.T. -0.005 min
Lab File: BN015270.D
Acq: 01 Jul 2021 21:07




Instrument :
BNA_N
ClientSampleId :
RE109D2-20210622

Tgt Ion:152 Resp: 53649
Ion Ratio Lower Upper
152 100
151 19.3 16.7 25.1



#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.345 min Scan# 1189
Delta R.T. -0.001 min
Lab File: BN015270.D
Acq: 01 Jul 2021 21:07

Tgt Ion:164 Resp: 55322
Ion Ratio Lower Upper
164 100
162 100.5 83.8 125.6
160 45.0 37.4 56.0








#14
2,4,6-Tribromophenol
Concen: 0.43 ng
RT: 15.842 min Scan# 1307
Delta R.T. -0.001 min
Lab File: BN015270.D
Acq: 01 Jul 2021 21:07




Instrument :
BNA_N
ClientSampleId :
RE109D2-20210622


Tgt Ion: 330 Resp: 4946
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 39.6 22.4 33.6#



#15
2-Fluorobiphenyl
Concen: 0.37 ng
RT: 12.962 min Scan# 1080
Delta R.T. -0.001 min
Lab File: BN015270.D
Acq: 01 Jul 2021 21:07

Tgt Ion: 172 Resp: 82274
Ion Ratio Lower Upper
172 100
171 34.9 30.6 45.8
170 23.6 20.2 30.4









#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 17.091 min Scan# 1409
Delta R.T. -0.000 min
Lab File: BN015270.D
Acq: 01 Jul 2021 21:07




Instrument :
BNA_N
ClientSampleId :
RE109D2-20210622


Tgt Ion:188 Resp: 110244
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 9.8 9.0 13.4



#20
4,6-Dinitro-2-methylphenol
Concen: 0.20 ng
RT: 15.525 min Scan# 1282
Delta R.T. 0.037 min
Lab File: BN015270.D
Acq: 01 Jul 2021 21:07

Tgt Ion:198 Resp: 12
Ion Ratio Lower Upper
198 100
182 364.9 34.5 51.7#
77 0.0 0.0 0.0





#23

Atrazine

Concen: 0.17 ng

RT: 16.555 min Scan# 1365

Delta R.T. -0.001 min

Lab File: BN015270.D

Acq: 01 Jul 2021 21:07





Tgt Ion:	200	Resp:	55
Ion Ratio	Lower	Upper	
200	100		
173	114.1	21.7	32.5#
215	87.9	43.1	64.7#

Instrument :

BNA_N

ClientSampleId :

RE109D2-20210622



#24

Pentachlorophenol

Concen: 0.25 ng




RT: 16.750 min Scan# 1381


Delta R.T. -0.001 min

Lab File: BN015270.D

Acq: 01 Jul 2021 21:07

Tgt Ion:	266	Resp:	148
Ion Ratio	Lower	Upper	
266	100		
264	56.8	51.0	76.4
268	77.0	50.6	76.0#









#27
Fluoranthene-d10
Concen: 0.34 ng
RT: 19.128 min Scan# 1709
Delta R.T. -0.005 min
Lab File: BN015270.D
Acq: 01 Jul 2021 21:07




Instrument :
BNA_N
ClientSampleId :
RE109D2-20210622


Tgt Ion:212 Resp: 111173
Ion Ratio Lower Upper
212 100
106 14.3 7.0 10.6#
104 8.2 4.1 6.1#



#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.291 min Scan# 2007
Delta R.T. -0.012 min
Lab File: BN015270.D
Acq: 01 Jul 2021 21:07


Tgt Ion:240 Resp: 86105
Ion Ratio Lower Upper
240 100
120 8.5 4.2 6.4#
236 26.0 21.4 32.2








#31
Terphenyl-d14
Concen: 0.46 ng
RT: 19.733 min Scan# 1831
Delta R.T. -0.006 min
Lab File: BN015270.D
Acq: 01 Jul 2021 21:07

Instrument :
BNA_N
ClientSampleId :
RE109D2-20210622







Tgt Ion:244 Resp: 92463
Ion Ratio Lower Upper
244 100
212 7.6 6.3 9.5
122 13.0 6.2 9.2#



#34
Bis(2-ethylhexyl)phthalate
Concen: 0.60 ng
RT: 21.217 min Scan# 2000
Delta R.T. -0.011 min
Lab File: BN015270.D
Acq: 01 Jul 2021 21:07


Tgt Ion:149 Resp: 48872
Ion Ratio Lower Upper
149 100
167 27.4 28.9 43.3#
279 3.4 4.9 7.3#





#35
 Perylene-d12
 Concen: 0.40 ng
 RT: 23.539 min Scan# 2443
 Delta R.T. -0.011 min
 Lab File: BN015270.D
 Acq: 01 Jul 2021 21:07

Instrument :
 BNA_N
 ClientSampleId :
 RE109D2-20210622



Tgt Ion:264 Resp: 70456

Ion	Ratio	Lower	Upper
264	100		
260	24.8	20.6	31.0
265	23.0	21.4	32.2

