

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN071422\
 Data File : BN020738.D
 Acq On : 14 Jul 2022 16:02
 Operator : CG/JU
 Sample : N3705-03
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 TT-149S1-20220712

Manual Integrations
 APPROVED

Reviewed By : Christian Giraldo 07/15/2022
 Supervised By : Jagrut Upadhyay 07/15/2022

Quant Time: Jul 15 02:50:50 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN062622.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Jul 02 03:10:12 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.818	152	2590	0.400	ng	0.00
7) Naphthalene-d8	10.616	136	9523	0.400	ng	#-0.01
13) Acenaphthene-d10	14.474	164	5984	0.400	ng	0.00
19) Phenanthrene-d10	17.225	188	13759	0.400	ng	# 0.00
29) Chrysene-d12	21.431	240	10193	0.400	ng	0.00
35) Perylene-d12	23.782	264	10980	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.406	112	708	0.098	ng	0.00
5) Phenol-d6	7.031	99	431	0.050	ng	0.00
8) Nitrobenzene-d5	8.993	82	1477m	0.191	ng	0.00
11) 2-Methylnaphthalene-d10	12.219	152	4356	0.267	ng	0.00
14) 2,4,6-Tribromophenol	15.974	330	512	0.227	ng	0.00
15) 2-Fluorobiphenyl	13.095	172	5853	0.237	ng	-0.01
27) Fluoranthene-d10	19.261	212	11412	0.279	ng	0.00
31) Terphenyl-d14	19.864	244	9087	0.373	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.254	88	1547	0.456	ng	# 88
34) Bis(2-ethylhexyl)phtha...	21.351	149	9013	0.439	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN071422\
Data File : BN020738.D
Acq On : 14 Jul 2022 16:02
Operator : CG/JU
Sample : N3705-03
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
TT-149S1-20220712

Quant Time: Jul 15 02:50:50 2022
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN062622.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Jul 02 03:10:12 2022
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 07/15/2022
Supervised By :Jagrut Upadhyay 07/15/2022





#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.818 min Scan# 61
Delta R.T. -0.007 min
Lab File: BN020738.D
Acq: 14 Jul 2022 16:02




Instrument :
BNA_N
ClientSampleId :
TT-149S1-20220712




Tgt Ion:152 Resp: 2590
Ion Ratio Lower Upper
152 100
150 154.5 127.9 191.9
115 66.7 51.4 77.2

Manual Integrations
APPROVED



Reviewed By :Christian Giraldo 07/15/2022
Supervised By :Jagrut Upadhyay 07/15/2022



#2
1,4-Dioxane
Concen: 0.456 ng
RT: 3.254 min Scan# 24
Delta R.T. -0.007 min
Lab File: BN020738.D
Acq: 14 Jul 2022 16:02



Tgt Ion: 88 Resp: 1547
Ion Ratio Lower Upper
88 100
43 59.0 30.2 45.2#
58 89.4 73.0 109.6









#4
2-Fluorophenol
Concen: 0.098 ng
RT: 5.406 min Scan# 314
Delta R.T. -0.007 min
Lab File: BN020738.D
Acq: 14 Jul 2022 16:02

Instrument :
BNA_N
ClientSampleId :
TT-149S1-20220712

Tgt Ion:112 Resp: 708
Ion Ratio Lower Upper
112 100
64 68.1 49.1 73.7
63 39.1 26.3 39.5




Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 07/15/2022
Supervised By :Jagrut Upadhyay 07/15/2022



#5
Phenol-d6
Concen: 0.050 ng
RT: 7.031 min Scan# 547
Delta R.T. 0.000 min
Lab File: BN020738.D
Acq: 14 Jul 2022 16:02


Tgt Ion: 99 Resp: 431
Ion Ratio Lower Upper
99 100
42 28.8 19.3 28.9
71 61.9 27.5 41.3#





#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.616 min Scan# 94
Delta R.T. -0.011 min
Lab File: BN020738.D
Acq: 14 Jul 2022 16:02




Instrument :
BNA_N
ClientSampleId :
TT-149S1-20220712



Tgt Ion: 136 Resp: 952
Ion Ratio Lower Upper
136 100
137 11.9 9.0 13.6
54 12.6 6.2 9.2
68 8.6 4.4 6.6




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 07/15/2022
Supervised By :Jagrut Upadhyay 07/15/2022



#8
Nitrobenzene-d5
Concen: 0.191 ng m
RT: 8.993 min Scan# 788
Delta R.T. 0.000 min
Lab File: BN020738.D
Acq: 14 Jul 2022 16:02


Tgt Ion: 82 Resp: 1477
Ion Ratio Lower Upper
82 100
128 45.4 35.0 52.6
54 66.5 46.2 69.4





#11
2-Methylnaphthalene-d10
Concen: 0.267 ng
RT: 12.219 min Scan# 1185
Delta R.T. -0.007 min
Lab File: BN020738.D
Acq: 14 Jul 2022 16:02




Instrument :
BNA_N
ClientSampleId :
TT-149S1-20220712



Tgt Ion:152 Resp: 4350
Ion Ratio Lower Upper
152 100
151 19.5 16.2 24.4




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 07/15/2022
Supervised By :Jagrut Upadhyay 07/15/2022



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.474 min Scan# 1471
Delta R.T. 0.000 min
Lab File: BN020738.D
Acq: 14 Jul 2022 16:02


Tgt Ion:164 Resp: 5984
Ion Ratio Lower Upper
164 100
162 101.4 82.1 123.1
160 47.2 38.6 58.0





#14
2,4,6-Tribromophenol
Concen: 0.227 ng
RT: 15.974 min Scan# 1
Delta R.T. 0.000 min
Lab File: BN020738.D
Acq: 14 Jul 2022 16:02




Instrument :
BNA_N
ClientSampleId :
TT-149S1-20220712




Tgt Ion: 330 Resp: 512
Ion Ratio Lower Upper
330 100
332 98.8 77.6 116.4
141 60.7 41.0 61.4

Manual Integrations
APPROVED



Reviewed By : Christian Giraldo 07/15/2022
Supervised By : Jagrut Upadhyay 07/15/2022



#15
2-Fluorobiphenyl
Concen: 0.237 ng
RT: 13.095 min Scan# 1342
Delta R.T. -0.011 min
Lab File: BN020738.D
Acq: 14 Jul 2022 16:02




Tgt Ion: 172 Resp: 5853
Ion Ratio Lower Upper
172 100
171 35.4 27.2 40.8
170 24.8 18.2 27.4





#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.225 min Scan# 11
Delta R.T. 0.000 min
Lab File: BN020738.D
Acq: 14 Jul 2022 16:02




Instrument :
BNA_N
ClientSampleId :
TT-149S1-20220712



Tgt Ion:188 Resp: 1375
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 11.4 7.4 11.2




Manual Integrations
APPROVED


Reviewed By :Christian Giraldo 07/15/2022
Supervised By :Jagrut Upadhyay 07/15/2022



#27
Fluoranthene-d10
Concen: 0.279 ng
RT: 19.261 min Scan# 2108
Delta R.T. -0.008 min
Lab File: BN020738.D
Acq: 14 Jul 2022 16:02


Tgt Ion:212 Resp: 11412
Ion Ratio Lower Upper
212 100
106 15.5 12.6 19.0
104 9.1 7.2 10.8





#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.431 min Scan# 2444
Delta R.T. 0.000 min
Lab File: BN020738.D
Acq: 14 Jul 2022 16:02




Instrument :
BNA_N
ClientSampleId :
TT-149S1-20220712



Tgt Ion:240 Resp: 1019
Ion Ratio Lower Upper
240 100
120 16.0 14.6 21.8
236 27.9 22.6 33.8




Manual Integrations
APPROVED

Reviewed By :Christian Giraldo 07/15/2022
Supervised By :Jagrut Upadhyay 07/15/2022



#31
Terphenyl-d14
Concen: 0.373 ng
RT: 19.864 min Scan# 2251
Delta R.T. -0.008 min
Lab File: BN020738.D
Acq: 14 Jul 2022 16:02


Tgt Ion:244 Resp: 9087
Ion Ratio Lower Upper
244 100
212 9.4 7.1 10.7
122 0.0 0.0 0.0





#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.439 ng
 RT: 21.351 min Scan# 2422
 Delta R.T. 0.000 min
 Lab File: BN020738.D
 Acq: 14 Jul 2022 16:02




Instrument :
 BNA_N
 ClientSampleId :
 TT-149S1-20220712




Tgt Ion:149 Resp: 901
 Ion Ratio Lower Upper
 149 100
 167 26.4 21.7 32.5
 279 2.8 2.2 3.2

Manual Integrations
 APPROVED

Reviewed By :Christian Giraldo 07/15/2022
 Supervised By :Jagrut Upadhyay 07/15/2022



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.782 min Scan# 3023
 Delta R.T. -0.009 min
 Lab File: BN020738.D
 Acq: 14 Jul 2022 16:02



Tgt Ion:264 Resp: 10980
 Ion Ratio Lower Upper
 264 100
 260 26.3 20.9 31.3
 265 34.3 28.0 42.0

