

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN072021\
 Data File : BN015625.D
 Acq On : 20 Jul 2021 15:00
 Operator : CG/JU
 Sample : SSTDCCC0.4
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4EC

Quant Time: Jul 20 15:29:29 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN071521.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jul 20 11:13:03 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.790	152	15578	0.400	ng	# 0.00
7) Naphthalene-d8	10.571	136	69740	0.400	ng	0.00
13) Acenaphthene-d10	14.421	164	36735	0.400	ng	0.01
19) Phenanthrene-d10	17.164	188	69608	0.400	ng	0.00
29) Chrysene-d12	21.376	240	69259	0.400	ng	# 0.01
35) Perylene-d12	23.717	264	71834	0.400	ng	0.01
System Monitoring Compounds						
4) 2-Fluorophenol	5.374	112	18431	0.413	ng	0.00
5) Phenol-d6	6.960	99	22022	0.415	ng	0.00
8) Nitrobenzene-d5	8.936	82	18413	0.367	ng	0.00
11) 2-Methylnaphthalene-d10	12.163	152	41765	0.364	ng	0.00
14) 2,4,6-Tribromophenol	15.905	330	6125	0.460	ng	0.00
15) 2-Fluorobiphenyl	13.038	172	53304	0.360	ng	0.00
27) Fluoranthene-d10	19.207	212	77604	0.369	ng	0.00
31) Terphenyl-d14	19.807	244	57960	0.353	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.345	88	4937	0.648	ng	# 60
3) n-Nitrosodimethylamine	3.677	42	4833	0.376	ng	# 79
6) bis(2-Chloroethyl)ether	7.218	93	18270	0.385	ng	# 85
9) Naphthalene	10.622	128	73638	0.364	ng	97
10) Hexachlorobutadiene	10.914	225	14026	0.371	ng	# 99
12) 2-Methylnaphthalene	12.238	142	48247	0.376	ng	# 87
16) Acenaphthylene	14.129	152	62564	0.366	ng	98
17) Acenaphthene	14.472	154	41652	0.365	ng	98
18) Fluorene	15.461	166	50539	0.369	ng	99
20) 4,6-Dinitro-2-methylph...	15.550	198	2444	1.262	ng	# 54
21) 4-Bromophenyl-phenylether	16.360	248	15822	0.358	ng	89
22) Hexachlorobenzene	16.482	284	17204	0.346	ng	# 92
23) Atrazine	16.628	200	11834	0.393	ng	91
24) Pentachlorophenol	16.823	266	2967	0.500	ng	99
25) Phenanthrene	17.212	178	80797	0.359	ng	99
26) Anthracene	17.297	178	70975	0.367	ng	99
28) Fluoranthene	19.237	202	92852	0.381	ng	# 97
30) Pyrene	19.599	202	93897	0.353	ng	99
32) Benzo(a)anthracene	21.355	228	92020	0.380	ng	98
33) Chrysene	21.408	228	91774	0.358	ng	97
34) Bis(2-ethylhexyl)phtha...	21.291	149	52660	0.508	ng	# 88
36) Indeno(1,2,3-cd)pyrene	26.123	276	110922	0.432	ng	# 83
37) Benzo(b)fluoranthene	23.009	252	98787	0.350	ng	# 94
38) Benzo(k)fluoranthene	23.053	252	102103	0.359	ng	# 94
39) Benzo(a)pyrene	23.611	252	90207	0.372	ng	# 92
40) Dibenzo(a,h)anthracene	26.141	278	92786	0.460	ng	# 88
41) Benzo(g,h,i)perylene	26.859	276	96517	0.444	ng	# 89

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN072021\
Data File : BN015625.D
Acq On : 20 Jul 2021 15:00
Operator : CG/JU
Sample : SSTDCCC0.4
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC

Quant Time: Jul 20 15:29:29 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN071521.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jul 20 11:13:03 2021
Response via : Initial Calibration





Abundance Scan 513 (7.808 min): BN015575.D\data.ms (-506) (#1)




1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.790 min Scan# 511
Delta R.T. 0.009 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00

Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:152 Resp: 15578
Ion Ratio Lower Upper
152 100
150 153.3 119.0 178.6
115 58.9 62.2 93.4#



Abundance Scan 511 (7.790 min): BN015625.D\data.ms (-499) (-)





Abundance Scan 31 (3.364 min): BN015575.D\data.ms (-28) (#2)





1,4-Dioxane
Concen: 0.648 ng
RT: 3.345 min Scan# 29
Delta R.T. 0.009 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00

Tgt Ion: 88 Resp: 4937
Ion Ratio Lower Upper
88 100
43 27.9 12.9 19.3#
58 77.3 38.1 57.1#



Abundance Scan 29 (3.345 min): BN015625.D\data.ms (-17) (-)









#3
n-Nitrosodimethylamine
Concen: 0.376 ng
RT: 3.677 min Scan# 65
Delta R.T. -0.000 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:	42	Resp:	4833
Ion	Ratio	Lower	Upper
42	100		
74	155.8	149.5	224.3
44	9.1	4.2	6.2#



#4
2-Fluorophenol
Concen: 0.413 ng
RT: 5.374 min Scan# 249
Delta R.T. -0.000 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00

Tgt Ion:	112	Resp:	18431
Ion	Ratio	Lower	Upper
112	100		
64	55.9	39.0	58.6
63	27.8	20.6	30.8









Phenol-d6
Concen: 0.415 ng
RT: 6.960 min Scan# 421
Delta R.T. 0.009 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:	99	Resp:	22022
Ion	Ratio	Lower	Upper
99	100		
42	16.4	8.9	13.3#
71	30.4	35.6	53.4#



bis(2-Chloroethyl)ether
Concen: 0.385 ng
RT: 7.218 min Scan# 449
Delta R.T. -0.000 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00

Tgt Ion:	93	Resp:	18270
Ion	Ratio	Lower	Upper
93	100		
63	74.2	46.6	70.0#
95	33.1	28.6	42.8









Naphthalene-d8
 Concen: 0.400 ng
 RT: 10.571 min Scan# 746
 Delta R.T. -0.000 min
 Lab File: BN015625.D
 Acq: 20 Jul 2021 15:00




Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4EC

Tgt Ion:	136	Resp:	69740
Ion	Ratio	Lower	Upper
136	100		
137	11.0	9.8	14.8
54	6.1	5.4	8.2
68	5.2	4.9	7.3




Nitrobenzene-d5
 Concen: 0.367 ng
 RT: 8.936 min Scan# 617
 Delta R.T. -0.000 min
 Lab File: BN015625.D
 Acq: 20 Jul 2021 15:00

Tgt Ion:	82	Resp:	18413
Ion	Ratio	Lower	Upper
82	100		
128	44.5	31.6	47.4
54	45.5	29.0	43.4





Abundance Scan 751 (10.635 min): BN015575.D\data.ms (-749) (-)




Naphthalene
Concen: 0.364 ng
RT: 10.622 min Scan# 750
Delta R.T. -0.000 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00

Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:	128	Resp:	73638
Ion	Ratio	Lower	Upper
128	100		
129	11.1	9.1	13.7
127	12.8	11.8	17.6



Abundance Scan 750 (10.622 min): BN015625.D\data.ms (-742) (-)





Abundance Scan 774 (10.926 min): BN015575.D\data.ms (-766) (-)




Hexachlorobutadiene
Concen: 0.371 ng
RT: 10.914 min Scan# 773
Delta R.T. -0.000 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00


Tgt Ion:	225	Resp:	14026
Ion	Ratio	Lower	Upper
225	100		
223	0.0	0.0	0.0
227	63.8	50.2	75.2



Abundance Scan 773 (10.914 min): BN015625.D\data.ms (-765) (-)






Abundance Scan 970 (12.176 min): BN015575.D\data.ms (-950) #11




2-Methylnaphthalene-d10
Concen: 0.364 ng
RT: 12.163 min Scan# 967
Delta R.T. -0.000 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00

Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC

Tgt Ion:152 Resp: 41765
Ion Ratio Lower Upper
152 100
151 20.4 16.7 25.1






Abundance Scan 987 (12.252 min): BN015575.D\data.ms (-970) #12



2-Methylnaphthalene
Concen: 0.376 ng
RT: 12.238 min Scan# 984
Delta R.T. 0.004 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00


Tgt Ion:142 Resp: 48247
Ion Ratio Lower Upper
142 100
141 86.4 72.3 108.5
115 31.8 40.7 61.1#





Abundance Scan 1196 (14.434 min): BN015575.D\data.ms (-1199) (-)

Acenaphthene-d10
Concen: 0.400 ng
RT: 14.421 min Scan# 1195
Delta R.T. 0.013 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00


Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC



Tgt Ion:	164	Resp:	36735
Ion	Ratio	Lower	Upper
164	100		
162	98.3	83.8	125.6
160	42.7	37.4	56.0





Abundance Scan 1195 (14.421 min): BN015625.D\data.ms (-1178) (-)




Abundance Scan 1313 (15.918 min): BN015575.D\data.ms (-1304) (-)

2,4,6-Tribromophenol
Concen: 0.460 ng
RT: 15.905 min Scan# 1312
Delta R.T. -0.000 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00


Tgt Ion:	330	Resp:	6125
Ion	Ratio	Lower	Upper
330	100		
332	0.0	0.0	0.0
141	35.4	22.4	33.6#



Abundance Scan 1312 (15.905 min): BN015625.D\data.ms (-1304) (-)






Abundance Scan 1087 (13.051 min): BN015575.D\data.ms (-1013) (-)




2-Fluorobiphenyl
Concen: 0.360 ng
RT: 13.038 min Scan# 1086
Delta R.T. -0.000 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00

Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC

Tgt Ion:	172	Resp:	53304
Ion	Ratio	Lower	Upper
172	100		
171	34.9	30.6	45.8
170	23.3	20.2	30.4






Abundance Scan 1173 (14.142 min): BN015575.D\data.ms (-1116) (-)




Acenaphthylene
Concen: 0.366 ng
RT: 14.129 min Scan# 1172
Delta R.T. -0.000 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00

Tgt Ion:	152	Resp:	62564
Ion	Ratio	Lower	Upper
152	100		
151	19.4	16.7	25.1
153	13.1	10.5	15.7






Abundance Scan 1200 (14.485 min): BN015575.D\data.ms (-1197) (-)




Acenaphthene
Concen: 0.365 ng
RT: 14.472 min Scan# 1199
Delta R.T. -0.000 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00

Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC

Tgt Ion:154 Resp: 41652
Ion Ratio Lower Upper
154 100
153 113.1 90.9 136.3
152 54.5 45.8 68.8






Abundance Scan 1278 (15.474 min): BN015575.D\data.ms (-1218) (-)



Fluorene
Concen: 0.369 ng
RT: 15.461 min Scan# 1277
Delta R.T. -0.000 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00


Tgt Ion:166 Resp: 50539
Ion Ratio Lower Upper
166 100
165 97.9 79.2 118.8
167 13.5 10.7 16.1






Abundance Scan 1416 (17.176 min): BN015575.D\data.ms (-1416) (-)

Phenanthrene-d10
Concen: 0.400 ng
RT: 17.164 min Scan# 1415
Delta R.T. -0.000 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00

Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC




Tgt Ion:	188	Resp:	69608
Ion	Ratio	Lower	Upper
188	100		
94	0.0	0.0	0.0
80	10.2	9.0	13.4






Abundance Scan 1286 (15.576 min): BN015575.D\data.ms (-1286) (-)


4,6-Dinitro-2-methylphenol
Concen: 1.262 ng
RT: 15.550 min Scan# 1284
Delta R.T. -0.000 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00



Tgt Ion:	198	Resp:	2444
Ion	Ratio	Lower	Upper
198	100		
182	13.9	34.5	51.7#
77	0.0	0.0	0.0





Abundance Scan 1350 (16.373 min): BN015575.D\data.ms (-1341) (-)




4-Bromophenyl-phenylether
Concen: 0.358 ng
RT: 16.360 min Scan# 1349
Delta R.T. -0.000 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00

Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:	248	Resp:	15822
Ion	Ratio	Lower	Upper
248	100		
250	97.1	86.2	129.4
141	53.0	36.2	54.2



Abundance Scan 1349 (16.360 min): BN015625.D\data.ms (-1341) (-)





Abundance Scan 1360 (16.494 min): BN015575.D\data.ms (-1323) (-)




Hexachlorobenzene
Concen: 0.346 ng
RT: 16.482 min Scan# 1359
Delta R.T. 0.012 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00


Tgt Ion:	284	Resp:	17204
Ion	Ratio	Lower	Upper
284	100		
142	34.7	22.2	33.2#
249	31.4	26.6	39.8



Abundance Scan 1359 (16.482 min): BN015625.D\data.ms (-1350) (-)





Abundance Scan 1372 (16.640 min): BN015575.D\data.ms (-1325) (-)




Atrazine
Concen: 0.393 ng
RT: 16.628 min Scan# 1371
Delta R.T. -0.000 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00

Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:	200	Resp:	11834
Ion	Ratio	Lower	Upper
200	100		
173	30.2	21.7	32.5
215	46.7	43.1	64.7



Abundance Scan 1371 (16.628 min): BN015625.D\data.ms (-1330) (-)





Abundance Scan 1388 (16.835 min): BN015575.D\data.ms (-1324) (-)




Pentachlorophenol
Concen: 0.500 ng
RT: 16.823 min Scan# 1387
Delta R.T. -0.000 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00


Tgt Ion:	266	Resp:	2967
Ion	Ratio	Lower	Upper
266	100		
264	62.6	51.0	76.4
268	62.8	50.6	76.0



Abundance Scan 1387 (16.823 min): BN015625.D\data.ms (-1379) (-)






Abundance Scan 1419 (17.212 min): BN015575.D\data.ms (-125) (-)




Phenanthrene
Concen: 0.359 ng
RT: 17.212 min Scan# 1419
Delta R.T. 0.012 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00

Tgt Ion:	178	Resp:	80797
Ion	Ratio	Lower	Upper
178	100		
176	18.9	15.6	23.4
179	15.4	12.1	18.1

Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC






Abundance Scan 1427 (17.310 min): BN015575.D\data.ms (-126) (-)




Anthracene
Concen: 0.367 ng
RT: 17.297 min Scan# 1426
Delta R.T. -0.000 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00

Tgt Ion:	178	Resp:	70975
Ion	Ratio	Lower	Upper
178	100		
176	18.3	15.1	22.7
179	15.2	12.2	18.2





Abundance Scan 1727 (19.217 min): BN015575.D\data.ms (-1#27) (-)




Fluoranthene-d10
Concen: 0.369 ng
RT: 19.207 min Scan# 1725
Delta R.T. 0.005 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00

Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:212 Resp: 77604
Ion Ratio Lower Upper
212 100
106 14.1 7.0 10.6#
104 7.7 4.1 6.1#



Abundance Scan 1725 (19.207 min): BN015625.D\data.ms (-1704) (-)





Abundance Scan 1733 (19.247 min): BN015575.D\data.ms (-1#28) (-)




Fluoranthene
Concen: 0.381 ng
RT: 19.237 min Scan# 1731
Delta R.T. 0.005 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00


Tgt Ion:202 Resp: 92852
Ion Ratio Lower Upper
202 100
101 11.8 6.6 10.0#
203 17.3 13.9 20.9



Abundance Scan 1731 (19.237 min): BN015625.D\data.ms (-1690) (-)






Abundance Scan 2015 (21.376 min): BN015575.D\data.ms (-1995) (-)




Chrysene-d12
Concen: 0.400 ng
RT: 21.376 min Scan# 2015
Delta R.T. 0.010 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00

Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC

Tgt Ion:240 Resp: 69259
Ion Ratio Lower Upper
240 100
120 6.4 4.2 6.4#
236 25.3 21.4 32.2






Abundance Scan 1806 (19.609 min): BN015575.D\data.ms (-1736) (-)



Pyrene
Concen: 0.353 ng
RT: 19.599 min Scan# 1804
Delta R.T. 0.005 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00


Tgt Ion:202 Resp: 93897
Ion Ratio Lower Upper
202 100
200 20.5 16.9 25.3
203 17.4 13.9 20.9






Abundance Scan 1848 (19.818 min): BN015575.D\data.ms (-1830) (-)

Terphenyl-d14
Concen: 0.353 ng
RT: 19.807 min Scan# 1846
Delta R.T. -0.000 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00

Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC




Tgt Ion:	244	Resp:	57960
Ion	Ratio	Lower	Upper
244	100		
212	7.6	6.3	9.5
122	14.1	6.2	9.2#






Abundance Scan 2013 (21.355 min): BN015575.D\data.ms (-2032) (-)


Benzo(a)anthracene
Concen: 0.380 ng
RT: 21.355 min Scan# 2013
Delta R.T. 0.010 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00



Tgt Ion:	228	Resp:	92020
Ion	Ratio	Lower	Upper
228	100		
226	26.8	23.0	34.6
229	19.8	15.7	23.5




Abundance Scan 2018 (21.408 min): BN015575.D\data.ms (-2008) (-)





Chrysene
Concen: 0.358 ng
RT: 21.408 min Scan# 2018
Delta R.T. 0.010 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00


Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC



Tgt Ion:	228	Resp:	91774
Ion	Ratio	Lower	Upper
228	100		
226	29.4	25.0	37.6
229	19.4	15.9	23.9






Abundance Scan 2008 (21.302 min): BN015575.D\data.ms (-2034) (-)



Bis(2-ethylhexyl)phthalate
Concen: 0.508 ng
RT: 21.291 min Scan# 2007
Delta R.T. -0.000 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00


Tgt Ion:	149	Resp:	52660
Ion	Ratio	Lower	Upper
149	100		
167	28.2	28.9	43.3#
279	3.7	4.9	7.3#






Abundance Scan 2497 (23.724 min): BN015575.D\data.ms (-2448) (-)

Perylene-d12
Concen: 0.400 ng
RT: 23.717 min Scan# 2495
Delta R.T. 0.010 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00

Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC




Tgt Ion:	264	Resp:	71834
Ion	Ratio	Lower	Upper
264	100		
260	25.0	20.6	31.0
265	24.1	21.4	32.2






Abundance Scan 3201 (26.134 min): BN015575.D\data.ms (-3175) (-)


Indeno(1,2,3-cd)pyrene
Concen: 0.432 ng
RT: 26.123 min Scan# 3198
Delta R.T. 0.014 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00



Tgt Ion:	276	Resp:	110922
Ion	Ratio	Lower	Upper
276	100		
138	32.5	10.0	15.0#
277	25.1	20.4	30.6






Abundance Scan 2289 (23.012 min): BN015575.D\data.ms (-2289) (-)




Benzo(b)fluoranthene
Concen: 0.350 ng
RT: 23.009 min Scan# 2288
Delta R.T. 0.014 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00

Tgt Ion:252 Resp: 98787
Ion Ratio Lower Upper
252 100
253 22.6 18.5 27.7
125 15.4 5.8 8.6#

Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC






Abundance Scan 2302 (23.057 min): BN015575.D\data.ms (-2302) (-)




Benzo(k)fluoranthene
Concen: 0.359 ng
RT: 23.053 min Scan# 2301
Delta R.T. 0.010 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00

Tgt Ion:252 Resp: 102103
Ion Ratio Lower Upper
252 100
253 22.3 19.1 28.7
125 11.7 5.4 8.0#





Abundance Scan 2466 (23.618 min): BN015575.D\data.ms (-2404) (-)




Benzo(a)pyrene
Concen: 0.372 ng
RT: 23.611 min Scan# 2464
Delta R.T. 0.007 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00

Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC


Tgt Ion:252 Resp: 90207
Ion Ratio Lower Upper
252 100
253 22.6 19.4 29.2
125 16.3 7.4 11.2#



Abundance Scan 2464 (23.611 min): BN015625.D\data.ms (-2404) (-)





Abundance Scan 3207 (26.154 min): BN015575.D\data.ms (-3176) (-)




Dibenzo(a,h)anthracene
Concen: 0.460 ng
RT: 26.141 min Scan# 3203
Delta R.T. 0.014 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00


Tgt Ion:278 Resp: 92786
Ion Ratio Lower Upper
278 100
139 22.1 9.0 13.4#
279 23.6 21.0 31.4



Abundance Scan 3203 (26.141 min): BN015625.D\data.ms (-3176) (-)




Abundance Scan 3417 (26.873 min): BN015575.D\data.ms (-3351) (-)




Benzo(g,h,i)perylene
Concen: 0.444 ng
RT: 26.859 min Scan# 3413
Delta R.T. 0.014 min
Lab File: BN015625.D
Acq: 20 Jul 2021 15:00

Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4EC

Abundance Scan 3413 (26.859 min): BN015625.D\data.ms



Tgt Ion:	276	Resp:	96517
Ion	Ratio	Lower	Upper
276	100		
277	23.7	19.7	29.5
138	23.7	9.8	14.6#



Abundance Scan 3413 (26.859 min): BN015625.D\data.ms (-3351) (-)

