

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN072021\
 Data File : BN015620.D
 Acq On : 20 Jul 2021 11:57
 Operator : CG/JU
 Sample : M3083-01MS
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 TT-087-RW7-IDWSO-20210715MS

Quant Time: Jul 20 12:39:33 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN071521.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jul 20 11:13:03 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.790	152	15781	0.400	ng	# 0.00
7) Naphthalene-d8	10.571	136	72414	0.400	ng	# 0.00
13) Acenaphthene-d10	14.408	164	38122	0.400	ng	0.00
19) Phenanthrene-d10	17.164	188	71214	0.400	ng	0.00
29) Chrysene-d12	21.366	240	64600	0.400	ng	# 0.00
35) Perylene-d12	23.710	264	64314	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.411	112	14298	0.316	ng	0.04
5) Phenol-d6	6.969	99	18201	0.338	ng	0.02
8) Nitrobenzene-d5	8.937	82	19500	0.374	ng	0.00
11) 2-Methylnaphthalene-d10	12.163	152	44219	0.371	ng	0.00
14) 2,4,6-Tribromophenol	15.906	330	4399	0.360	ng	0.00
15) 2-Fluorobiphenyl	13.038	172	57177	0.372	ng	0.00
27) Fluoranthene-d10	19.202	212	84244	0.391	ng	0.00
31) Terphenyl-d14	19.808	244	70687	0.461	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.373	88	5315	0.689	ng	# 67
3) n-Nitrosodimethylamine	3.687	42	5422	0.417	ng	# 86
6) bis(2-Chloroethyl)ether	7.218	93	20335	0.423	ng	# 86
9) Naphthalene	10.622	128	79147	0.376	ng	97
10) Hexachlorobutadiene	10.914	225	14831	0.378	ng	# 99
12) 2-Methylnaphthalene	12.234	142	52899	0.397	ng	# 89
16) Acenaphthylene	14.129	152	68787	0.388	ng	98
17) Acenaphthene	14.472	154	44292	0.374	ng	99
18) Fluorene	15.461	166	54302	0.382	ng	99
20) 4,6-Dinitro-2-methylph...	15.550	198	2081	1.164	ng	# 57
21) 4-Bromophenyl-phenylether	16.360	248	17045	0.377	ng	95
22) Hexachlorobenzene	16.470	284	18360	0.361	ng	# 91
23) Atrazine	16.628	200	14327	0.448	ng	93
24) Pentachlorophenol	16.823	266	1850	0.416	ng	98
25) Phenanthrene	17.200	178	87518	0.380	ng	98
26) Anthracene	17.298	178	80160	0.406	ng	99
28) Fluoranthene	19.232	202	99850	0.401	ng	# 97
30) Pyrene	19.599	202	102557	0.413	ng	99
32) Benzo(a)anthracene	21.355	228	96605	0.428	ng	97
33) Chrysene	21.408	228	97277	0.407	ng	97
34) Bis(2-ethylhexyl)phtha...	21.291	149	89137	0.921	ng	# 83
36) Indeno(1,2,3-cd)pyrene	26.113	276	111730	0.487	ng	# 87
37) Benzo(b)fluoranthene	23.002	252	100198	0.397	ng	# 96
38) Benzo(k)fluoranthene	23.046	252	100764	0.396	ng	# 94
39) Benzo(a)pyrene	23.604	252	93936	0.432	ng	# 94
40) Dibenzo(a,h)anthracene	26.130	278	91205	0.505	ng	# 91
41) Benzo(g,h,i)perylene	26.853	276	97716	0.502	ng	# 89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN072021\
Data File : BN015620.D
Acq On : 20 Jul 2021 11:57
Operator : CG/JU
Sample : M3083-01MS
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
TT-087-RW7-IDWSO-20210715MS

Quant Time: Jul 20 12:39:33 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN071521.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jul 20 11:13:03 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.790 min Scan# 511
Delta R.T. 0.009 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57




Instrument :
BNA_N
ClientSampleId :
TT-087-RW7-IDWSO-20210715MS


Tgt Ion:152 Resp: 15781
Ion Ratio Lower Upper
152 100
150 155.1 119.0 178.6
115 59.0 62.2 93.4#



#2
1,4-Dioxane
Concen: 0.689 ng
RT: 3.373 min Scan# 32
Delta R.T. 0.037 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57

Tgt Ion: 88 Resp: 5315
Ion Ratio Lower Upper
88 100
43 27.3 12.9 19.3#
58 71.3 38.1 57.1#









#3
n-Nitrosodimethylamine
Concen: 0.417 ng
RT: 3.687 min Scan# 66
Delta R.T. 0.009 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57




Instrument :
BNA_N
ClientSampleId :
TT-087-RW7-IDWSO-20210715MS


Tgt Ion: 42 Resp: 5422
Ion Ratio Lower Upper
42 100
74 166.6 149.5 224.3
44 0.0 4.2 6.2#



#4
2-Fluorophenol
Concen: 0.316 ng
RT: 5.411 min Scan# 253
Delta R.T. 0.037 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57

Tgt Ion: 112 Resp: 14298
Ion Ratio Lower Upper
112 100
64 55.6 39.0 58.6
63 27.5 20.6 30.8









#5
Phenol-d6
Concen: 0.338 ng
RT: 6.969 min Scan# 422
Delta R.T. 0.018 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57




Instrument :
BNA_N
ClientSampleId :
TT-087-RW7-IDWSO-20210715MS


Tgt Ion: 99 Resp: 18201
Ion Ratio Lower Upper
99 100
42 16.8 8.9 13.3#
71 30.4 35.6 53.4#



#6
bis(2-Chloroethyl)ether
Concen: 0.423 ng
RT: 7.218 min Scan# 449
Delta R.T. 0.000 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57

Tgt Ion: 93 Resp: 20335
Ion Ratio Lower Upper
93 100
63 73.2 46.6 70.0#
95 32.6 28.6 42.8









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.571 min Scan# 746
Delta R.T. 0.000 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57




Instrument :
BNA_N
ClientSampleId :
TT-087-RW7-IDWSO-20210715MS


Tgt Ion:136	Resp:	72414
Ion Ratio	Lower	Upper
136	100	
137	11.0	9.8 14.8
54	5.6	5.4 8.2
68	4.8	4.9 7.3#



#8
Nitrobenzene-d5
Concen: 0.374 ng
RT: 8.937 min Scan# 617
Delta R.T. -0.000 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57

Tgt Ion: 82	Resp:	19500
Ion Ratio	Lower	Upper
82	100	
128	46.9	31.6 47.4
54	44.2	29.0 43.4#









#9
Naphthalene
Concen: 0.376 ng
RT: 10.622 min Scan# 750
Delta R.T. -0.000 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57




Instrument :
BNA_N
ClientSampleId :
TT-087-RW7-IDWSO-20210715MS


Tgt Ion:	128	Resp:	79147
Ion Ratio	Lower	Upper	
128	100		
129	11.1	9.1	13.7
127	12.8	11.8	17.6



#10
Hexachlorobutadiene
Concen: 0.378 ng
RT: 10.914 min Scan# 773
Delta R.T. -0.000 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57

Tgt Ion:	225	Resp:	14831
Ion Ratio	Lower	Upper	
225	100		
223	0.0	0.0	0.0
227	63.5	50.2	75.2









#11
2-Methylnaphthalene-d10
Concen: 0.371 ng
RT: 12.163 min Scan# 967
Delta R.T. -0.000 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57




Instrument :
BNA_N
ClientSampleId :
TT-087-RW7-IDWSO-20210715MS


Tgt Ion:152 Resp: 44219
Ion Ratio Lower Upper
152 100
151 20.4 16.7 25.1



#12
2-Methylnaphthalene
Concen: 0.397 ng
RT: 12.234 min Scan# 983
Delta R.T. -0.000 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57

Tgt Ion:142 Resp: 52899
Ion Ratio Lower Upper
142 100
141 88.2 72.3 108.5
115 33.2 40.7 61.1#









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.408 min Scan# 1194
Delta R.T. 0.000 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57




Instrument :
BNA_N
ClientSampleId :
TT-087-RW7-IDWSO-20210715MS


Tgt Ion:164 Resp: 38122
Ion Ratio Lower Upper
164 100
162 102.9 83.8 125.6
160 47.7 37.4 56.0



#14
2,4,6-Tribromophenol
Concen: 0.360 ng
RT: 15.906 min Scan# 1312
Delta R.T. 0.000 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57

Tgt Ion:330 Resp: 4399
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 36.8 22.4 33.6#









#15
2-Fluorobiphenyl
Concen: 0.372 ng
RT: 13.038 min Scan# 1086
Delta R.T. -0.000 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57




Instrument :
BNA_N
ClientSampleId :
TT-087-RW7-IDWSO-20210715MS


Tgt Ion:172	Resp:	57177
Ion Ratio	Lower	Upper
172	100	
171	34.6	30.6 45.8
170	22.9	20.2 30.4



#16
Acenaphthylene
Concen: 0.388 ng
RT: 14.129 min Scan# 1172
Delta R.T. -0.000 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57

Tgt Ion:152	Resp:	68787
Ion Ratio	Lower	Upper
152	100	
151	19.4	16.7 25.1
153	13.0	10.5 15.7









#17
Acenaphthene
Concen: 0.374 ng
RT: 14.472 min Scan# 1199
Delta R.T. 0.000 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57




Instrument :
BNA_N
ClientSampleId :
TT-087-RW7-IDWSO-20210715MS


Tgt Ion:154 Resp: 44292
Ion Ratio Lower Upper
154 100
153 113.3 90.9 136.3
152 54.5 45.8 68.8



#18
Fluorene
Concen: 0.382 ng
RT: 15.461 min Scan# 1277
Delta R.T. 0.000 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57

Tgt Ion:166 Resp: 54302
Ion Ratio Lower Upper
166 100
165 97.4 79.2 118.8
167 13.5 10.7 16.1









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.164 min Scan# 1415
Delta R.T. -0.000 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57




Instrument :
BNA_N
ClientSampleId :
TT-087-RW7-IDWSO-20210715MS


Tgt Ion:188	Resp:	71214
Ion Ratio	Lower	Upper
188	100	
94	0.0	0.0
80	9.2	13.4



#20
4,6-Dinitro-2-methylphenol
Concen: 1.164 ng
RT: 15.550 min Scan# 1284
Delta R.T. 0.000 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57

Tgt Ion:198	Resp:	2081
Ion Ratio	Lower	Upper
198	100	
182	15.8	34.5
77	0.0	0.0









#21
4-Bromophenyl-phenylether
Concen: 0.377 ng
RT: 16.360 min Scan# 1349
Delta R.T. -0.000 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57




Instrument :
BNA_N
ClientSampleId :
TT-087-RW7-IDWSO-20210715MS


Tgt Ion:248 Resp: 17045
Ion Ratio Lower Upper
248 100
250 100.7 86.2 129.4
141 45.3 36.2 54.2



#22
Hexachlorobenzene
Concen: 0.361 ng
RT: 16.470 min Scan# 1358
Delta R.T. -0.000 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57

Tgt Ion:284 Resp: 18360
Ion Ratio Lower Upper
284 100
142 34.9 22.2 33.2#
249 30.9 26.6 39.8









#23
Atrazine
Concen: 0.448 ng
RT: 16.628 min Scan# 1371
Delta R.T. 0.000 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57




Instrument :
BNA_N
ClientSampleId :
TT-087-RW7-IDWSO-20210715MS


Tgt Ion:	200	Resp:	14327
Ion Ratio	Lower	Upper	
200	100		
173	28.8	21.7	32.5
215	47.9	43.1	64.7



#24
Pentachlorophenol
Concen: 0.416 ng
RT: 16.823 min Scan# 1387
Delta R.T. 0.000 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57

Tgt Ion:	266	Resp:	1850
Ion Ratio	Lower	Upper	
266	100		
264	64.3	51.0	76.4
268	61.5	50.6	76.0









#25
Phenanthrene
Concen: 0.380 ng
RT: 17.200 min Scan# 1418
Delta R.T. 0.000 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57




Instrument :
BNA_N
ClientSampleId :
TT-087-RW7-IDWSO-20210715MS


Tgt Ion:178 Resp: 87518
Ion Ratio Lower Upper
178 100
176 18.8 15.6 23.4
179 15.7 12.1 18.1



#26
Anthracene
Concen: 0.406 ng
RT: 17.298 min Scan# 1426
Delta R.T. -0.000 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57

Tgt Ion:178 Resp: 80160
Ion Ratio Lower Upper
178 100
176 18.1 15.1 22.7
179 15.1 12.2 18.2









#27
Fluoranthene-d10
Concen: 0.391 ng
RT: 19.202 min Scan# 1724
Delta R.T. 0.000 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57




Instrument :
BNA_N
ClientSampleId :
TT-087-RW7-IDWSO-20210715MS


Tgt Ion:212 Resp: 84244
Ion Ratio Lower Upper
212 100
106 14.3 7.0 10.6#
104 8.0 4.1 6.1#



#28
Fluoranthene
Concen: 0.401 ng
RT: 19.232 min Scan# 1730
Delta R.T. 0.000 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57

Tgt Ion:202 Resp: 99850
Ion Ratio Lower Upper
202 100
101 11.8 6.6 10.0#
203 17.2 13.9 20.9









#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.366 min Scan# 2014
Delta R.T. 0.000 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57




Instrument :
BNA_N
ClientSampleId :
TT-087-RW7-IDWSO-20210715MS


Tgt Ion:240 Resp: 64600
Ion Ratio Lower Upper
240 100
120 12.1 4.2 6.4#
236 27.0 21.4 32.2



#30
Pyrene
Concen: 0.413 ng
RT: 19.599 min Scan# 1804
Delta R.T. 0.005 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57

Tgt Ion:202 Resp: 102557
Ion Ratio Lower Upper
202 100
200 20.5 16.9 25.3
203 17.7 13.9 20.9









#31
 Terphenyl-d14
 Concen: 0.461 ng
 RT: 19.808 min Scan# 1846
 Delta R.T. -0.000 min
 Lab File: BN015620.D
 Acq: 20 Jul 2021 11:57




Instrument :
 BNA_N
 ClientSampleId :
 TT-087-RW7-IDWSO-20210715MS


Tgt Ion:244 Resp: 70687
 Ion Ratio Lower Upper
 244 100
 212 7.6 6.3 9.5
 122 13.0 6.2 9.2#



#32
 Benzo(a)anthracene
 Concen: 0.428 ng
 RT: 21.355 min Scan# 2013
 Delta R.T. 0.011 min
 Lab File: BN015620.D
 Acq: 20 Jul 2021 11:57

Tgt Ion:228 Resp: 96605
 Ion Ratio Lower Upper
 228 100
 226 26.1 23.0 34.6
 229 19.9 15.7 23.5









#33
Chrysene
Concen: 0.407 ng
RT: 21.408 min Scan# 2018
Delta R.T. 0.011 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57




Instrument :
BNA_N
ClientSampleId :
TT-087-RW7-IDWSO-20210715MS


Tgt Ion:	228	Resp:	97277
Ion Ratio	Lower	Upper	
228	100		
226	28.4	25.0	37.6
229	20.1	15.9	23.9



#34
Bis(2-ethylhexyl)phthalate
Concen: 0.921 ng
RT: 21.291 min Scan# 2007
Delta R.T. -0.000 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57


Tgt Ion:	149	Resp:	89137
Ion Ratio	Lower	Upper	
149	100		
167	25.5	28.9	43.3#
279	3.3	4.9	7.3#








#35
Perylene-d12
Concen: 0.400 ng
RT: 23.710 min Scan# 2493
Delta R.T. 0.003 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57

Instrument :
BNA_N
ClientSampleId :
TT-087-RW7-IDWSO-20210715MS







Tgt Ion:264 Resp: 64314
Ion Ratio Lower Upper
264 100
260 24.4 20.6 31.0
265 23.6 21.4 32.2



#36
Indeno(1,2,3-cd)pyrene
Concen: 0.487 ng
RT: 26.113 min Scan# 3195
Delta R.T. 0.003 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57

Tgt Ion:276 Resp: 111730
Ion Ratio Lower Upper
276 100
138 27.2 10.0 15.0#
277 25.0 20.4 30.6









#37
Benzo(b)fluoranthene
Concen: 0.397 ng
RT: 23.002 min Scan# 2286
Delta R.T. 0.007 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57




Instrument :
BNA_N
ClientSampleId :
TT-087-RW7-IDWSO-20210715MS


Tgt Ion:252 Resp: 100198
Ion Ratio Lower Upper
252 100
253 22.5 18.5 27.7
125 11.9 5.8 8.6#



#38
Benzo(k)fluoranthene
Concen: 0.396 ng
RT: 23.046 min Scan# 2299
Delta R.T. 0.003 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57

Tgt Ion:252 Resp: 100764
Ion Ratio Lower Upper
252 100
253 22.3 19.1 28.7
125 12.0 5.4 8.0#









#39
Benzo(a)pyrene
Concen: 0.432 ng
RT: 23.604 min Scan# 2462
Delta R.T. -0.000 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57




Instrument :
BNA_N
ClientSampleId :
TT-087-RW7-IDWSO-20210715MS


Tgt Ion:252	Resp:	93936
Ion Ratio	Lower	Upper
252	100	
253	22.3	19.4 29.2
125	13.3	7.4 11.2#



#40
Dibenzo(a,h)anthracene
Concen: 0.505 ng
RT: 26.130 min Scan# 3200
Delta R.T. 0.003 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57

Tgt Ion:278	Resp:	91205
Ion Ratio	Lower	Upper
278	100	
139	19.0	9.0 13.4#
279	23.9	21.0 31.4





#41
Benzo(g,h,i)perylene
Concen: 0.502 ng
RT: 26.853 min Scan# 3411
Delta R.T. 0.007 min
Lab File: BN015620.D
Acq: 20 Jul 2021 11:57

Instrument :
BNA_N
ClientSampleId :
TT-087-RW7-IDWSO-20210715MS

Tgt Ion:276 Resp: 97716
Ion Ratio Lower Upper
276 100
277 24.1 19.7 29.5
138 23.8 9.8 14.6#

