

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN082919\
 Data File : BN007496.D
 Acq On : 29 Aug 2019 10:33
 Operator : HP/JU
 Sample : PB122591BS
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB122591BS

Quant Time: Aug 29 12:30:13 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN082319.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Aug 29 12:18:45 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.40	152	5861	0.40	ng	0.00
7) Naphthalene-d8	10.15	136	24233	0.40	ng	-0.01
13) Acenaphthene-d10	14.05	164	12943	0.40	ng	0.00
19) Phenanthrene-d10	16.79	188	32676	0.40	ng	0.00
27) Chrysene-d12	21.02	240	31854	0.40	ng	0.00
34) Perylene-d12	23.13	264	32682	0.40	ng	0.00

System Monitoring Compounds						
4) 2-Fluorophenol	5.03	112	6819	0.33	ng	0.00
5) Phenol-d6	6.59	99	8925	0.34	ng	0.00
8) Nitrobenzene-d5	8.53	82	6673	0.32	ng	0.00
11) 2-Methylnaphthalene-d10	11.75	152	14656	0.36	ng	0.00
14) 2,4,6-Tribromophenol	15.55	330	2347	0.35	ng	0.00
15) 2-Fluorobiphenyl	12.66	172	17494	0.34	ng	0.00
25) Fluoranthene-d10	18.84	212	34890	0.33	ng	0.00
29) Terphenyl-d14	19.46	244	26161	0.31	ng	0.00


Target Compounds				Qvalue		
2) 1,4-Dioxane	3.00	88	2310	0.237	ng	# 71
3) n-Nitrosodimethylamine	3.33	42	1082	0.239	ng	# 58
6) bis(2-Chloroethyl)ether	6.83	93	6542	0.309	ng	96
9) Naphthalene	10.20	128	21743	0.314	ng	# 90
10) Hexachlorobutadiene	10.51	225	3835	0.270	ng	# 99
12) 2-Methylnaphthalene	11.83	142	14689	0.311	ng	96
16) Acenaphthylene	13.76	152	22379	0.292	ng	99
17) Acenaphthene	14.10	154	13907	0.310	ng	98
18) Fluorene	15.10	166	17862	0.315	ng	99
20) 4-Bromophenyl-phenylether	16.01	248	3629	0.282	ng	93
21) Hexachlorobenzene	16.11	284	6669	0.304	ng	96
22) Pentachlorophenol	16.46	266	3204	0.471	ng	# 63
23) Phenanthrene	16.84	178	30216	0.307	ng	99
24) Anthracene	16.93	178	27863	0.282	ng	100
26) Fluoranthene	18.87	202	39274	0.311	ng	99
28) Pyrene	19.24	202	39907	0.311	ng	99
30) Benzo(a)anthracene	21.00	228	35563	0.284	ng	99
31) Chrysene	21.06	228	39047	0.323	ng	99
32) Bis(2-ethylhexyl)phthalate	20.96	149	18094	0.205	ng	100
33) Indeno(1,2,3-cd)pyrene	25.20	276	39940	0.275	ng	98
35) Benzo(b)fluoranthene	22.51	252	36594	0.309	ng	97
36) Benzo(k)fluoranthene	22.55	252	40193	0.343	ng	# 94
37) Benzo(a)pyrene	23.04	252	36052	0.320	ng	97
38) Dibenzo(a,h)anthracene	25.21	278	32467	0.289	ng	98
39) Benzo(g,h,i)perylene	25.82	276	33971	0.303	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN082919\
Data File : BN007496.D
Acq On : 29 Aug 2019 10:33
Operator : HP/JU
Sample : PB122591BS
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleID :
PB122591BS

Quant Time: Aug 29 12:30:13 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN082319.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Aug 29 12:18:45 2019
Response via : Initial Calibration





#1

1,4-Dichlorobenzene-d4

Concen: 0.400 ng

RT: 7.40 min Scan# 567

Delta R.T. -0.01 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33

Instrument :

BNA_N

ClientSampleId :

PB122591BS


Tgt Ion:152 Resp: 5861

Ion Ratio Lower Upper

152 100

150 155.4 109.1 163.7




115 68.2 59.6 89.4



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E

Ion 115.00 (114.70 to 115.70): E



#2

1,4-Dioxane

Concen: 0.237 ng

RT: 3.00 min Scan# 21

Delta R.T. -0.01 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33


Tgt Ion: 88 Resp: 2310

Ion Ratio Lower Upper

88 100

58 85.5 50.5 75.7#



43 0.0 0.0 0.0




Abundance Ion 88.00 (87.70 to 88.70): BNC

Ion 58.00 (57.70 to 58.70): BNC

Ion 43.00 (42.70 to 43.70): BNC





#3

n-Nitrosodimethylamine

Concen: 0.239 ng

RT: 3.33 min Scan# 62

Delta R.T. -0.00 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33

Instrument :

BNA_N

ClientSampleId :

PB122591BS





Tgt Ion: 42 Resp: 1082

Ion Ratio Lower Upper

42 100

74 241.9 144.7 217.1#

44 4.0 3.2 4.8



#4

2-Fluorophenol

Concen: 0.330 ng

RT: 5.03 min Scan# 273

Delta R.T. -0.01 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33




Tgt Ion: 112 Resp: 6819


Ion Ratio Lower Upper

112 100

64 52.9 42.3 63.5

63 28.1 23.6 35.4





#5

Phenol-d6

Concen: 0.341 ng

RT: 6.59 min Scan# 467

Delta R.T. 0.00 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33

Instrument :

BNA_N

ClientSampleId :

PB122591BS


Tgt Ion: 99 Resp: 8925

Ion Ratio Lower Upper

99 100

42 11.4 11.2 16.8




71 34.0 31.8 47.8



Abundance Ion 99.00 (98.70 to 99.70): BN007496.D (-455) (-)

Ion 42.00 (41.70 to 42.70): BN007496.D (-455) (-)

Ion 71.00 (70.70 to 71.70): BN007496.D (-455) (-)



#6

bis(2-Chloroethyl)ether

Concen: 0.309 ng

RT: 6.83 min Scan# 497

Delta R.T. -0.01 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33


Tgt Ion: 93 Resp: 6542

Ion Ratio Lower Upper

93 100

63 61.8 51.9 77.9



95 31.9 27.7 41.5




Abundance Ion 93.00 (92.70 to 93.70): BN007496.D (-473) (-)

Ion 63.00 (62.70 to 63.70): BN007496.D (-473) (-)

Ion 95.00 (94.70 to 95.70): BN007496.D (-473) (-)





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.15 min Scan# 826

Delta R.T. -0.01 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33

Instrument :

BNA_N

ClientSampleId :

PB122591BS

Tgt Ion:136 Resp: 24233


Ion Ratio Lower Upper

136 100

137 11.3 12.9 19.3#

54 4.0 8.6 12.8#

68 5.5 17.0 25.4#




Abundance Ion 136.00 (135.70 to 136.70): E


Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BNC

Ion 68.00 (67.70 to 68.70): BNC



Time-->



#8

Nitrobenzene-d5

Concen: 0.316 ng

RT: 8.53 min Scan# 698

Delta R.T. 0.00 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33


Tgt Ion: 82 Resp: 6673

Ion Ratio Lower Upper

82 100

128 38.4 19.7 29.5#


54 33.8 25.8 38.6




Abundance Ion 82.00 (81.70 to 82.70): BNC

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BNC



Time-->



#9

Naphthalene

Concen: 0.314 ng

RT: 10.20 min Scan# 830

Delta R.T. -0.00 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33

Instrument :

BNA_N

ClientSampleId :

PB122591BS


Tgt Ion:128 Resp: 21743

Ion Ratio Lower Upper

128 100

129 11.5 11.1 16.7




127 13.3 15.5 23.3#



Abundance Ion 128.00 (127.70 to 128.70): E

Ion 129.00 (128.70 to 129.70): E

Ion 127.00 (126.70 to 127.70): E



#10

Hexachlorobutadiene

Concen: 0.270 ng

RT: 10.51 min Scan# 854

Delta R.T. -0.00 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33


Tgt Ion:225 Resp: 3835

Ion Ratio Lower Upper

225 100

223 0.0 0.0 0.0



227 64.0 50.7 76.1




Abundance Ion 225.00 (224.70 to 225.70): E

Ion 223.00 (222.70 to 223.70): E

Ion 227.00 (226.70 to 227.70): E





#11

2-Methylnaphthalene-d10

Concen: 0.364 ng

RT: 11.75 min Scan# 988

Delta R.T. -0.01 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33

Instrument :

BNA_N

ClientSampleId :


PB122591BS

Tgt Ion:152 Resp: 14656

Ion Ratio Lower Upper

152 100

151 17.4 16.2 24.2



Abundance Ion 152.00 (151.70 to 152.70): E

Ion 151.00 (150.70 to 151.70): E

11.75

8000



6000

4000

2000

0

Time--> 11.60 11.70 11.80 11.90



#12

2-Methylnaphthalene

Concen: 0.311 ng

RT: 11.83 min Scan# 1005

Delta R.T. -0.01 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33


Tgt Ion:142 Resp: 14689

Ion Ratio Lower Upper

142 100

141 89.2 72.8 109.2

115 38.3 35.2 52.8



Abundance Ion 142.00 (141.70 to 142.70): E

Ion 141.00 (140.70 to 141.70): E

Ion 115.00 (114.70 to 115.70): E

11.83

10000

8000


6000


4000

2000

0

Time--> 11.70 11.80 11.90 12.00





#13

Acenaphthene-d10

Concen: 0.400 ng

RT: 14.05 min Scan# 1296

Delta R.T. -0.01 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33

Instrument :

BNA_N

ClientSampleId :

PB122591BS





Tgt Ion:164 Resp: 12943

Ion Ratio Lower Upper

164 100

162 102.5 83.5 125.3

160 46.4 38.2 57.4



#14

2,4,6-Tribromophenol

Concen: 0.347 ng

RT: 15.55 min Scan# 1431

Delta R.T. -0.01 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33




Tgt Ion:330 Resp: 2347


Ion Ratio Lower Upper

330 100

332 0.0 0.0 0.0

141 31.1 26.9 40.3









#15
2-Fluorobiphenyl
Concen: 0.335 ng
RT: 12.66 min Scan# 1172
Delta R.T. 0.01 min
Lab File: BN007496.D
Acq: 29 Aug 2019 10:33

Instrument :
BNA_N
ClientSampleId :
PB122591BS

Tgt Ion:172 Resp: 17494
Ion Ratio Lower Upper
172 100
171 34.1 30.3 45.5
170 21.9 20.7 31.1




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#16
Acenaphthylene
Concen: 0.292 ng
RT: 13.76 min Scan# 1270
Delta R.T. -0.01 min
Lab File: BN007496.D
Acq: 29 Aug 2019 10:33

Tgt Ion:152 Resp: 22379
Ion Ratio Lower Upper
152 100
151 19.7 16.1 24.1
153 13.2 10.6 15.8



Abundance Ion 152.00 (151.70 to 152.70): E
Ion 151.00 (150.70 to 151.70): E
Ion 153.00 (152.70 to 153.70): E





#17

Acenaphthene

Concen: 0.310 ng

RT: 14.10 min Scan# 1301

Delta R.T. -0.01 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33

Instrument :

BNA_N

ClientSampleId :

PB122591BS


Tgt Ion:154 Resp: 13907

Ion Ratio Lower Upper

154 100

153 113.3 92.8 139.2




152 54.0 43.8 65.8



Abundance Ion 154.00 (153.70 to 154.70): E

Ion 153.00 (152.70 to 153.70): E

Ion 152.00 (151.70 to 152.70): E



#18

Fluorene

Concen: 0.315 ng

RT: 15.10 min Scan# 1391

Delta R.T. -0.01 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33


Tgt Ion:166 Resp: 17862

Ion Ratio Lower Upper

166 100

165 97.8 79.0 118.4



167 13.3 10.6 15.8




Abundance Ion 166.00 (165.70 to 166.70): E

Ion 165.00 (164.70 to 165.70): E

Ion 167.00 (166.70 to 167.70): E





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 16.79 min Scan# 1546

Delta R.T. -0.01 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33

Instrument :

BNA_N

ClientSampleId :

PB122591BS


Tgt Ion:188 Resp: 32676

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0




80 11.9 11.8 17.8



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BNC

Ion 80.00 (79.70 to 80.70): BNC



#20

4-Bromophenyl-phenylether

Concen: 0.282 ng

RT: 16.01 min Scan# 1472

Delta R.T. -0.01 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33


Tgt Ion:248 Resp: 3629

Ion Ratio Lower Upper

248 100

250 101.7 85.0 127.6



141 56.7 51.7 77.5




Abundance Ion 248.00 (247.70 to 248.70): E

Ion 250.00 (249.70 to 250.70): E

Ion 141.00 (140.70 to 141.70): E





#21

Hexachlorobenzene

Concen: 0.304 ng

RT: 16.11 min Scan# 1482

Delta R.T. -0.01 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33

Instrument :

BNA_N

ClientSampleId :

PB122591BS


Tgt Ion:284 Resp: 6669

Ion Ratio Lower Upper

284 100

142 32.0 29.0 43.6




249 30.6 24.9 37.3



Abundance Ion 283.80 (283.50 to 284.50): E

Ion 142.00 (141.70 to 142.70): E

Ion 249.00 (248.70 to 249.70): E



#22

Pentachlorophenol

Concen: 0.471 ng

RT: 16.46 min Scan# 1515

Delta R.T. -0.01 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33


Tgt Ion:266 Resp: 3204

Ion Ratio Lower Upper

266 100

264 64.2 57.8 86.8



268 64.7 99.7 149.5#




Abundance Ion 266.00 (265.70 to 266.70): E

Ion 264.00 (263.70 to 264.70): E

Ion 268.00 (267.70 to 268.70): E





#23

Phenanthrene

Concen: 0.307 ng

RT: 16.84 min Scan# 1550

Delta R.T. -0.01 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33

Instrument :

BNA_N

ClientSampleId :

PB122591BS


Tgt Ion:178 Resp: 30216

Ion Ratio Lower Upper

178 100

176 18.8 15.3 22.9


179 15.6 12.6 19.0





Abundance Ion 178.00 (177.70 to 178.70): E

Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E



Time-->



#24

Anthracene

Concen: 0.282 ng

RT: 16.93 min Scan# 1559

Delta R.T. 0.00 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33


Tgt Ion:178 Resp: 27863

Ion Ratio Lower Upper

178 100

176 18.6 14.9 22.3


179 15.5 12.4 18.6




Abundance Ion 178.00 (177.70 to 178.70): E


Ion 176.00 (175.70 to 176.70): E

Ion 179.00 (178.70 to 179.70): E



Time-->





#25

Fluoranthene-d10

Concen: 0.332 ng

RT: 18.84 min Scan# 1828

Delta R.T. -0.01 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33

Instrument :

BNA_N

ClientSampleId :

PB122591BS


Tgt Ion:212 Resp: 34890

Ion Ratio Lower Upper

212 100

106 12.0 9.0 13.4




104 7.0 5.4 8.2



Abundance Ion 212.00 (211.70 to 212.70): E

Ion 106.00 (105.70 to 106.70): E

Ion 104.00 (103.70 to 104.70): E



#26

Fluoranthene

Concen: 0.311 ng

RT: 18.87 min Scan# 1834

Delta R.T. -0.01 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33


Tgt Ion:202 Resp: 39274

Ion Ratio Lower Upper

202 100

101 10.5 7.7 11.5



203 17.0 13.7 20.5




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 203.00 (202.70 to 203.70): E









#27
 Chrysene-d12
 Concen: 0.400 ng
 RT: 21.02 min Scan# 2158
 Delta R.T. -0.00 min
 Lab File: BN007496.D
 Acq: 29 Aug 2019 10:33

Instrument :
 BNA_N
 ClientSampleId :
 PB122591BS

Tgt Ion: 240 Resp: 31854
 Ion Ratio Lower Upper
 240 100
 120 11.7 9.6 14.4
 236 27.5 22.2 33.2




Abundance Ion 240.00 (239.70 to 240.70): E
 Ion 120.00 (119.70 to 120.70): E
 Ion 236.00 (235.70 to 236.70): E






#28
 Pyrene
 Concen: 0.311 ng
 RT: 19.24 min Scan# 1908
 Delta R.T. -0.00 min
 Lab File: BN007496.D
 Acq: 29 Aug 2019 10:33

Tgt Ion: 202 Resp: 39907
 Ion Ratio Lower Upper
 202 100
 200 20.4 16.6 25.0
 203 18.0 14.2 21.4



Abundance Ion 202.00 (201.70 to 202.70): E
 Ion 200.00 (199.70 to 200.70): E
 Ion 203.00 (202.70 to 203.70): E





#29

Terphenyl-d14

Concen: 0.314 ng

RT: 19.46 min Scan# 1953

Delta R.T. -0.01 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33

Instrument :

BNA_N

ClientSampleId :

PB122591BS


Tgt Ion:244 Resp: 26161

Ion Ratio Lower Upper

244 100

212 7.7 7.0 10.6




122 11.2 9.6 14.4



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#30

Benzo(a)anthracene

Concen: 0.284 ng

RT: 21.00 min Scan# 2157

Delta R.T. -0.00 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33


Tgt Ion:228 Resp: 35563

Ion Ratio Lower Upper

228 100

226 26.3 21.3 31.9



229 20.2 16.1 24.1




Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E





#31

Chrysene

Concen: 0.323 ng

RT: 21.06 min Scan# 2162

Delta R.T. -0.00 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33

Instrument :

BNA_N

ClientSampleId :

PB122591BS


Tgt Ion:228 Resp: 39047

Ion Ratio Lower Upper

228 100

226 29.0 23.5 35.3




229 19.8 16.6 24.8



Abundance Ion 228.00 (227.70 to 228.70): E

Ion 226.00 (225.70 to 226.70): E

Ion 229.00 (228.70 to 229.70): E



#32

Bis(2-ethylhexyl)phthalate

Concen: 0.205 ng

RT: 20.96 min Scan# 2153

Delta R.T. -0.01 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33


Tgt Ion:149 Resp: 18094

Ion Ratio Lower Upper

149 100

167 28.5 22.8 34.2



279 4.6 3.5 5.3




Abundance Ion 149.00 (148.70 to 149.70): E

Ion 167.00 (166.70 to 167.70): E

Ion 279.00 (278.70 to 279.70): E





#33

Indeno(1,2,3-cd)pyrene

Concen: 0.275 ng

RT: 25.20 min Scan# 3104

Delta R.T. 0.00 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33

Instrument :

BNA_N

ClientSampleId :

PB122591BS


Tgt Ion:276 Resp: 39940

Ion Ratio Lower Upper

276 100

138 20.5 15.1 22.7




277 24.4 19.7 29.5



Abundance Ion 276.00 (275.70 to 276.70): E

Ion 138.00 (137.70 to 138.70): E

Ion 277.00 (276.70 to 277.70): E



#34

Perylene-d12

Concen: 0.400 ng

RT: 23.13 min Scan# 2499

Delta R.T. -0.00 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33


Tgt Ion:264 Resp: 32682

Ion Ratio Lower Upper

264 100

260 24.9 19.7 29.5



265 32.7 29.9 44.9




Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E





#35

Benzo(b)fluoranthene

Concen: 0.309 ng

RT: 22.51 min Scan# 2318

Delta R.T. -0.00 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33

Instrument :

BNA_N

ClientSampleId :

PB122591BS


Tgt Ion:252 Resp: 36594

Ion Ratio Lower Upper

252 100

253 23.3 19.2 28.8




125 10.8 10.6 16.0



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#36

Benzo(k)fluoranthene

Concen: 0.343 ng

RT: 22.55 min Scan# 2330

Delta R.T. -0.00 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33


Tgt Ion:252 Resp: 40193

Ion Ratio Lower Upper

252 100

253 23.4 19.4 29.2



125 11.6 13.1 19.7#




Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E





#37

Benzo(a)pyrene

Concen: 0.320 ng

RT: 23.04 min Scan# 2473

Delta R.T. -0.00 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33

Instrument :

BNA_N

ClientSampleId :

PB122591BS


Tgt Ion:252 Resp: 36052

Ion Ratio Lower Upper

252 100

253 23.8 19.5 29.3




125 12.2 12.1 18.1



Abundance Ion 252.00 (251.70 to 252.70): E

Ion 253.00 (252.70 to 253.70): E

Ion 125.00 (124.70 to 125.70): E



#38

Dibenzo(a,h)anthracene

Concen: 0.289 ng

RT: 25.21 min Scan# 3109

Delta R.T. 0.00 min

Lab File: BN007496.D

Acq: 29 Aug 2019 10:33


Tgt Ion:278 Resp: 32467

Ion Ratio Lower Upper

278 100

139 15.4 13.7 20.5



279 25.2 20.2 30.4




Abundance Ion 278.00 (277.70 to 278.70): E

Ion 139.00 (138.70 to 139.70): E

Ion 279.00 (278.70 to 279.70): E





#39

Benzo(g,h,i)perylene

Concen: 0.303 ng

RT: 25.82 min Scan# 3285

Delta R.T. -0.00 min

Lab File: BN007496.D


Acq: 29 Aug 2019 10:33

Instrument :

BNA_N

ClientSampleId :

PB122591BS



Tgt Ion: 276 Resp: 33971

Ion Ratio Lower Upper

276 100

277 24.9 19.6 29.4

138 19.7 16.3 24.5

