

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN092821\
 Data File : BN016566.D
 Acq On : 28 Sep 2021 20:49
 Operator : CG/JU
 Sample : SSTDICV0.4
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 ICVBN092821

Quant Time: Sep 29 01:42:54 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN092821.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Sep 29 01:39:43 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	1,4-Dichlorobenzene-d4	0.400	0.400	0.0	107	0.00
2	1,4-Dioxane	0.400	0.329	17.8	88	0.00
3	n-Nitrosodimethylamine	0.400	0.370	7.5	106	0.00
4 S	2-Fluorophenol	0.400	0.377	5.8	107	0.00
5 S	Phenol-d6	0.400	0.371	7.3	109	0.00
6	bis(2-Chloroethyl)ether	0.400	0.395	1.3	109	0.00
7 I	Naphthalene-d8	0.400	0.400	0.0	107	0.00
8 S	Nitrobenzene-d5	0.400	0.338	15.5	117	0.00
9	Naphthalene	0.400	0.382	4.5	107	0.00
10	Hexachlorobutadiene	0.400	0.380	5.0	105	0.00
11 SURR	2-Methylnaphthalene-d10	0.400	0.391	2.3	111	0.00
12	2-Methylnaphthalene	0.400	0.396	1.0	110	0.00
13 I	Acenaphthene-d10	0.400	0.400	0.0	114	0.00
14 S	2,4,6-Tribromophenol	0.400	0.324	19.0	112	0.00
15 S	2-Fluorobiphenyl	0.400	0.373	6.8	110	0.01
16	Acenaphthylene	0.400	0.347	13.3	110	0.00
17	Acenaphthene	0.400	0.376	6.0	112	0.00
18	Fluorene	0.400	0.376	6.0	109	0.00
19 I	Phenanthrene-d10	0.400	0.400	0.0	112	0.01
20	4,6-Dinitro-2-methylphenol	0.400	0.346	13.5	122	0.01
21	4-Bromophenyl-phenylether	0.400	0.379	5.3	114	0.00
22	Hexachlorobenzene	0.400	0.389	2.8	113	0.01
23	Atrazine	0.400	0.373	6.8	120	0.00
24	Pentachlorophenol	0.400	0.371	7.3	119	0.01
25	Phenanthrene	0.400	0.385	3.8	112	0.00
26	Anthracene	0.400	0.368	8.0	113	0.00
27 SURR	Fluoranthene-d10	0.400	0.387	3.3	115	0.00
28	Fluoranthene	0.400	0.394	1.5	114	0.00
29 I	Chrysene-d12	0.400	0.400	0.0	115	0.00
30	Pyrene	0.400	0.412	-3.0	114	0.00
31 S	Terphenyl-d14	0.400	0.410	-2.5	117	0.00
32	Benzo(a)anthracene	0.400	0.395	1.3	115	0.00
33	Chrysene	0.400	0.409	-2.2	115	0.00
34	Bis(2-ethylhexyl)phthalate	0.400	0.396	1.0	117	-0.01
35 I	Perylene-d12	0.400	0.400	0.0	122	0.00
36	Indeno(1,2,3-cd)pyrene	0.400	0.391	2.3	127	0.00
37	Benzo(b)fluoranthene	0.400	0.399	0.3	117	0.00
38	Benzo(k)fluoranthene	0.400	0.402	-0.5	119	0.00
39 C	Benzo(a)pyrene	0.400	0.381	4.8	116	0.00
40	Dibenzo(a,h)anthracene	0.400	0.437	-9.2	131	0.00
41	Benzo(g,h,i)perylene	0.400	0.384	4.0	118	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 0

Instrument :

BNA_N

ClientSampleId :

ICVBN092821