

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN100121\
 Data File : BN016610.D
 Acq On : 30 Sep 2021 21:34
 Operator : CG/JU
 Sample : M3782-07DL 2X
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE132D3-20210914DL

Quant Time: Oct 01 01:37:16 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN100121.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Sep 30 17:56:53 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.642	152	31281	0.40	ng	0.00
7) Naphthalene-d8	10.407	136	143905	0.40	ng	0.00
13) Acenaphthene-d10	14.269	164	75220	0.40	ng	0.00
19) Phenanthrene-d10	17.030	188	139415	0.40	ng	0.00
29) Chrysene-d12	21.238	240	125355	0.40	ng	0.00
35) Perylene-d12	23.485	264	126788	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.264	112	4081	0.05	ng	0.00
5) Phenol-d6	6.822	99	2363	0.03	ng	0.00
8) Nitrobenzene-d5	8.784	82	9008	0.10	ng	0.00
11) 2-Methylnaphthalene-d10	12.007	152	26172	0.12	ng	0.00
14) 2,4,6-Tribromophenol	15.766	330	3617	0.11	ng	0.00
15) 2-Fluorobiphenyl	12.899	172	34671	0.11	ng	0.00
27) Fluoranthene-d10	19.068	212	59505	0.16	ng	0.00
31) Terphenyl-d14	19.679	244	49510	0.18	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.253	88	27657	1.92	ng	Qvalue # 87
34) Bis(2-ethylhexyl)phtha...	21.174	149	10186	0.07	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN100121\
Data File : BN016610.D
Acq On : 30 Sep 2021 21:34
Operator : CG/JU
Sample : M3782-07DL 2X
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE132D3-20210914DL

Quant Time: Oct 01 01:37:16 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN100121.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Sep 30 17:56:53 2021
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 0.40 ng
RT: 7.642 min Scan# 495
Delta R.T. 0.000 min
Lab File: BN016610.D
Acq: 30 Sep 2021 21:34




Instrument :
BNA_N
ClientSampleId :
RE132D3-20210914DL


Tgt Ion:152 Resp: 31281
Ion Ratio Lower Upper
152 100
150 154.3 124.6 186.8
115 57.9 46.5 69.7



#2
1,4-Dioxane
Concen: 1.92 ng
RT: 3.253 min Scan# 19
Delta R.T. 0.000 min
Lab File: BN016610.D
Acq: 30 Sep 2021 21:34

Tgt Ion: 88 Resp: 27657
Ion Ratio Lower Upper
88 100
43 26.6 37.8 56.8#
58 74.2 61.3 91.9









#4
2-Fluorophenol
Concen: 0.05 ng
RT: 5.264 min Scan# 237
Delta R.T. 0.010 min
Lab File: BN016610.D
Acq: 30 Sep 2021 21:34




Instrument :
BNA_N
ClientSampleId :
RE132D3-20210914DL


Tgt Ion:112 Resp: 4081
Ion Ratio Lower Upper
112 100
64 54.4 43.1 64.7
63 28.1 21.6 32.4



#5
Phenol-d6
Concen: 0.03 ng
RT: 6.822 min Scan# 406
Delta R.T. 0.000 min
Lab File: BN016610.D
Acq: 30 Sep 2021 21:34


Tgt Ion: 99 Resp: 2363
Ion Ratio Lower Upper
99 100
42 19.1 13.0 19.6
71 38.1 23.5 35.3#








#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.407 min Scan# 733
Delta R.T. 0.000 min
Lab File: BN016610.D
Acq: 30 Sep 2021 21:34

Instrument :
BNA_N
ClientSampleId :
RE132D3-20210914DL






Tgt Ion:	136	Resp:	143905
Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.7	13.1
54	7.0	5.9	8.9
68	5.9	5.0	7.6



#8
Nitrobenzene-d5
Concen: 0.10 ng
RT: 8.784 min Scan# 605
Delta R.T. 0.000 min
Lab File: BN016610.D
Acq: 30 Sep 2021 21:34

Tgt Ion:	82	Resp:	9008
Ion	Ratio	Lower	Upper
82	100		
128	41.6	33.6	50.4
54	48.3	37.6	56.4









#11
2-Methylnaphthalene-d10
Concen: 0.12 ng
RT: 12.007 min Scan# 932
Delta R.T. 0.000 min
Lab File: BN016610.D
Acq: 30 Sep 2021 21:34




Instrument :
BNA_N
ClientSampleId :
RE132D3-20210914DL


Tgt Ion:152 Resp: 26172
Ion Ratio Lower Upper
152 100
151 20.4 16.2 24.4



#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.269 min Scan# 1183
Delta R.T. 0.000 min
Lab File: BN016610.D
Acq: 30 Sep 2021 21:34

Tgt Ion:164 Resp: 75220
Ion Ratio Lower Upper
164 100
162 103.0 82.2 123.2
160 47.0 37.7 56.5









#14
2,4,6-Tribromophenol
Concen: 0.11 ng
RT: 15.766 min Scan# 1301
Delta R.T. 0.000 min
Lab File: BN016610.D
Acq: 30 Sep 2021 21:34




Instrument :
BNA_N
ClientSampleId :
RE132D3-20210914DL


Tgt Ion:330 Resp: 3617
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 31.2 25.2 37.8



#15
2-Fluorobiphenyl
Concen: 0.11 ng
RT: 12.899 min Scan# 1075
Delta R.T. 0.000 min
Lab File: BN016610.D
Acq: 30 Sep 2021 21:34


Tgt Ion:172 Resp: 34671
Ion Ratio Lower Upper
172 100
171 33.5 27.0 40.4
170 21.8 17.4 26.2








#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 17.030 min Scan# 1404
Delta R.T. 0.000 min
Lab File: BN016610.D
Acq: 30 Sep 2021 21:34

Instrument :
BNA_N
ClientSampleId :
RE132D3-20210914DL







Tgt Ion:188 Resp: 139415
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 6.1 5.0 7.6



#27
Fluoranthene-d10
Concen: 0.16 ng
RT: 19.068 min Scan# 1697
Delta R.T. 0.000 min
Lab File: BN016610.D
Acq: 30 Sep 2021 21:34

Tgt Ion:212 Resp: 59505
Ion Ratio Lower Upper
212 100
106 13.3 10.6 16.0
104 7.2 5.9 8.9









#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.238 min Scan# 2002
Delta R.T. 0.000 min
Lab File: BN016610.D
Acq: 30 Sep 2021 21:34




Instrument :
BNA_N
ClientSampleId :
RE132D3-20210914DL


Tgt Ion:240 Resp: 125355
Ion Ratio Lower Upper
240 100
120 6.1 5.0 7.4
236 25.3 20.4 30.6



#31
Terphenyl-d14
Concen: 0.18 ng
RT: 19.679 min Scan# 1820
Delta R.T. 0.000 min
Lab File: BN016610.D
Acq: 30 Sep 2021 21:34

Tgt Ion:244 Resp: 49510
Ion Ratio Lower Upper
244 100
212 7.4 6.0 9.0
122 12.3 10.1 15.1









#34
Bis(2-ethylhexyl)phthalate
Concen: 0.07 ng
RT: 21.174 min Scan# 1996
Delta R.T. 0.000 min
Lab File: BN016610.D
Acq: 30 Sep 2021 21:34

Instrument :
BNA_N
ClientSampleId :
RE132D3-20210914DL

Tgt Ion:149 Resp: 10186

Ion	Ratio	Lower	Upper
149	100		
167	28.1	22.2	33.4
279	4.1	3.2	4.8



#35
Perylene-d12
Concen: 0.40 ng
RT: 23.485 min Scan# 2427
Delta R.T. -0.003 min
Lab File: BN016610.D
Acq: 30 Sep 2021 21:34

Tgt Ion:264 Resp: 126788

Ion	Ratio	Lower	Upper
264	100		
260	24.2	19.9	29.9
265	23.3	19.2	28.8

