

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN100121\
 Data File : BN016664.D
 Acq On : 02 Oct 2021 09:56
 Operator : CG/JU
 Sample : M3829-15
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE120D2-20210917

Quant Time: Oct 04 03:33:21 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN100121.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 01 13:35:26 2021
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.642	152	31137	0.40	ng	0.00
7) Naphthalene-d8	10.407	136	143109	0.40	ng	# 0.00
13) Acenaphthene-d10	14.269	164	76944	0.40	ng	0.00
19) Phenanthrene-d10	17.017	188	149248	0.40	ng	#-0.01
29) Chrysene-d12	21.238	240	138951	0.40	ng	0.00
35) Perylene-d12	23.484	264	145232	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.273	112	10892	0.14	ng	0.02
5) Phenol-d6	6.822	99	6888	0.08	ng	0.00
8) Nitrobenzene-d5	8.784	82	25604	0.27	ng	0.00
11) 2-Methylnaphthalene-d10	12.003	152	70978	0.34	ng	0.00
14) 2,4,6-Tribromophenol	15.766	330	11471	0.33	ng	0.00
15) 2-Fluorobiphenyl	12.886	172	97115	0.31	ng	-0.01
27) Fluoranthene-d10	19.063	212	161983	0.41	ng	0.00
31) Terphenyl-d14	19.678	244	136299	0.45	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.253	88	67229	4.69	ng	# 86
34) Bis(2-ethylhexyl)phtha...	21.164	149	64322	0.38	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN100121\
Data File : BN016664.D
Acq On : 02 Oct 2021 09:56
Operator : CG/JU
Sample : M3829-15
Misc :
ALS Vial : 32 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE120D2-20210917

Quant Time: Oct 04 03:33:21 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN100121.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 01 13:35:26 2021
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.40 ng
 RT: 7.642 min Scan# 495
 Delta R.T. 0.000 min
 Lab File: BN016664.D
 Acq: 02 Oct 2021 09:56




Instrument :
 BNA_N
 ClientSampleId :
 RE120D2-20210917


Tgt Ion:152 Resp: 31137
 Ion Ratio Lower Upper
 152 100
 150 151.9 124.6 186.8
 115 56.5 46.5 69.7



#2
 1,4-Dioxane
 Concen: 4.69 ng
 RT: 3.253 min Scan# 19
 Delta R.T. 0.000 min
 Lab File: BN016664.D
 Acq: 02 Oct 2021 09:56

Tgt Ion: 88 Resp: 67229
 Ion Ratio Lower Upper
 88 100
 43 26.8 37.8 56.8#
 58 73.7 61.3 91.9









#4
2-Fluorophenol
Concen: 0.14 ng
RT: 5.273 min Scan# 238
Delta R.T. 0.019 min
Lab File: BN016664.D
Acq: 02 Oct 2021 09:56




Instrument :
BNA_N
ClientSampleId :
RE120D2-20210917


Tgt Ion:	112	Resp:	10892
Ion	Ratio	Lower	Upper
112	100		
64	54.0	43.1	64.7
63	27.4	21.6	32.4



#5
Phenol-d6
Concen: 0.08 ng
RT: 6.822 min Scan# 406
Delta R.T. 0.000 min
Lab File: BN016664.D
Acq: 02 Oct 2021 09:56

Tgt Ion:	99	Resp:	6888
Ion	Ratio	Lower	Upper
99	100		
42	21.8	13.0	19.6#
71	39.2	23.5	35.3#









#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.407 min Scan# 733
Delta R.T. 0.000 min
Lab File: BN016664.D
Acq: 02 Oct 2021 09:56




Instrument :
BNA_N
ClientSampleId :
RE120D2-20210917


Tgt Ion:	136	Resp:	143109
Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.7	13.1
54	5.6	5.9	8.9#
68	4.8	5.0	7.6#



#8
Nitrobenzene-d5
Concen: 0.27 ng
RT: 8.784 min Scan# 605
Delta R.T. 0.000 min
Lab File: BN016664.D
Acq: 02 Oct 2021 09:56

Tgt Ion:	82	Resp:	25604
Ion	Ratio	Lower	Upper
82	100		
128	46.8	33.6	50.4
54	45.3	37.6	56.4









#11
2-Methylnaphthalene-d10
Concen: 0.34 ng
RT: 12.003 min Scan# 931
Delta R.T. -0.004 min
Lab File: BN016664.D
Acq: 02 Oct 2021 09:56




Instrument :
BNA_N
ClientSampleId :
RE120D2-20210917


Tgt Ion:152 Resp: 70978
Ion Ratio Lower Upper
152 100
151 20.5 16.2 24.4



#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.269 min Scan# 1183
Delta R.T. 0.000 min
Lab File: BN016664.D
Acq: 02 Oct 2021 09:56

Tgt Ion:164 Resp: 76944
Ion Ratio Lower Upper
164 100
162 100.9 82.2 123.2
160 45.1 37.7 56.5









#14
2,4,6-Tribromophenol
Concen: 0.33 ng
RT: 15.766 min Scan# 1301
Delta R.T. 0.000 min
Lab File: BN016664.D
Acq: 02 Oct 2021 09:56




Instrument :
BNA_N
ClientSampleId :
RE120D2-20210917


Tgt Ion:330 Resp: 11471
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 31.0 25.2 37.8



#15
2-Fluorobiphenyl
Concen: 0.31 ng
RT: 12.886 min Scan# 1074
Delta R.T. -0.013 min
Lab File: BN016664.D
Acq: 02 Oct 2021 09:56

Tgt Ion:172 Resp: 97115
Ion Ratio Lower Upper
172 100
171 35.7 27.0 40.4
170 24.1 17.4 26.2









#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 17.017 min Scan# 1403
Delta R.T. -0.012 min
Lab File: BN016664.D
Acq: 02 Oct 2021 09:56




Instrument :
BNA_N
ClientSampleId :
RE120D2-20210917


Tgt Ion:188	Resp:	149248
Ion Ratio	Lower	Upper
188	100	
94	0.0	0.0
80	10.9	5.0



#27
Fluoranthene-d10
Concen: 0.41 ng
RT: 19.063 min Scan# 1696
Delta R.T. -0.005 min
Lab File: BN016664.D
Acq: 02 Oct 2021 09:56

Tgt Ion:212	Resp:	161983
Ion Ratio	Lower	Upper
212	100	
106	13.4	10.6
104	7.2	5.9









#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.238 min Scan# 2002
Delta R.T. 0.000 min
Lab File: BN016664.D
Acq: 02 Oct 2021 09:56




Instrument :
BNA_N
ClientSampleId :
RE120D2-20210917


Tgt Ion:240 Resp: 138951
Ion Ratio Lower Upper
240 100
120 5.6 5.0 7.4
236 25.1 20.4 30.6



#31
Terphenyl-d14
Concen: 0.45 ng
RT: 19.678 min Scan# 1820
Delta R.T. 0.000 min
Lab File: BN016664.D
Acq: 02 Oct 2021 09:56

Tgt Ion:244 Resp: 136299
Ion Ratio Lower Upper
244 100
212 7.1 6.0 9.0
122 10.6 10.1 15.1









#34
Bis(2-ethylhexyl)phthalate
Concen: 0.38 ng
RT: 21.164 min Scan# 1995
Delta R.T. -0.010 min
Lab File: BN016664.D
Acq: 02 Oct 2021 09:56

Instrument :
BNA_N
ClientSampleId :
RE120D2-20210917

Tgt Ion:149 Resp: 64322
Ion Ratio Lower Upper
149 100
167 27.6 22.2 33.4
279 4.1 3.2 4.8



#35
Perylene-d12
Concen: 0.40 ng
RT: 23.484 min Scan# 2427
Delta R.T. -0.003 min
Lab File: BN016664.D
Acq: 02 Oct 2021 09:56

Tgt Ion:264 Resp: 145232
Ion Ratio Lower Upper
264 100
260 24.5 19.9 29.9
265 22.7 19.2 28.8

