

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN100121\
 Data File : BN016681.D
 Acq On : 02 Oct 2021 21:21
 Operator : CG/JU
 Sample : M3829-24
 Misc :
 ALS Vial : 49 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 RE123D2-20210918

Quant Time: Oct 04 03:35:35 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN100121.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 01 13:35:26 2021
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.642	152	32106	0.40	ng	0.00
7) Naphthalene-d8	10.407	136	146926	0.40	ng	# 0.00
13) Acenaphthene-d10	14.269	164	77006	0.40	ng	0.00
19) Phenanthrene-d10	17.018	188	147914	0.40	ng	#-0.01
29) Chrysene-d12	21.227	240	139445	0.40	ng	#-0.01
35) Perylene-d12	23.481	264	143850	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.273	112	11723	0.14	ng	0.02
5) Phenol-d6	6.831	99	7151	0.08	ng	0.00
8) Nitrobenzene-d5	8.784	82	26539	0.28	ng	0.00
11) 2-Methylnaphthalene-d10	12.003	152	71017	0.33	ng	0.00
14) 2,4,6-Tribromophenol	15.766	330	8981	0.26	ng	0.00
15) 2-Fluorobiphenyl	12.886	172	97459	0.31	ng	-0.01
27) Fluoranthene-d10	19.063	212	173864	0.44	ng	0.00
31) Terphenyl-d14	19.678	244	138650	0.46	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.253	88	7851	0.53	ng	# 83
34) Bis(2-ethylhexyl)phtha...	21.164	149	25148	0.15	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN100121\
Data File : BN016681.D
Acq On : 02 Oct 2021 21:21
Operator : CG/JU
Sample : M3829-24
Misc :
ALS Vial : 49 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
RE123D2-20210918

Quant Time: Oct 04 03:35:35 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN100121.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 01 13:35:26 2021
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.40 ng
 RT: 7.642 min Scan# 495
 Delta R.T. 0.000 min
 Lab File: BN016681.D
 Acq: 02 Oct 2021 21:21




Instrument :
 BNA_N
 ClientSampleId :
 RE123D2-20210918


Tgt Ion:152 Resp: 32106
 Ion Ratio Lower Upper
 152 100
 150 152.4 124.6 186.8
 115 56.9 46.5 69.7



#2
 1,4-Dioxane
 Concen: 0.53 ng
 RT: 3.253 min Scan# 19
 Delta R.T. 0.000 min
 Lab File: BN016681.D
 Acq: 02 Oct 2021 21:21

Tgt Ion: 88 Resp: 7851
 Ion Ratio Lower Upper
 88 100
 43 22.9 37.8 56.8#
 58 72.5 61.3 91.9









#4
2-Fluorophenol
Concen: 0.14 ng
RT: 5.273 min Scan# 238
Delta R.T. 0.019 min
Lab File: BN016681.D
Acq: 02 Oct 2021 21:21




Instrument :
BNA_N
ClientSampleId :
RE123D2-20210918


Tgt Ion:	112	Resp:	11723
Ion	Ratio	Lower	Upper
112	100		
64	54.0	43.1	64.7
63	27.7	21.6	32.4



#5
Phenol-d6
Concen: 0.08 ng
RT: 6.831 min Scan# 407
Delta R.T. 0.010 min
Lab File: BN016681.D
Acq: 02 Oct 2021 21:21


Tgt Ion:	99	Resp:	7151
Ion	Ratio	Lower	Upper
99	100		
42	18.1	13.0	19.6
71	38.7	23.5	35.3








#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.407 min Scan# 733
Delta R.T. 0.000 min
Lab File: BN016681.D
Acq: 02 Oct 2021 21:21

Instrument :
BNA_N
ClientSampleId :
RE123D2-20210918



Tgt Ion: 136 Resp: 146926




Ion	Ratio	Lower	Upper
136	100		
137	11.0	8.7	13.1
54	5.8	5.9	8.9#
68	4.8	5.0	7.6#



#8
Nitrobenzene-d5
Concen: 0.28 ng
RT: 8.784 min Scan# 605
Delta R.T. 0.000 min
Lab File: BN016681.D
Acq: 02 Oct 2021 21:21

Tgt Ion: 82 Resp: 26539

Ion	Ratio	Lower	Upper
82	100		
128	47.2	33.6	50.4
54	45.4	37.6	56.4









#11
2-Methylnaphthalene-d10
Concen: 0.33 ng
RT: 12.003 min Scan# 931
Delta R.T. -0.004 min
Lab File: BN016681.D
Acq: 02 Oct 2021 21:21




Instrument :
BNA_N
ClientSampleId :
RE123D2-20210918


Tgt Ion:152 Resp: 71017
Ion Ratio Lower Upper
152 100
151 20.6 16.2 24.4



#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.269 min Scan# 1183
Delta R.T. 0.000 min
Lab File: BN016681.D
Acq: 02 Oct 2021 21:21

Tgt Ion:164 Resp: 77006
Ion Ratio Lower Upper
164 100
162 101.5 82.2 123.2
160 45.3 37.7 56.5









#14
2,4,6-Tribromophenol
Concen: 0.26 ng
RT: 15.766 min Scan# 1301
Delta R.T. 0.000 min
Lab File: BN016681.D
Acq: 02 Oct 2021 21:21




Instrument :
BNA_N
ClientSampleId :
RE123D2-20210918


Tgt Ion:330 Resp: 8981
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 30.9 25.2 37.8



#15
2-Fluorobiphenyl
Concen: 0.31 ng
RT: 12.886 min Scan# 1074
Delta R.T. -0.012 min
Lab File: BN016681.D
Acq: 02 Oct 2021 21:21

Tgt Ion:172 Resp: 97459
Ion Ratio Lower Upper
172 100
171 35.5 27.0 40.4
170 24.2 17.4 26.2









#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 17.018 min Scan# 1403
Delta R.T. -0.012 min
Lab File: BN016681.D
Acq: 02 Oct 2021 21:21




Instrument :
BNA_N
ClientSampleId :
RE123D2-20210918


Tgt Ion:188 Resp: 147914
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 11.5 5.0 7.6#



#27
Fluoranthene-d10
Concen: 0.44 ng
RT: 19.063 min Scan# 1696
Delta R.T. -0.005 min
Lab File: BN016681.D
Acq: 02 Oct 2021 21:21

Tgt Ion:212 Resp: 173864
Ion Ratio Lower Upper
212 100
106 13.3 10.6 16.0
104 7.2 5.9 8.9









#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.227 min Scan# 2001
Delta R.T. -0.010 min
Lab File: BN016681.D
Acq: 02 Oct 2021 21:21




Instrument :
BNA_N
ClientSampleId :
RE123D2-20210918


Tgt Ion:240 Resp: 139445
Ion Ratio Lower Upper
240 100
120 12.7 5.0 7.4#
236 26.7 20.4 30.6



#31
Terphenyl-d14
Concen: 0.46 ng
RT: 19.678 min Scan# 1820
Delta R.T. 0.000 min
Lab File: BN016681.D
Acq: 02 Oct 2021 21:21

Tgt Ion:244 Resp: 138650
Ion Ratio Lower Upper
244 100
212 7.1 6.0 9.0
122 11.0 10.1 15.1









#34
Bis(2-ethylhexyl)phthalate
Concen: 0.15 ng
RT: 21.164 min Scan# 1995
Delta R.T. -0.010 min
Lab File: BN016681.D
Acq: 02 Oct 2021 21:21

Instrument :
BNA_N
ClientSampleId :
RE123D2-20210918

Tgt Ion:149 Resp: 25148
Ion Ratio Lower Upper
149 100
167 27.4 22.2 33.4
279 4.2 3.2 4.8



#35
Perylene-d12
Concen: 0.40 ng
RT: 23.481 min Scan# 2426
Delta R.T. -0.007 min
Lab File: BN016681.D
Acq: 02 Oct 2021 21:21

Tgt Ion:264 Resp: 143850
Ion Ratio Lower Upper
264 100
260 24.7 19.9 29.9
265 22.2 19.2 28.8

