

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN100121\
 Data File : BN016690.D
 Acq On : 03 Oct 2021 04:00
 Operator : CG/JU
 Sample : PB139433BL
 Misc :
 ALS Vial : 58 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB139433BL

Quant Time: Oct 04 03:36:41 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN100121.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 01 13:35:26 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.643	152	29255	0.40	ng	0.00
7) Naphthalene-d8	10.407	136	129392	0.40	ng	0.00
13) Acenaphthene-d10	14.269	164	66763	0.40	ng	0.00
19) Phenanthrene-d10	17.030	188	128955	0.40	ng	0.00
29) Chrysene-d12	21.238	240	103840	0.40	ng	0.00
35) Perylene-d12	23.485	264	106214	0.40	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.282	112	26239	0.35	ng	0.03
5) Phenol-d6	6.831	99	24252	0.30	ng	0.00
8) Nitrobenzene-d5	8.785	82	24406	0.29	ng	0.00
11) 2-Methylnaphthalene-d10	12.003	152	75238	0.39	ng	0.00
14) 2,4,6-Tribromophenol	15.766	330	6707	0.22	ng	0.00
15) 2-Fluorobiphenyl	12.886	172	96965	0.36	ng	-0.01
27) Fluoranthene-d10	19.068	212	131281	0.38	ng	0.00
31) Terphenyl-d14	19.679	244	100553	0.45	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN100121\
Data File : BN016690.D
Acq On : 03 Oct 2021 04:00
Operator : CG/JU
Sample : PB139433BL
Misc :
ALS Vial : 58 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
PB139433BL

Quant Time: Oct 04 03:36:41 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN100121.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 01 13:35:26 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.40 ng
RT: 7.643 min Scan# 495
Delta R.T. 0.001 min
Lab File: BN016690.D
Acq: 03 Oct 2021 04:00




Instrument :
BNA_N
ClientSampleId :
PB139433BL


Tgt Ion:152 Resp: 29255
Ion Ratio Lower Upper
152 100
150 153.0 124.6 186.8
115 56.3 46.5 69.7



#4
2-Fluorophenol
Concen: 0.35 ng
RT: 5.282 min Scan# 239
Delta R.T. 0.028 min
Lab File: BN016690.D
Acq: 03 Oct 2021 04:00

Tgt Ion:112 Resp: 26239
Ion Ratio Lower Upper
112 100
64 53.6 43.1 64.7
63 27.3 21.6 32.4









#5
Phenol-d6
Concen: 0.30 ng
RT: 6.831 min Scan# 407
Delta R.T. 0.010 min
Lab File: BN016690.D
Acq: 03 Oct 2021 04:00




Instrument :
BNA_N
ClientSampleId :
PB139433BL


Tgt Ion: 99	Resp: 24252
Ion Ratio	Lower Upper
99 100	
42 16.3	13.0 19.6
71 29.6	23.5 35.3



#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.407 min Scan# 733
Delta R.T. 0.000 min
Lab File: BN016690.D
Acq: 03 Oct 2021 04:00

Tgt	Ion:136	Resp:	129392
Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.7	13.1
54	6.1	5.9	8.9
68	5.2	5.0	7.6









#8
Nitrobenzene-d5
Concen: 0.29 ng
RT: 8.785 min Scan# 605
Delta R.T. 0.000 min
Lab File: BN016690.D
Acq: 03 Oct 2021 04:00




Instrument :
BNA_N
ClientSampleId :
PB139433BL


Tgt Ion: 82 Resp: 24406
Ion Ratio Lower Upper
82 100
128 43.3 33.6 50.4
54 45.9 37.6 56.4



#11
2-Methylnaphthalene-d10
Concen: 0.39 ng
RT: 12.003 min Scan# 931
Delta R.T. -0.004 min
Lab File: BN016690.D
Acq: 03 Oct 2021 04:00

Tgt Ion: 152 Resp: 75238
Ion Ratio Lower Upper
152 100
151 20.5 16.2 24.4









#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.269 min Scan# 1183
Delta R.T. 0.000 min
Lab File: BN016690.D
Acq: 03 Oct 2021 04:00




Instrument :
BNA_N
ClientSampleId :
PB139433BL


Tgt Ion:164 Resp: 66763
Ion Ratio Lower Upper
164 100
162 101.3 82.2 123.2
160 46.2 37.7 56.5



#14
2,4,6-Tribromophenol
Concen: 0.22 ng
RT: 15.766 min Scan# 1301
Delta R.T. 0.000 min
Lab File: BN016690.D
Acq: 03 Oct 2021 04:00

Tgt Ion:330 Resp: 6707
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 31.9 25.2 37.8









#15
2-Fluorobiphenyl
Concen: 0.36 ng
RT: 12.886 min Scan# 1074
Delta R.T. -0.012 min
Lab File: BN016690.D
Acq: 03 Oct 2021 04:00




Instrument :
BNA_N
ClientSampleId :
PB139433BL


Tgt Ion:172	Resp:	96965
Ion Ratio	Lower	Upper
172	100	
171	35.5	27.0 40.4
170	24.3	17.4 26.2



#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 17.030 min Scan# 1404
Delta R.T. 0.000 min
Lab File: BN016690.D
Acq: 03 Oct 2021 04:00

Tgt Ion:188	Resp:	128955
Ion Ratio	Lower	Upper
188	100	
94	0.0	0.0 0.0
80	6.3	5.0 7.6









#27
Fluoranthene-d10
Concen: 0.38 ng
RT: 19.068 min Scan# 1697
Delta R.T. 0.000 min
Lab File: BN016690.D
Acq: 03 Oct 2021 04:00




Instrument :
BNA_N
ClientSampleId :
PB139433BL


Tgt Ion:212 Resp: 131281
Ion Ratio Lower Upper
212 100
106 13.1 10.6 16.0
104 7.3 5.9 8.9



#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.238 min Scan# 2002
Delta R.T. 0.000 min
Lab File: BN016690.D
Acq: 03 Oct 2021 04:00

Tgt Ion:240 Resp: 103840
Ion Ratio Lower Upper
240 100
120 5.8 5.0 7.4
236 25.4 20.4 30.6









#31
Terphenyl-d14
Concen: 0.45 ng
RT: 19.679 min Scan# 1820
Delta R.T. 0.000 min
Lab File: BN016690.D
Acq: 03 Oct 2021 04:00

Instrument :
BNA_N
ClientSampleId :
PB139433BL

Tgt Ion:244 Resp: 100553
Ion Ratio Lower Upper
244 100
212 7.3 6.0 9.0
122 11.7 10.1 15.1



#35
Perylene-d12
Concen: 0.40 ng
RT: 23.485 min Scan# 2427
Delta R.T. -0.003 min
Lab File: BN016690.D
Acq: 03 Oct 2021 04:00

Tgt Ion:264 Resp: 106214
Ion Ratio Lower Upper
264 100
260 24.4 19.9 29.9
265 23.2 19.2 28.8

