

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN101020\
 Data File : BN012138.D
 Acq On : 10 Oct 2020 00:32
 Operator : CG/JU
 Sample : L4342-10
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BACKFILL OFFSITE-4-SO-5

Quant Time: Oct 10 01:59:07 2020
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN092320.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Oct 09 18:10:29 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.635	152	2206	0.40	ng	0.00
7) Naphthalene-d8	10.415	136	9127	0.40	ng	# 0.00
13) Acenaphthene-d10	14.268	164	5211	0.40	ng	-0.01
19) Phenanthrene-d10	17.017	188	11283	0.40	ng	#-0.01
29) Chrysene-d12	21.227	240	12635	0.40	ng	# 0.00
36) Perylene-d12	23.422	264	13176	0.40	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.243	112	2862	0.37	ng	0.00
5) Phenol-d6	6.813	99	3620	0.37	ng	0.00
8) Nitrobenzene-d5	8.780	82	3739	0.40	ng	0.00
11) 2-Methylnaphthalene-d10	12.007	152	5783	0.40	ng	0.00
14) 2,4,6-Tribromophenol	15.778	330	1114	0.44	ng	0.00
15) 2-Fluorobiphenyl	12.898	172	7778	0.39	ng	0.00
27) Fluoranthene-d10	19.062	212	14057	0.42	ng	0.00
31) Terphenyl-d14	19.668	244	12619	0.44	ng	0.00
Target Compounds						Qvalue
23) Atrazine	16.056	200	321	0.06	ng	# 1
32) Benzo(a)anthracene	21.206	228	873	0.02	ng	# 76
33) Chrysene	21.259	228	1038	0.02	ng	# 86
34) Bis(2-ethylhexyl)phtha...	21.142	149	4916	0.17	ng	# 90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN101020\
Data File : BN012138.D
Acq On : 10 Oct 2020 00:32
Operator : CG/JU
Sample : L4342-10
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BACKFILL OFFSITE-4-SO-5

Quant Time: Oct 10 01:59:07 2020
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN092320.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Oct 09 18:10:29 2020
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 0.40 ng
 RT: 7.635 min Scan# 578
 Delta R.T. -0.007 min
 Lab File: BN012138.D
 Acq: 10 Oct 2020 00:32




Instrument :
 BNA_N
 ClientSampleId :
 BACKFILL-OFFSITE-4-SO-5


Tgt Ion:152 Resp: 2206
 Ion Ratio Lower Upper
 152 100
 150 158.8 118.3 177.5
 115 75.4 51.3 76.9



#4
 2-Fluorophenol
 Concen: 0.37 ng
 RT: 5.243 min Scan# 281
 Delta R.T. 0.000 min
 Lab File: BN012138.D
 Acq: 10 Oct 2020 00:32

Tgt Ion:112 Resp: 2862
 Ion Ratio Lower Upper
 112 100
 64 66.1 49.0 73.6
 63 39.7 31.8 47.6









#5
Phenol-d6
Concen: 0.37 ng
RT: 6.813 min Scan# 476
Delta R.T. 0.000 min
Lab File: BN012138.D
Acq: 10 Oct 2020 00:32




Instrument :
BNA_N
ClientSampleId :
BACKFILL-OFFSITE-4-SO-5


Tgt Ion:	99	Resp:	3620
Ion	Ratio	Lower	Upper
99	100		
42	35.6	23.4	35.0#
71	44.8	38.1	57.1



#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.415 min Scan# 828
Delta R.T. 0.000 min
Lab File: BN012138.D
Acq: 10 Oct 2020 00:32

Tgt Ion:	136	Resp:	9127
Ion	Ratio	Lower	Upper
136	100		
137	12.2	9.5	14.3
54	7.7	5.6	8.4
68	5.2	3.2	4.8#









#8
Nitrobenzene-d5
Concen: 0.40 ng
RT: 8.780 min Scan# 699
Delta R.T. 0.000 min
Lab File: BN012138.D
Acq: 10 Oct 2020 00:32




Instrument :
BNA_N
ClientSampleId :
BACKFILL OFFSITE-4-SO-5


Tgt Ion: 82 Resp: 3739
Ion Ratio Lower Upper
82 100
128 35.2 34.2 51.2
54 62.3 43.1 64.7



#11
2-Methylnaphthalene-d10
Concen: 0.40 ng
RT: 12.007 min Scan# 1025
Delta R.T. 0.000 min
Lab File: BN012138.D
Acq: 10 Oct 2020 00:32

Tgt Ion: 152 Resp: 5783
Ion Ratio Lower Upper
152 100
151 20.6 16.7 25.1





#13

Acenaphthene-d10

Concen: 0.40 ng

RT: 14.268 min Scan# 1276

Delta R.T. -0.012 min

Lab File: BN012138.D

Acq: 10 Oct 2020 00:32

Tgt Ion:164 Resp: 5211

Ion Ratio Lower Upper

164 100

162 107.4 83.6 125.4





160 51.4 41.2 61.8

Instrument :

BNA_N

ClientSampleId :

BACKFILL OFFSITE-4-SO-5



#14

2,4,6-Tribromophenol

Concen: 0.44 ng

RT: 15.778 min Scan# 1395

Delta R.T. 0.000 min

Lab File: BN012138.D

Acq: 10 Oct 2020 00:32




Tgt Ion:330 Resp: 1114


Ion Ratio Lower Upper

330 100

332 0.0 0.0 0.0

141 49.4 33.7 50.5









#15
2-Fluorobiphenyl
Concen: 0.39 ng
RT: 12.898 min Scan# 1168
Delta R.T. 0.000 min
Lab File: BN012138.D
Acq: 10 Oct 2020 00:32




Instrument :
BNA_N
ClientSampleId :
BACKFILL-OFFSITE-4-SO-5


Tgt Ion:	172	Resp:	7778
Ion Ratio	Lower	Upper	
172	100		
171	35.4	27.4	41.2
170	23.1	17.8	26.6



#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 17.017 min Scan# 1496
Delta R.T. -0.012 min
Lab File: BN012138.D
Acq: 10 Oct 2020 00:32


Tgt Ion:	188	Resp:	11283
Ion Ratio	Lower	Upper	
188	100		
94	0.0	0.0	0.0
80	13.5	7.7	11.5








#23
Atrazine
Concen: 0.06 ng
RT: 16.056 min Scan# 1417
Delta R.T. -0.438 min
Lab File: BN012138.D
Acq: 10 Oct 2020 00:32

Instrument :
BNA_N
ClientSampleId :
BACKFILL-OFFSITE-4-SO-5







Tgt Ion: 200 Resp: 321
Ion Ratio Lower Upper
200 100
173 114.0 18.7 28.1#
215 102.0 40.2 60.4#



#27
Fluoranthene-d10
Concen: 0.42 ng
RT: 19.062 min Scan# 1789
Delta R.T. 0.000 min
Lab File: BN012138.D
Acq: 10 Oct 2020 00:32

Tgt Ion: 212 Resp: 14057
Ion Ratio Lower Upper
212 100
106 12.2 6.4 9.6#
104 7.4 3.9 5.9#









#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.227 min Scan# 2094
Delta R.T. 0.000 min
Lab File: BN012138.D
Acq: 10 Oct 2020 00:32




Instrument :
BNA_N
ClientSampleId :
BACKFILL OFFSITE-4-SO-5


Tgt Ion:240 Resp: 12635
Ion Ratio Lower Upper
240 100
120 9.3 3.5 5.3#
236 26.4 20.5 30.7



#31
Terphenyl-d14
Concen: 0.44 ng
RT: 19.668 min Scan# 1911
Delta R.T. -0.005 min
Lab File: BN012138.D
Acq: 10 Oct 2020 00:32

Tgt Ion:244 Resp: 12619
Ion Ratio Lower Upper
244 100
212 9.2 7.3 10.9
122 11.3 7.8 11.6









#32
Benzo(a)anthracene
Concen: 0.02 ng
RT: 21.206 min Scan# 2092
Delta R.T. -0.010 min
Lab File: BN012138.D
Acq: 10 Oct 2020 00:32




Instrument :
BNA_N
ClientSampleId :
BACKFILL OFFSITE-4-SO-5


Tgt Ion:228 Resp: 873
Ion Ratio Lower Upper
228 100
226 36.7 21.0 31.4#
229 33.5 16.0 24.0#



#33
Chrysene
Concen: 0.02 ng
RT: 21.259 min Scan# 2097
Delta R.T. -0.010 min
Lab File: BN012138.D
Acq: 10 Oct 2020 00:32

Tgt Ion:228 Resp: 1038
Ion Ratio Lower Upper
228 100
226 34.7 23.3 34.9
229 28.5 15.8 23.8#









#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.17 ng
 RT: 21.142 min Scan# 2086
 Delta R.T. -0.010 min
 Lab File: BN012138.D
 Acq: 10 Oct 2020 00:32

Instrument :
 BNA_N
 ClientSampleId :
 BACKFILL-OFFSITE-4-SO-5

Tgt Ion:149 Resp: 4916
 Ion Ratio Lower Upper
 149 100
 167 23.8 23.6 35.4
 279 3.3 4.0 6.0#



#36
 Perylene-d12
 Concen: 0.40 ng
 RT: 23.422 min Scan# 2502
 Delta R.T. -0.010 min
 Lab File: BN012138.D
 Acq: 10 Oct 2020 00:32

Tgt Ion:264 Resp: 13176
 Ion Ratio Lower Upper
 264 100
 260 24.4 19.6 29.4
 265 62.0 38.6 58.0#

