

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN111621\
 Data File : BN017480.D
 Acq On : 16 Nov 2021 20:30
 Operator : CG/JU
 Sample : PB140751BL
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB140751BL

Quant Time: Nov 17 00:24:02 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN111621.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 16 14:06:59 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.874	152	25601	0.400	ng	0.00
7) Naphthalene-d8	10.661	136	114513	0.400	ng	# 0.00
13) Acenaphthene-d10	14.498	164	57824	0.400	ng	0.00
19) Phenanthrene-d10	17.238	188	97501	0.400	ng	0.00
29) Chrysene-d12	21.420	240	65330	0.400	ng	# 0.00
35) Perylene-d12	23.794	264	45402	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.477	112	20389	0.335	ng	0.03
5) Phenol-d6	7.044	99	20805	0.317	ng	0.00
8) Nitrobenzene-d5	9.014	82	21115	0.297	ng	0.00
11) 2-Methylnaphthalene-d10	12.253	152	54941	0.292	ng	0.00
14) 2,4,6-Tribromophenol	15.983	330	3943	0.268	ng	0.00
15) 2-Fluorobiphenyl	13.128	172	71915	0.330	ng	0.00
27) Fluoranthene-d10	19.268	212	79765	0.274	ng	0.00
31) Terphenyl-d14	19.868	244	61186	0.381	ng	0.00


Target Compounds Qvalue


 (#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN111621\
Data File : BN017480.D
Acq On : 16 Nov 2021 20:30
Operator : CG/JU
Sample : PB140751BL
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
PB140751BL

Quant Time: Nov 17 00:24:02 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN111621.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 16 14:06:59 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.874 min Scan# 493
Delta R.T. 0.000 min
Lab File: BN017480.D
Acq: 16 Nov 2021 20:30




Instrument :
BNA_N
ClientSampleId :
PB140751BL


Tgt Ion:152 Resp: 25601
Ion Ratio Lower Upper
152 100
150 156.1 123.0 184.4
115 61.6 45.6 68.4



#4
2-Fluorophenol
Concen: 0.335 ng
RT: 5.477 min Scan# 233
Delta R.T. 0.028 min
Lab File: BN017480.D
Acq: 16 Nov 2021 20:30

Tgt Ion:112 Resp: 20389
Ion Ratio Lower Upper
112 100
64 60.1 47.6 71.4
63 31.4 24.6 37.0









#5
Phenol-d6
Concen: 0.317 ng
RT: 7.044 min Scan# 40
Delta R.T. 0.009 min
Lab File: BN017480.D
Acq: 16 Nov 2021 20:30




Instrument :
BNA_N
ClientSampleId :
PB140751BL


Tgt Ion: 99 Resp: 20805
Ion Ratio Lower Upper
99 100
42 20.2 17.0 25.6
71 33.8 24.8 37.2



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.661 min Scan# 726
Delta R.T. -0.000 min
Lab File: BN017480.D
Acq: 16 Nov 2021 20:30

Tgt Ion: 136 Resp: 114513
Ion Ratio Lower Upper
136 100
137 10.8 8.8 13.2
54 8.5 4.0 6.0#
68 6.5 3.0 4.6#









#8
Nitrobenzene-d5
Concen: 0.297 ng
RT: 9.014 min Scan# 51
Delta R.T. -0.000 min
Lab File: BN017480.D
Acq: 16 Nov 2021 20:30




Instrument :
BNA_N
ClientSampleId :
PB140751BL


Tgt Ion: 82 Resp: 21115
Ion Ratio Lower Upper
82 100
128 33.6 27.7 41.5
54 56.4 49.2 73.8



#11
2-Methylnaphthalene-d10
Concen: 0.292 ng
RT: 12.253 min Scan# 960
Delta R.T. -0.000 min
Lab File: BN017480.D
Acq: 16 Nov 2021 20:30

Tgt Ion: 152 Resp: 54941
Ion Ratio Lower Upper
152 100
151 20.3 16.2 24.4









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.498 min Scan# 1174
Delta R.T. 0.000 min
Lab File: BN017480.D
Acq: 16 Nov 2021 20:30




Instrument :
BNA_N
ClientSampleId :
PB140751BL


Tgt Ion:164 Resp: 57824
Ion Ratio Lower Upper
164 100
162 99.5 81.4 122.2
160 43.8 36.8 55.2



#14
2,4,6-Tribromophenol
Concen: 0.268 ng
RT: 15.983 min Scan# 1291
Delta R.T. -0.000 min
Lab File: BN017480.D
Acq: 16 Nov 2021 20:30

Tgt Ion:330 Resp: 3943
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 36.8 28.9 43.3









#15
2-Fluorobiphenyl
Concen: 0.330 ng
RT: 13.128 min Scan# 1104
Delta R.T. -0.000 min
Lab File: BN017480.D
Acq: 16 Nov 2021 20:30




Instrument :
BNA_N
ClientSampleId :
PB140751BL


Tgt Ion:	172	Resp:	71915
Ion	Ratio	Lower	Upper
172	100		
171	33.8	28.7	43.1
170	22.2	19.4	29.2



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.238 min Scan# 1394
Delta R.T. -0.000 min
Lab File: BN017480.D
Acq: 16 Nov 2021 20:30

Tgt Ion:	188	Resp:	97501
Ion	Ratio	Lower	Upper
188	100		
94	0.0	0.0	0.0
80	7.8	6.1	9.1









#27
Fluoranthene-d10
Concen: 0.274 ng
RT: 19.268 min Scan# 11
Delta R.T. -0.000 min
Lab File: BN017480.D
Acq: 16 Nov 2021 20:30




Instrument :
BNA_N
ClientSampleId :
PB140751BL


Tgt Ion:212 Resp: 79765
Ion Ratio Lower Upper
212 100
106 12.9 10.5 15.7
104 7.2 5.8 8.6



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.420 min Scan# 1992
Delta R.T. -0.000 min
Lab File: BN017480.D
Acq: 16 Nov 2021 20:30

Tgt Ion:240 Resp: 65330
Ion Ratio Lower Upper
240 100
120 11.7 4.2 6.2#
236 26.8 20.0 30.0









#31
 Terphenyl-d14
 Concen: 0.381 ng
 RT: 19.868 min Scan# 11
 Delta R.T. -0.000 min
 Lab File: BN017480.D
 Acq: 16 Nov 2021 20:30

Instrument :
 BNA_N
 ClientSampleId :
 PB140751BL

Tgt Ion:244 Resp: 61186
 Ion Ratio Lower Upper
 244 100
 212 7.9 5.7 8.5
 122 11.4 8.6 13.0



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.794 min Scan# 2490
 Delta R.T. -0.007 min
 Lab File: BN017480.D
 Acq: 16 Nov 2021 20:30

Tgt Ion:264 Resp: 45402
 Ion Ratio Lower Upper
 264 100
 260 25.0 19.4 29.2
 265 34.5 18.6 28.0#

