

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN030819\
 Data File : BN004683.D
 Acq On : 08 Mar 2019 21:03
 Operator : JU/SJ
 Sample : K1736-09
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Quant Time: Mar 08 21:56:11 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN030719MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Mar 08 00:36:35 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.72	152	27314	20.00	ng/ul	0.00
18) Naphthalene-d8	10.50	136	132012	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.36	164	83511	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.11	188	199263	20.00	ng/ul	0.00
78) Chrysene-d12	21.31	240	198090	20.00	ng/ul	0.00
86) Perylene-d12	23.56	264	171325	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.22	96	3194	6.60	ng/uL	0.00
5) Phenol-d5	6.88	99	39985	17.72	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.06	67	21605	18.35	ng/ul	0.00
9) 2-Chlorophenol-d4	7.25	132	36771	18.78	ng/ul	0.00
13) 4-Methylphenol-d8	8.42	113	36810	18.75	ng/ul	0.00
19) Nitrobenzene-d5	8.88	128	19309	19.19	ng/ul	0.00
22) 2-Nitrophenol-d4	9.60	143	21857	19.12	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.12	165	40504	18.59	ng/ul	0.00
29) 4-Chloroaniline-d4	10.65	131	55358	21.18	ng/ul	0.00
44) Dimethylphthalate-d6	13.77	166	143035	19.81	ng/ul	0.00
47) Acenaphthylene-d8	14.06	160	168014	19.33	ng/ul	0.00
52) 4-Nitrophenol-d4	14.56	143	19763	14.75	ng/ul	0.00
58) Fluorene-d10	15.36	176	122144	19.90	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.48	200	18210	13.24	ng/ul	0.00
71) Anthracene-d10	17.21	188	194142	20.00	ng/ul	0.00
79) Pyrene-d10	19.51	212	213672	22.08	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.42	264	164713	17.90	ng/ul	0.00

Target Compounds


				Ovalue	
6) Phenol	6.91	94	2440	1.062	ng/ul 98
45) Dimethylphthalate	13.82	163	20572	2.904	ng/ul 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN030819\
Data File : BN004683.D
Acq On : 08 Mar 2019 21:03
Operator : JU/SJ
Sample : K1736-09
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :

Quant Time: Mar 08 21:56:11 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN030719MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Mar 08 00:36:35 2019
Response via : Initial Calibration






#6

Phenol




Concen: 1.062 ng/ul
 RT: 6.91 min Scan# 667
 Delta R.T. -0.00 min
 Lab File: BN004683.D
 Acq: 08 Mar 2019 21:03

Instrument :
 BNA_N
 ClientSampleId :

Tot Ion: 94 Resp: 2440
 Ion Ratio Lower Upper
 94 100
 65 26.5 20.2 30.4
 66 34.5 28.2 42.2



Abundance Ion 94.00 (93.70 to 94.70): BN0
 Ion 65.00 (64.70 to 65.70): BN0
 Ion 66.00 (65.70 to 66.70): BN0




#45

Dimethylphthalate

Concen: 2.904 ng/ul
 RT: 13.82 min Scan# 1841
 Delta R.T. -0.01 min
 Lab File: BN004683.D
 Acq: 08 Mar 2019 21:03

Tgt Ion:163 Resp: 20572
 Ion Ratio Lower Upper
 163 100
 194 4.1 3.4 5.2
 164 9.9 7.9 11.9



Abundance Ion 163.00 (162.70 to 163.70): E
 Ion 194.00 (193.70 to 194.70): E
 Ion 164.00 (163.70 to 164.70): E

