

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN030819\
 Data File : BN004680.D
 Acq On : 08 Mar 2019 19:18
 Operator : JU/SJ
 Sample : K1736-10
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BF626

Quant Time: Mar 08 22:12:21 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN030719MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Mar 08 00:36:35 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.72	152	24067	20.00	ng/ul	0.00
18) Naphthalene-d8	10.50	136	116170	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.36	164	75902	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.11	188	183127	20.00	ng/ul	0.00
78) Chrysene-d12	21.31	240	192332	20.00	ng/ul	0.00
86) Perylene-d12	23.56	264	165296	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.23	96	3070	7.19	ng/uL	0.00
5) Phenol-d5	6.88	99	36089	18.15	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.06	67	19820	19.11	ng/ul	0.00
9) 2-Chlorophenol-d4	7.25	132	33724	19.54	ng/ul	0.00
13) 4-Methylphenol-d8	8.42	113	33544	19.39	ng/ul	0.00
19) Nitrobenzene-d5	8.88	128	17460	19.71	ng/ul	0.00
22) 2-Nitrophenol-d4	9.60	143	20022	19.91	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.12	165	35978	18.77	ng/ul	0.00
29) 4-Chloroaniline-d4	10.65	131	51743	22.50	ng/ul	0.00
44) Dimethylphthalate-d6	13.77	166	135650	20.67	ng/ul	0.00
47) Acenaphthylene-d8	14.06	160	153657	19.45	ng/ul	0.00
52) 4-Nitrophenol-d4	14.56	143	17957	14.74	ng/ul	0.00
58) Fluorene-d10	15.36	176	114089	20.45	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.48	200	16823	13.31	ng/ul	0.00
71) Anthracene-d10	17.21	188	184096	20.64	ng/ul	0.00
79) Pyrene-d10	19.51	212	210487	22.40	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.42	264	167952	18.92	ng/ul	0.00

Target Compounds


				Ovalue	
6) Phenol	6.91	94	2376	1.174	ng/ul 99
45) Dimethylphthalate	13.82	163	22837	3.547	ng/ul 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN030819\
Data File : BN004680.D
Acq On : 08 Mar 2019 19:18
Operator : JU/SJ
Sample : K1736-10
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BF626

Quant Time: Mar 08 22:12:21 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN030719MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Mar 08 00:36:35 2019
Response via : Initial Calibration






#6

Phenol




Concen: 1.174 ng/ul
 RT: 6.91 min Scan# 667
 Delta R.T. 0.00 min
 Lab File: BN004680.D
 Acq: 08 Mar 2019 19:18

Instrument :
 BNA_N
 ClientSampleId :
 BF626

Tot Ion: 94 Resp: 2376
 Ion Ratio Lower Upper
 94 100
 65 25.6 20.2 30.4
 66 34.4 28.2 42.2



Abundance Ion 94.00 (93.70 to 94.70): BN0
 Ion 65.00 (64.70 to 65.70): BN0
 Ion 66.00 (65.70 to 66.70): BN0




#45

Dimethylphthalate

Concen: 3.547 ng/ul
 RT: 13.82 min Scan# 1841
 Delta R.T. -0.01 min
 Lab File: BN004680.D
 Acq: 08 Mar 2019 19:18

Tgt Ion: 163 Resp: 22837
 Ion Ratio Lower Upper
 163 100
 194 4.5 3.4 5.2
 164 10.3 7.9 11.9



Abundance Ion 163.00 (162.70 to 163.70): E
 Ion 194.00 (193.70 to 194.70): E
 Ion 164.00 (163.70 to 164.70): E

