

Data Path : Z:\SVOASRV\HPCHEM1\BNA N\DATA\BN030819\
 Data File : BN004681.D
 Acq On : 08 Mar 2019 19:53
 Operator : JU/SJ
 Sample : K1736-14
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BF628

Quant Time: Mar 08 22:12:26 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN030719MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Mar 08 00:36:35 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.72	152	28389	20.00	ng/ul	0.00
18) Naphthalene-d8	10.50	136	136486	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.36	164	87492	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.11	188	208854	20.00	ng/ul	0.00
78) Chrysene-d12	21.31	240	207873	20.00	ng/ul	0.00
86) Perylene-d12	23.57	264	180125	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.23	96	3108	6.17	ng/uL	0.00
5) Phenol-d5	6.88	99	39195	16.71	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	7.06	67	21758	17.78	ng/ul	0.00
9) 2-Chlorophenol-d4	7.25	132	36558	17.96	ng/ul	0.00
13) 4-Methylphenol-d8	8.42	113	35694	17.49	ng/ul	0.00
19) Nitrobenzene-d5	8.88	128	19142	18.40	ng/ul	0.00
22) 2-Nitrophenol-d4	9.60	143	22083	18.69	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.12	165	39407	17.50	ng/ul	0.00
29) 4-Chloroaniline-d4	10.65	131	55827	20.66	ng/ul	0.00
44) Dimethylphthalate-d6	13.77	166	144537	19.11	ng/ul	0.00
47) Acenaphthylene-d8	14.06	160	167593	18.40	ng/ul	0.00
52) 4-Nitrophenol-d4	14.56	143	17746	12.64	ng/ul	0.00
58) Fluorene-d10	15.36	176	122715	19.09	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.48	200	16591	11.51	ng/ul	0.00
71) Anthracene-d10	17.21	188	195213	19.19	ng/ul	0.00
79) Pyrene-d10	19.51	212	221636	21.82	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.42	264	174786	18.07	ng/ul	0.00


Target Compounds					Ovalue	
6) Phenol	6.91	94	4553	1.907	ng/ul	96
45) Dimethylphthalate	13.82	163	19679	2.651	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_N\DATA\BN030819\
Data File : BN004681.D
Acq On : 08 Mar 2019 19:53
Operator : JU/SJ
Sample : K1736-14
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BF628

Quant Time: Mar 08 22:12:26 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\SOM-EPA-BN030719MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Mar 08 00:36:35 2019
Response via : Initial Calibration





#6

Phenol

Concen: 1.907 ng/ul

RT: 6.91 min Scan# 667

Delta R.T. 0.00 min

Lab File: BN004681.D

Acq: 08 Mar 2019 19:53

Instrument :

BNA_N

ClientSampleId :

BF628





Tot Ion: 94 Resp: 4553

Ion Ratio Lower Upper

94 100

65 26.4 20.2 30.4

66 38.4 28.2 42.2



#45

Dimethylphthalate

Concen: 2.651 ng/ul

RT: 13.82 min Scan# 1841

Delta R.T. -0.01 min

Lab File: BN004681.D

Acq: 08 Mar 2019 19:53

Tgt Ion: 163 Resp: 19679

Ion Ratio Lower Upper

163 100

194 4.2 3.4 5.2

164 10.4 7.9 11.9

