

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN030823\
 Data File : BN024147.D
 Acq On : 07 Mar 2023 16:17
 Operator : CG/JU
 Sample : SSTDICC0.1
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :

Manual Integrations
 APPROVED

Reviewed By :Christian
 Giraldo

Quant Time: Mar 08 02:18:04 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN030823.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 08 02:17:11 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)	
Internal Standards							03/08/2023
1) 1,4-Dichlorobenzene-d4	8.064	152	8042	0.400	ng	0.00	Supervised By :Jagrut padhyay
7) Naphthalene-d8	10.883	136	22883	0.400	ng	0.00	
13) Acenaphthene-d10	14.688	164	11160	0.400	ng	-0.01	
19) Phenanthrene-d10	17.439	188	22638	0.400	ng	0.00	
29) Chrysene-d12	21.634	240	15297	0.400	ng	0.00	
35) Perylene-d12	24.161	264	11788	0.400	ng	0.00	03/08/2023
System Monitoring Compounds							
4) 2-Fluorophenol	5.594	112	1708	0.101	ng	0.00	
5) Phenol-d6	7.204	99	2111	0.096	ng	0.00	
8) Nitrobenzene-d5	9.217	82	982m	0.093	ng	-0.01	
11) 2-Methylnaphthalene-d10	12.458	152	3157	0.086	ng	0.00	
14) 2,4,6-Tribromophenol	16.173	330	386	0.083	ng	0.00	
15) 2-Fluorobiphenyl	13.319	172	4444	0.101	ng	0.00	
27) Fluoranthene-d10	19.465	212	4125	0.090	ng	0.00	
31) Terphenyl-d14	20.058	244	2675	0.099	ng	0.00	
Target Compounds							Qvalue
2) 1,4-Dioxane	3.449	88	803	0.100	ng		98
3) n-Nitrosodimethylamine	3.774	42	1058	0.096	ng	#	94
6) bis(2-Chloroethyl)ether	7.479	93	2206	0.101	ng		100
9) Naphthalene	10.925	128	5652	0.098	ng		98
10) Hexachlorobutadiene	11.224	225	1122	0.098	ng	#	100
12) 2-Methylnaphthalene	12.503	142	64	0.229	ng	#	83
16) Acenaphthylene	14.410	152	4620	0.092	ng		99
17) Acenaphthene	14.752	154	3116	0.096	ng		99
18) Fluorene	15.739	166	3646	0.093	ng		99
21) 4-Bromophenyl-phenylether	16.632	248	1201	0.098	ng		99
22) Hexachlorobenzene	16.744	284	1765	0.100	ng		99
23) Atrazine	16.893	200	576	0.165	ng		93
25) Phenanthrene	17.476	178	6398	0.096	ng		99
26) Anthracene	17.563	178	5210	0.088	ng		99
28) Fluoranthene	19.494	202	6265	0.088	ng		100
30) Pyrene	19.857	202	6338	0.096	ng		98
32) Benzo(a)anthracene	21.616	228	4531	0.096	ng		98
33) Chrysene	21.670	228	5485	0.102	ng		98
34) Bis(2-ethylhexyl)phtha...	21.536	149	1856	0.099	ng	#	99
36) Indeno(1,2,3-cd)pyrene	26.802	276	3259	0.086	ng		98
37) Benzo(b)fluoranthene	23.384	252	3909	0.090	ng	#	84
38) Benzo(k)fluoranthene	23.442	252	4275m	0.091	ng		
39) Benzo(a)pyrene	24.044	252	3424	0.086	ng	#	78
40) Dibenzo(a,h)anthracene	26.834	278	2308	0.082	ng	#	81
41) Benzo(g,h,i)perylene	27.626	276	3286	0.091	ng		92

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN030823\
Data File : BN024147.D
Acq On : 07 Mar 2023 16:17
Operator : CG/JU
Sample : SSTDICC0.1
Misc :
ALS Vial : 2 Sample Multiplier: 1


Instrument :
BNA_N
ClientSampleId :

Quant Time: Mar 08 02:18:04 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN030823.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 08 02:17:11 2023
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Christian
Giraldo





#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 8.064 min Scan# 690
Delta R.T. -0.000 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17



Instrument :
BNA_N
ClientSampleId :



Tgt Ion: 152 Resp: 8042
Ion Ratio Lower Upper
152 100
150 154.3 123.8 185.6
115 58.0 46.4 69.6


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






03/08/2023
Supervised By :Jagrut
Upadhyay


03/08/2023



#2
1,4-Dioxane
Concen: 0.100 ng
RT: 3.449 min Scan# 51
Delta R.T. 0.000 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17


Tgt Ion: 88 Resp: 803
Ion Ratio Lower Upper
88 100
43 36.2 27.8 41.8
58 83.7 65.8 98.6





#3
n-Nitrosodimethylamine
Concen: 0.096 ng
RT: 3.774 min Scan# 96
Delta R.T. 0.000 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17



Instrument :
BNA_N
ClientSampleId :



Tgt Ion: 42 Resp: 1058
Ion Ratio Lower Upper
42 100
74 100.4 78.0 117.0
44 24.8 10.3 15.5


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






03/08/2023
Supervised By :Jagrut
Upadhyay


03/08/2023



#4
2-Fluorophenol
Concen: 0.101 ng
RT: 5.594 min Scan# 348
Delta R.T. 0.000 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17


Tgt Ion:112 Resp: 1708
Ion Ratio Lower Upper
112 100
64 59.7 48.2 72.2
63 32.0 25.4 38.2





#5
Phenol-d6
Concen: 0.096 ng
RT: 7.204 min Scan# 571
Delta R.T. 0.000 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17



Instrument :
BNA_N
ClientSampleId :



Tgt Ion: 99 Resp: 211
Ion Ratio Lower Upper
99 100
42 25.0 19.2 28.8
71 31.6 25.8 38.6


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






03/08/2023
Supervised By :Jagrut
Upadhyay


03/08/2023



#6
bis(2-Chloroethyl)ether
Concen: 0.101 ng
RT: 7.479 min Scan# 609
Delta R.T. 0.000 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17


Tgt Ion: 93 Resp: 2206
Ion Ratio Lower Upper
93 100
63 81.2 64.9 97.3
95 32.1 25.8 38.8





#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.883 min Scan# 90
Delta R.T. 0.000 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17



Instrument :
BNA_N
ClientSampleId :



Tgt Ion:136 Resp: 2288
Ion Ratio Lower Upper
136 100
137 11.2 8.8 13.2
54 7.8 6.8 10.2
68 6.2 5.3 7.9


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






03/08/2023
Supervised By :Jagrut
Upadhyay


03/08/2023



#8
Nitrobenzene-d5
Concen: 0.093 ng m
RT: 9.217 min Scan# 809
Delta R.T. -0.010 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17

Tgt Ion: 82 Resp: 982
Ion Ratio Lower Upper
82 100
128 40.2 34.5 51.7
54 68.0 42.8 64.2#





#9

Naphthalene

Concen: 0.098 ng

RT: 10.925 min Scan# 969

Delta R.T. 0.000 min


Lab File: BN024147.D

Acq: 07 Mar 2023 16:17

Instrument :

BN024147.D



ClientSampleId :



Tgt Ion:	128	Resp:	5652
Ion	Ratio	Lower	Upper
128	100		
129	12.1	9.0	13.6
127	14.6	10.9	16.3


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo



03/08/2023
Supervised By :Jagrut
Upadhyay

03/08/2023



#10

Hexachlorobutadiene

Concen: 0.098 ng




RT: 11.224 min Scan# 997


Delta R.T. 0.000 min

Lab File: BN024147.D

Acq: 07 Mar 2023 16:17


Tgt Ion:	225	Resp:	1122
Ion	Ratio	Lower	Upper
225	100		
223	0.0	0.0	0.0
227	63.3	50.8	76.2





#11
2-Methylnaphthalene-d10
Concen: 0.086 ng
RT: 12.458 min Scan# 1274
Delta R.T. -0.004 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17



Instrument :
BNA_N
ClientSampleId :



Tgt Ion:152 Resp: 315
Ion Ratio Lower Upper
152 100
151 22.6 17.8 26.6


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






03/08/2023
Supervised By :Jagrut
Upadhyay


03/08/2023



#12
2-Methylnaphthalene
Concen: 0.229 ng
RT: 12.503 min Scan# 1286
Delta R.T. 0.000 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17


Tgt Ion:142 Resp: 64
Ion Ratio Lower Upper
142 100
141 104.7 76.9 115.3
115 95.3 57.8 86.8#





#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.688 min Scan# 1492
Delta R.T. -0.010 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17



Instrument :
BNA_N
ClientSampleId :



Tgt Ion:164 Resp: 11160
Ion Ratio Lower Upper
164 100
162 107.3 81.6 122.4
160 57.2 43.0 64.6


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




03/08/2023
Supervised By :Jagrut
Upadhyay



03/08/2023




#14
2,4,6-Tribromophenol
Concen: 0.083 ng
RT: 16.173 min Scan# 1624
Delta R.T. 0.000 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17




Tgt Ion:330 Resp: 386
Ion Ratio Lower Upper
330 100
332 97.2 76.2 114.2
141 40.9 28.9 43.3





#15
2-Fluorobiphenyl
Concen: 0.101 ng
RT: 13.319 min Scan# 1363
Delta R.T. 0.000 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17



Instrument :
BNA_N
ClientSampleId :



Tgt Ion:172 Resp: 444
Ion Ratio Lower Upper
172 100
171 34.6 28.1 42.1
170 25.0 19.7 29.5


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




03/08/2023
Supervised By :Jagrut
Upadhyay



03/08/2023




#16
Acenaphthylene
Concen: 0.092 ng
RT: 14.410 min Scan# 1465
Delta R.T. 0.000 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17




Tgt Ion:152 Resp: 4620
Ion Ratio Lower Upper
152 100
151 19.4 15.2 22.8
153 13.0 10.4 15.6





#17
Acenaphthene
Concen: 0.096 ng
RT: 14.752 min Scan# 1497
Delta R.T. 0.000 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17



Instrument :
BNA_N
ClientSampleId :



Tgt Ion:154 Resp: 3116
Ion Ratio Lower Upper
154 100
153 113.6 90.4 135.6
152 64.3 51.0 76.6


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






03/08/2023
Supervised By :Jagrut
Upadhyay


03/08/2023



#18
Fluorene
Concen: 0.093 ng
RT: 15.739 min Scan# 1589
Delta R.T. 0.000 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17


Tgt Ion:166 Resp: 3646
Ion Ratio Lower Upper
166 100
165 99.1 80.1 120.1
167 13.9 10.8 16.2





#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.439 min Scan# 1726
Delta R.T. 0.000 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17



Instrument :
BNA_N
ClientSampleId :



Tgt Ion:188 Resp: 22638
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 11.3 9.4 14.0


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




03/08/2023
Supervised By :Jagrut
Upadhyay



03/08/2023




#21
4-Bromophenyl-phenylether
Concen: 0.098 ng
RT: 16.632 min Scan# 1661
Delta R.T. 0.000 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17




Tgt Ion:248 Resp: 1201
Ion Ratio Lower Upper
248 100
250 103.1 82.5 123.7
141 39.2 30.1 45.1





#22
Hexachlorobenzene
Concen: 0.100 ng
RT: 16.744 min Scan# 1670
Delta R.T. 0.000 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17



Instrument :
BNA_N
ClientSampleId :



Tgt Ion:284 Resp: 1765
Ion Ratio Lower Upper
284 100
142 36.1 28.3 42.5
249 30.3 23.9 35.9


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




03/08/2023
Supervised By :Jagrut
Upadhyay



03/08/2023




#23
Atrazine
Concen: 0.165 ng
RT: 16.893 min Scan# 1682
Delta R.T. 0.000 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17




Tgt Ion:200 Resp: 576
Ion Ratio Lower Upper
200 100
173 29.0 19.8 29.6
215 51.7 37.7 56.5





#25
Phenanthrene
Concen: 0.096 ng
RT: 17.476 min Scan# 1729
Delta R.T. 0.000 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17



Instrument :
BNA_N
ClientSampleId :



Tgt Ion:178 Resp: 6398
Ion Ratio Lower Upper
178 100
176 19.4 15.4 23.2
179 16.0 12.2 18.2


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo




03/08/2023
Supervised By :Jagrut
Upadhyay



03/08/2023




#26
Anthracene
Concen: 0.088 ng
RT: 17.563 min Scan# 1736
Delta R.T. -0.012 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17




Tgt Ion:178 Resp: 5210
Ion Ratio Lower Upper
178 100
176 18.6 15.1 22.7
179 15.3 12.1 18.1





#27
Fluoranthene-d10
Concen: 0.090 ng
RT: 19.465 min Scan# 2117
Delta R.T. 0.000 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17



Instrument :
BNA_N
ClientSampleId :



Tgt Ion:212 Resp: 4125
Ion Ratio Lower Upper
212 100
106 18.3 14.9 22.3
104 10.5 8.4 12.6


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






03/08/2023
Supervised By :Jagrut
Upadhyay


03/08/2023



#28
Fluoranthene
Concen: 0.088 ng
RT: 19.494 min Scan# 2124
Delta R.T. -0.004 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17


Tgt Ion:202 Resp: 6265
Ion Ratio Lower Upper
202 100
101 13.3 10.7 16.1
203 17.2 13.6 20.4





#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.634 min Scan# 2427
Delta R.T. 0.005 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17



Instrument :
BNA_N
ClientSampleId :



Tgt Ion:240 Resp: 15297
Ion Ratio Lower Upper
240 100
120 16.5 12.2 18.2
236 28.4 22.6 34.0


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






03/08/2023
Supervised By :Jagrut
Upadhyay


03/08/2023



#30
Pyrene
Concen: 0.096 ng
RT: 19.857 min Scan# 2210
Delta R.T. -0.004 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17


Tgt Ion:202 Resp: 6338
Ion Ratio Lower Upper
202 100
200 20.9 16.1 24.1
203 18.1 13.7 20.5





#31
 Terphenyl-d14
 Concen: 0.099 ng
 RT: 20.058 min Scan# 21
 Delta R.T. -0.004 min
 Lab File: BN024147.D
 Acq: 07 Mar 2023 16:17



Instrument :
 BNA_N
 ClientSampleId :



Tgt Ion:244 Resp: 2675
 Ion Ratio Lower Upper
 244 100
 212 10.7 6.7 10.1
 122 17.8 9.7 14.5


Manual Integrations
 APPROVED

Reviewed By :Christian
 Giraldo






03/08/2023
 Supervised By :Jagrut
 Upadhyay


03/08/2023



#32
 Benzo(a)anthracene
 Concen: 0.096 ng
 RT: 21.616 min Scan# 2425
 Delta R.T. 0.005 min
 Lab File: BN024147.D
 Acq: 07 Mar 2023 16:17


Tgt Ion:228 Resp: 4531
 Ion Ratio Lower Upper
 228 100
 226 28.7 22.0 33.0
 229 20.9 15.9 23.9





#33
Chrysene
Concen: 0.102 ng
RT: 21.670 min Scan# 2431
Delta R.T. 0.005 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17



Instrument :
BNA_N
ClientSampleId :



Tgt Ion: 228 Resp: 5485
Ion Ratio Lower Upper
228 100
226 31.9 24.8 37.2
229 20.3 15.4 23.2


Manual Integrations
APPROVED

Reviewed By : Christian
Giraldo




03/08/2023
Supervised By : Jagrut
Upadhyay



03/08/2023




#34
Bis(2-ethylhexyl)phthalate
Concen: 0.099 ng
RT: 21.536 min Scan# 2416
Delta R.T. 0.005 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17




Tgt Ion: 149 Resp: 1856
Ion Ratio Lower Upper
149 100
167 25.1 20.5 30.7
279 4.0 2.0 3.0#





#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 24.161 min Scan# 3111
 Delta R.T. 0.008 min
 Lab File: BN024147.D
 Acq: 07 Mar 2023 16:17



Instrument :
 BNA_N
 ClientSampleId :



Tgt Ion:264 Resp: 11788
 Ion Ratio Lower Upper
 264 100
 260 26.7 22.1 33.1
 265 45.2 35.4 53.0


Manual Integrations
 APPROVED

Reviewed By :Christian
 Giraldo






03/08/2023
 Supervised By :Jagrut
 Upadhyay


03/08/2023



#36
 Indeno(1,2,3-cd)pyrene
 Concen: 0.086 ng
 RT: 26.802 min Scan# 4017
 Delta R.T. 0.002 min
 Lab File: BN024147.D
 Acq: 07 Mar 2023 16:17


Tgt Ion:276 Resp: 3259
 Ion Ratio Lower Upper
 276 100
 138 31.2 26.2 39.4
 277 23.9 19.7 29.5





#37
Benzo(b)fluoranthene
Concen: 0.090 ng
RT: 23.384 min Scan# 2846
Delta R.T. 0.005 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17



Instrument :
BNA_N
ClientSampleId :



Tgt Ion:252 Resp: 3909
Ion Ratio Lower Upper
252 100
253 29.5 19.1 28.7
125 27.2 13.8 20.6


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






03/08/2023
Supervised By :Jagrut
Upadhyay


03/08/2023



#38
Benzo(k)fluoranthene
Concen: 0.091 ng m
RT: 23.442 min Scan# 2868
Delta R.T. 0.011 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17


Tgt Ion:252 Resp: 4275
Ion Ratio Lower Upper
252 100
253 29.3 19.0 28.6#
125 27.5 13.3 19.9#





#39
Benzo(a)pyrene
Concen: 0.086 ng
RT: 24.044 min Scan# 3071
Delta R.T. 0.008 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17



Instrument :
BNA_N
ClientSampleId :



Tgt Ion:252 Resp: 3424
Ion Ratio Lower Upper
252 100
253 32.6 19.3 28.9#
125 31.6 15.4 23.2#


Manual Integrations
APPROVED

Reviewed By :Christian
Giraldo






03/08/2023
Supervised By :Jagrut
Upadhyay


03/08/2023



#40
Dibenzo(a,h)anthracene
Concen: 0.082 ng
RT: 26.834 min Scan# 4028
Delta R.T. 0.008 min
Lab File: BN024147.D
Acq: 07 Mar 2023 16:17


Tgt Ion:278 Resp: 2308
Ion Ratio Lower Upper
278 100
139 34.2 20.3 30.5#
279 37.5 21.3 31.9#





#41
 Benzo(g,h,i)perylene
 Concen: 0.091 ng
 RT: 27.626 min Scan# 41
 Delta R.T. 0.005 min
 Lab File: BN024147.D
 Acq: 07 Mar 2023 16:17



Instrument :
 BNA_N
 ClientSampleId :



Tgt Ion:	276	Resp:	3286
Ion	Ratio	Lower	Upper
276	100		
277	28.8	20.4	30.6
138	36.1	24.9	37.3

Manual Integrations
 APPROVED

Reviewed By :Christian
 Giraldo



03/08/2023
 Supervised By :Jagrut
 Upadhyay

03/08/2023