

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN052621\
 Data File : BN014776.D
 Acq On : 26 May 2021 22:20
 Operator : CG/JU
 Sample : PB136575BL
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB136575BL

Quant Time: May 27 02:22:21 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN052621.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu May 27 01:39:07 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.716	152	836	0.40	ng	0.00
7) Naphthalene-d8	10.505	136	2745	0.40	ng	# 0.00
13) Acenaphthene-d10	14.359	164	1911	0.40	ng	0.00
19) Phenanthrene-d10	17.116	188	4491	0.40	ng	# 0.00
29) Chrysene-d12	21.324	240	4199	0.40	ng	# 0.00
35) Perylene-d12	23.585	264	3512	0.40	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.324	112	678	0.30	ng	0.00
5) Phenol-d6	6.903	99	604	0.20	ng	0.00
8) Nitrobenzene-d5	8.870	82	735	0.29	ng	0.00
11) 2-Methylnaphthalene-d10	12.102	152	1551	0.28	ng	0.00
14) 2,4,6-Tribromophenol	15.881	330	150	0.14	ng	0.01
15) 2-Fluorobiphenyl	12.988	172	2173	0.31	ng	0.00
27) Fluoranthene-d10	19.158	212	4653	0.26	ng	0.00
31) Terphenyl-d14	19.759	244	4647	0.47	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN052621\
Data File : BN014776.D
Acq On : 26 May 2021 22:20
Operator : CG/JU
Sample : PB136575BL
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
PB136575BL

Quant Time: May 27 02:22:21 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN052621.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu May 27 01:39:07 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.40 ng
RT: 7.716 min Scan# 613
Delta R.T. 0.000 min
Lab File: BN014776.D
Acq: 26 May 2021 22:20




Instrument :
BNA_N
ClientSampleId :
PB136575BL


Tgt Ion:152 Resp: 836
Ion Ratio Lower Upper
152 100
150 153.9 123.4 185.2
115 83.8 73.2 109.8



#4
2-Fluorophenol
Concen: 0.30 ng
RT: 5.324 min Scan# 316
Delta R.T. -0.000 min
Lab File: BN014776.D
Acq: 26 May 2021 22:20

Tgt Ion:112 Resp: 678
Ion Ratio Lower Upper
112 100
64 55.3 43.6 65.4
63 28.8 25.0 37.6









#5
Phenol-d6
Concen: 0.20 ng
RT: 6.903 min Scan# 512
Delta R.T. 0.008 min
Lab File: BN014776.D
Acq: 26 May 2021 22:20




Instrument :
BNA_N
ClientSampleId :
PB136575BL


Tgt Ion: 99 Resp: 604
Ion Ratio Lower Upper
99 100
42 16.2 10.2 15.2#
71 46.7 32.4 48.6



#7
Naphthalene-d8
Concen: 0.40 ng
RT: 10.505 min Scan# 860
Delta R.T. -0.000 min
Lab File: BN014776.D
Acq: 26 May 2021 22:20

Tgt Ion: 136 Resp: 2745
Ion Ratio Lower Upper
136 100
137 14.1 13.2 19.8
54 9.5 9.0 13.4
68 8.1 8.8 13.2#









#8
Nitrobenzene-d5
Concen: 0.29 ng
RT: 8.870 min Scan# 731
Delta R.T. -0.000 min
Lab File: BN014776.D
Acq: 26 May 2021 22:20




Instrument :
BNA_N
ClientSampleId :
PB136575BL


Tgt Ion:	82	Resp:	735
Ion	Ratio	Lower	Upper
82	100		
128	40.7	34.2	51.2
54	48.9	38.4	57.6



#11
2-Methylnaphthalene-d10
Concen: 0.28 ng
RT: 12.102 min Scan# 1073
Delta R.T. -0.000 min
Lab File: BN014776.D
Acq: 26 May 2021 22:20

Tgt Ion:	152	Resp:	1551
Ion	Ratio	Lower	Upper
152	100		
151	19.4	16.8	25.2









#13
Acenaphthene-d10
Concen: 0.40 ng
RT: 14.359 min Scan# 1310
Delta R.T. -0.000 min
Lab File: BN014776.D
Acq: 26 May 2021 22:20




Instrument :
BNA_N
ClientSampleId :
PB136575BL


Tgt Ion:	164	Resp:	1911
Ion	Ratio	Lower	Upper
164	100		
162	104.0	83.2	124.8
160	50.2	41.8	62.6



#14
2,4,6-Tribromophenol
Concen: 0.14 ng
RT: 15.881 min Scan# 1430
Delta R.T. 0.013 min
Lab File: BN014776.D
Acq: 26 May 2021 22:20

Tgt Ion:	330	Resp:	150
Ion	Ratio	Lower	Upper
330	100		
332	0.0	0.0	0.0
141	34.0	21.8	32.6#









#15
2-Fluorobiphenyl
Concen: 0.31 ng
RT: 12.988 min Scan# 1202
Delta R.T. -0.000 min
Lab File: BN014776.D
Acq: 26 May 2021 22:20




Instrument :
BNA_N
ClientSampleId :
PB136575BL


Tgt Ion:	172	Resp:	2173
Ion	Ratio	Lower	Upper
172	100		
171	39.6	30.9	46.3
170	27.7	21.4	32.0



#19
Phenanthrene-d10
Concen: 0.40 ng
RT: 17.116 min Scan# 1531
Delta R.T. 0.000 min
Lab File: BN014776.D
Acq: 26 May 2021 22:20





Tgt Ion:	188	Resp:	4491
Ion	Ratio	Lower	Upper
188	100		
94	0.0	0.0	0.0
80	13.3	8.2	12.4








#27
Fluoranthene-d10
Concen: 0.26 ng
RT: 19.158 min Scan# 1835
Delta R.T. 0.003 min
Lab File: BN014776.D
Acq: 26 May 2021 22:20


Tgt Ion:	212	Resp:	4653
Ion	Ratio	Lower	Upper
212	100		
106	9.4	7.4	11.2
104	5.9	4.1	6.1



#29
Chrysene-d12
Concen: 0.40 ng
RT: 21.324 min Scan# 2130
Delta R.T. 0.003 min
Lab File: BN014776.D
Acq: 26 May 2021 22:20

Tgt Ion:	240	Resp:	4199
Ion	Ratio	Lower	Upper
240	100		
120	9.4	5.2	7.8#
236	28.7	21.6	32.4









#31
Terphenyl-d14
Concen: 0.47 ng
RT: 19.759 min Scan# 1956
Delta R.T. -0.002 min
Lab File: BN014776.D
Acq: 26 May 2021 22:20

Instrument :
BNA_N
ClientSampleId :
PB136575BL

Tgt Ion:244 Resp: 4647
Ion Ratio Lower Upper
244 100
212 8.5 6.8 10.2
122 9.4 6.6 9.8



#35
Perylene-d12
Concen: 0.40 ng
RT: 23.585 min Scan# 2576
Delta R.T. -0.001 min
Lab File: BN014776.D
Acq: 26 May 2021 22:20

Tgt Ion:264 Resp: 3512
Ion Ratio Lower Upper
264 100
260 27.1 21.4 32.2
265 81.2 40.9 61.3#

