

Data Path : Z:\SVOASRV\HPCHEM1\BNA\_N\DATA\BN083118\  
 Data File : BN002553.D  
 Acq On : 31 Aug 2018 11:04  
 Operator : JU/SJ  
 Sample : PB112512BL  
 Misc :  
 ALS Vial : 4 Sample Multiplier: 1

Instrument :  
 BNA\_N  
 ClientSampleId :  
 SBLK12

Quant Time: Aug 31 16:12:26 2018  
 Quant Method : Z:\svoasrv\HPCHEM1\BNA\_N\Methods\SOM-EPA-BN081318MA.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Sat Aug 25 04:34:18 2018  
 Response via : Initial Calibration

| Internal Standards        | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|---------------------------|-------|------|----------|-------|-------|----------|
| 1) 1,4-Dichlorobenzene-d4 | 7.66  | 152  | 164207   | 20.00 | ng/ul | 0.00     |
| 18) Naphthalene-d8        | 10.43 | 136  | 756431   | 20.00 | ng/ul | 0.00     |
| 35) Acenaphthene-d10      | 14.30 | 164  | 486557   | 20.00 | ng/ul | 0.00     |
| 61) Phenanthrene-d10      | 17.05 | 188  | 1171051  | 20.00 | ng/ul | 0.00     |
| 77) Chrysene-d12          | 21.25 | 240  | 1250765  | 20.00 | ng/ul | 0.00     |
| 85) Perylene-d12          | 23.46 | 264  | 1107330  | 20.00 | ng/ul | 0.00     |

## System Monitoring Compounds

|                                |       |     |         |       |       |      |
|--------------------------------|-------|-----|---------|-------|-------|------|
| 3) 1,4-Dioxane-d8              | 3.23  | 96  | 17722   | 5.09  | ng/uL | 0.00 |
| 5) Phenol-d5                   | 6.85  | 99  | 351520  | 23.35 | ng/ul | 0.00 |
| 7) Bis-(2-Chloroethyl)ether-d  | 7.00  | 67  | 239920  | 25.37 | ng/ul | 0.00 |
| 9) 2-Chlorophenol-d4           | 7.20  | 132 | 290943  | 25.37 | ng/ul | 0.00 |
| 13) 4-Methylphenol-d8          | 8.37  | 113 | 296181  | 24.61 | ng/ul | 0.00 |
| 19) Nitrobenzene-d5            | 8.82  | 128 | 150715  | 25.03 | ng/ul | 0.00 |
| 22) 2-Nitrophenol-d4           | 9.53  | 143 | 169943  | 26.84 | ng/ul | 0.00 |
| 26) 2,4-Dichlorophenol-d3      | 10.06 | 165 | 295982  | 25.44 | ng/ul | 0.00 |
| 29) 4-Chloroaniline-d4         | 10.58 | 131 | 481357  | 38.27 | ng/ul | 0.00 |
| 43) Dimethylphthalate-d6       | 13.71 | 166 | 1301631 | 32.27 | ng/ul | 0.00 |
| 46) Acenaphthylene-d8          | 13.99 | 160 | 1478431 | 29.88 | ng/ul | 0.00 |
| 51) 4-Nitrophenol-d4           | 14.51 | 143 | 191380  | 25.10 | ng/ul | 0.00 |
| 57) Fluorene-d10               | 15.29 | 176 | 1094243 | 31.29 | ng/ul | 0.00 |
| 62) 4,6-Dinitro-2-methylphenol | 15.43 | 200 | 156414  | 20.98 | ng/ul | 0.00 |
| 70) Anthracene-d10             | 17.15 | 188 | 1774324 | 31.72 | ng/ul | 0.00 |
| 78) Pyrene-d10                 | 19.45 | 212 | 1997114 | 33.37 | ng/ul | 0.00 |
| 89) Benzo(a)pyrene-d12         | 23.32 | 264 | 1864125 | 32.19 | ng/ul | 0.00 |

Target Compounds Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA\_N\DATA\BN083118\  
Data File : BN002553.D  
Acq On : 31 Aug 2018 11:04  
Operator : JU/SJ  
Sample : PB112512BL  
Misc :  
ALS Vial : 4 Sample Multiplier: 1

Instrument :  
BNA\_N  
ClientSampleId :  
SBLK12

Quant Time: Aug 31 16:12:26 2018  
Quant Method : Z:\svoasrv\HPCHEM1\BNA\_N\Methods\SOM-EPA-BN081318MA.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Sat Aug 25 04:34:18 2018  
Response via : Initial Calibration

