

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN011022\
 Data File : BN018376.D
 Acq On : 10 Jan 2022 12:05
 Operator : CG/JU
 Sample : PB141692BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB141692BL

Quant Time: Jan 10 13:59:37 2022
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN010722.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Jan 10 13:58:28 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.615	152	27571	0.400	ng	0.00
7) Naphthalene-d8	10.394	136	122129	0.400	ng	0.01
13) Acenaphthene-d10	14.243	164	59101	0.400	ng	0.00
19) Phenanthrene-d10	16.993	188	91609	0.400	ng	# 0.01
29) Chrysene-d12	21.185	240	66860	0.400	ng	# 0.00
35) Perylene-d12	23.409	264	66728	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.245	112	26363	0.389	ng	0.04
5) Phenol-d6	6.822	99	15326	0.225	ng	0.03
8) Nitrobenzene-d5	8.772	82	25557	0.400	ng	0.01
11) 2-Methylnaphthalene-d10	11.990	152	66386	0.347	ng	0.00
14) 2,4,6-Tribromophenol	15.753	330	3110	0.289	ng	0.01
15) 2-Fluorobiphenyl	12.873	172	83714	0.392	ng	0.00
27) Fluoranthene-d10	19.028	212	92690	0.354	ng	0.00
31) Terphenyl-d14	19.634	244	72726	0.503	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN011022\
Data File : BN018376.D
Acq On : 10 Jan 2022 12:05
Operator : CG/JU
Sample : PB141692BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
PB141692BL

Quant Time: Jan 10 13:59:37 2022
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_N\METHODS\8270-SIM-BN010722.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Jan 10 13:58:28 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.615 min Scan# 493
Delta R.T. 0.009 min
Lab File: BN018376.D
Acq: 10 Jan 2022 12:05




Instrument :
BNA_N
ClientSampleId :
PB141692BL


Tgt Ion:152 Resp: 27571
Ion Ratio Lower Upper
152 100
150 157.3 121.7 182.5
115 62.0 43.8 65.8



#4
2-Fluorophenol
Concen: 0.389 ng
RT: 5.245 min Scan# 235
Delta R.T. 0.037 min
Lab File: BN018376.D
Acq: 10 Jan 2022 12:05

Tgt Ion:112 Resp: 26363
Ion Ratio Lower Upper
112 100
64 60.4 48.0 72.0
63 31.9 25.3 37.9









#5
Phenol-d6
Concen: 0.225 ng
RT: 6.822 min Scan# 405
Delta R.T. 0.028 min
Lab File: BN018376.D
Acq: 10 Jan 2022 12:05




Instrument :
BNA_N
ClientSampleId :
PB141692BL


Tgt Ion: 99 Resp: 15326
Ion Ratio Lower Upper
99 100
42 20.2 16.3 24.5
71 35.4 26.8 40.2



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.394 min Scan# 732
Delta R.T. 0.013 min
Lab File: BN018376.D
Acq: 10 Jan 2022 12:05

Tgt Ion: 136 Resp: 122129
Ion Ratio Lower Upper
136 100
137 10.9 8.8 13.2
54 6.9 5.0 7.6
68 5.7 4.4 6.6









#8
Nitrobenzene-d5
Concen: 0.400 ng
RT: 8.772 min Scan# 604
Delta R.T. 0.013 min
Lab File: BN018376.D
Acq: 10 Jan 2022 12:05




Instrument :
BNA_N
ClientSampleId :
PB141692BL


Tgt Ion: 82 Resp: 25557
Ion Ratio Lower Upper
82 100
128 37.7 33.7 50.5
54 49.0 36.6 55.0



#11
2-Methylnaphthalene-d10
Concen: 0.347 ng
RT: 11.990 min Scan# 928
Delta R.T. 0.009 min
Lab File: BN018376.D
Acq: 10 Jan 2022 12:05

Tgt Ion: 152 Resp: 66386
Ion Ratio Lower Upper
152 100
151 20.7 16.2 24.2









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.243 min Scan# 1182
Delta R.T. 0.000 min
Lab File: BN018376.D
Acq: 10 Jan 2022 12:05




Instrument :
BNA_N
ClientSampleId :
PB141692BL


Tgt Ion:164 Resp: 59101
Ion Ratio Lower Upper
164 100
162 101.9 80.2 120.2
160 47.4 36.9 55.3



#14
2,4,6-Tribromophenol
Concen: 0.289 ng
RT: 15.753 min Scan# 1300
Delta R.T. 0.013 min
Lab File: BN018376.D
Acq: 10 Jan 2022 12:05

Tgt Ion:330 Resp: 3110
Ion Ratio Lower Upper
330 100
332 0.0 0.0 0.0
141 38.3 21.3 31.9#









#15
2-Fluorobiphenyl
Concen: 0.392 ng
RT: 12.873 min Scan# 1073
Delta R.T. 0.000 min
Lab File: BN018376.D
Acq: 10 Jan 2022 12:05




Instrument :
BNA_N
ClientSampleId :
PB141692BL


Tgt Ion:172 Resp: 83714
Ion Ratio Lower Upper
172 100
171 34.6 27.4 41.0
170 23.3 18.4 27.6



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 16.993 min Scan# 1401
Delta R.T. 0.012 min
Lab File: BN018376.D
Acq: 10 Jan 2022 12:05

Tgt Ion:188 Resp: 91609
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 12.0 7.0 10.4#









#27
Fluoranthene-d10
Concen: 0.354 ng
RT: 19.028 min Scan# 1689
Delta R.T. 0.005 min
Lab File: BN018376.D
Acq: 10 Jan 2022 12:05




Instrument :
BNA_N
ClientSampleId :
PB141692BL


Tgt Ion:212 Resp: 92690
Ion Ratio Lower Upper
212 100
106 16.5 8.4 12.6#
104 9.0 4.5 6.7#



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.185 min Scan# 1997
Delta R.T. 0.000 min
Lab File: BN018376.D
Acq: 10 Jan 2022 12:05

Tgt Ion:240 Resp: 66860
Ion Ratio Lower Upper
240 100
120 13.3 6.0 9.0#
236 26.7 21.4 32.2









#31
 Terphenyl-d14
 Concen: 0.503 ng
 RT: 19.634 min Scan# 1812
 Delta R.T. 0.000 min
 Lab File: BN018376.D
 Acq: 10 Jan 2022 12:05

Instrument :
 BNA_N
 ClientSampleId :
 PB141692BL

Tgt Ion:244 Resp: 72726
 Ion Ratio Lower Upper
 244 100
 212 7.8 6.2 9.2
 122 15.2 7.9 11.9#



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.409 min Scan# 2405
 Delta R.T. 0.003 min
 Lab File: BN018376.D
 Acq: 10 Jan 2022 12:05

Tgt Ion:264 Resp: 66728
 Ion Ratio Lower Upper
 264 100
 260 25.4 20.2 30.4
 265 23.8 18.2 27.2

