

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN011924\
 Data File : BN029327.D
 Acq On : 20 Jan 2024 05:06
 Operator : MA/JU
 Sample : P1175-01
 Misc :
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 P3874-SP5

Quant Time: Jan 20 05:34:37 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN011824.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jan 18 16:49:42 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.941	152	2749	0.400	ng	0.00
7) Naphthalene-d8	10.744	136	7655	0.400	ng	# 0.00
13) Acenaphthene-d10	14.575	164	4391	0.400	ng	0.00
19) Phenanthrene-d10	17.330	188	11206	0.400	ng	0.00
29) Chrysene-d12	21.519	240	10249	0.400	ng	0.00
35) Perylene-d12	23.932	264	10120	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.507	112	890	0.131	ng	0.00
5) Phenol-d6	7.103	99	700	0.077	ng	0.00
8) Nitrobenzene-d5	9.100	82	1813	0.255	ng	0.00
11) 2-Methylnaphthalene-d10	12.329	152	3262	0.250	ng	0.00
14) 2,4,6-Tribromophenol	16.064	330	626	0.465	ng	0.00
15) 2-Fluorobiphenyl	13.207	172	5519	0.270	ng	0.00
27) Fluoranthene-d10	19.359	212	10149	0.299	ng	0.00
31) Terphenyl-d14	19.968	244	8953	0.348	ng	0.00
Target Compounds						Qvalue
2) 1,4-Dioxane	3.413	88	470	0.140	ng	# 48
34) Bis(2-ethylhexyl)phtha...	21.456	149	3272	0.183	ng	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN011924\
Data File : BN029327.D
Acq On : 20 Jan 2024 05:06
Operator : MA/JU
Sample : P1175-01
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
P3874-SP5


Quant Time: Jan 20 05:34:37 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN011824.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jan 18 16:49:42 2024
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.941 min Scan# 61
 Delta R.T. 0.000 min
 Lab File: BN029327.D
 Acq: 20 Jan 2024 05:06


Instrument :
 BNA_N
 ClientSampleId :
 P3874-SP5





Tgt Ion:152 Resp: 2749
 Ion Ratio Lower Upper
 152 100
 150 153.4 124.6 186.8
 115 65.8 50.6 76.0




#2
 1,4-Dioxane
 Concen: 0.140 ng
 RT: 3.413 min Scan# 46
 Delta R.T. 0.000 min
 Lab File: BN029327.D
 Acq: 20 Jan 2024 05:06



Tgt Ion: 88 Resp: 470
 Ion Ratio Lower Upper
 88 100
 43 98.7 26.2 39.2#
 58 86.4 55.3 82.9#





#4

2-Fluorophenol

Concen: 0.131 ng

RT: 5.507 min Scan# 31

Delta R.T. 0.000 min

Lab File: BN029327.D

Acq: 20 Jan 2024 05:06

Instrument :

BNA_N

ClientSampleId :

P3874-SP5





Tgt Ion:112 Resp: 890

Ion Ratio Lower Upper

112 100

64 59.2 45.7 68.5

63 35.2 26.6 39.8



#5

Phenol-d6

Concen: 0.077 ng

RT: 7.103 min Scan# 557

Delta R.T. 0.000 min

Lab File: BN029327.D

Acq: 20 Jan 2024 05:06




Tgt Ion: 99 Resp: 700


Ion Ratio Lower Upper

99 100

42 31.7 19.1 28.7#

71 52.9 31.2 46.8#









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.744 min Scan# 91
Delta R.T. 0.000 min
Lab File: BN029327.D
Acq: 20 Jan 2024 05:06




Instrument :
BNA_N
ClientSampleId :
P3874-SP5


Tgt Ion:	136	Resp:	7655
Ion	Ratio	Lower	Upper
136	100		
137	12.2	8.9	13.3
54	7.5	5.2	7.8
68	6.2	4.1	6.1



#8
Nitrobenzene-d5
Concen: 0.255 ng
RT: 9.100 min Scan# 798
Delta R.T. 0.000 min
Lab File: BN029327.D
Acq: 20 Jan 2024 05:06

Tgt Ion:	82	Resp:	1813
Ion	Ratio	Lower	Upper
82	100		
128	37.2	28.6	43.0
54	57.9	42.9	64.3









#11
2-Methylnaphthalene-d10
Concen: 0.250 ng
RT: 12.329 min Scan# 11
Delta R.T. 0.000 min
Lab File: BN029327.D
Acq: 20 Jan 2024 05:06




Instrument :
BNA_N
ClientSampleId :
P3874-SP5


Tgt Ion:152 Resp: 3262
Ion Ratio Lower Upper
152 100
151 21.3 16.6 24.8



#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.575 min Scan# 1549
Delta R.T. 0.000 min
Lab File: BN029327.D
Acq: 20 Jan 2024 05:06

Tgt Ion:164 Resp: 4391
Ion Ratio Lower Upper
164 100
162 105.1 83.4 125.2
160 52.2 40.6 61.0









#14
2,4,6-Tribromophenol
Concen: 0.465 ng
RT: 16.064 min Scan# 1681
Delta R.T. 0.000 min
Lab File: BN029327.D
Acq: 20 Jan 2024 05:06




Instrument :
BNA_N
ClientSampleId :
P3874-SP5


Tgt Ion: 330 Resp: 626
Ion Ratio Lower Upper
330 100
332 95.5 77.0 115.6
141 45.7 34.3 51.5



#15
2-Fluorobiphenyl
Concen: 0.270 ng
RT: 13.207 min Scan# 1421
Delta R.T. 0.000 min
Lab File: BN029327.D
Acq: 20 Jan 2024 05:06

Tgt Ion: 172 Resp: 5519
Ion Ratio Lower Upper
172 100
171 35.8 28.0 42.0
170 24.0 18.7 28.1









#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.330 min Scan# 11
Delta R.T. 0.000 min
Lab File: BN029327.D
Acq: 20 Jan 2024 05:06




Instrument :
BNA_N
ClientSampleId :
P3874-SP5


Tgt Ion:188 Resp: 11206
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 7.9 5.7 8.5



#27
Fluoranthene-d10
Concen: 0.299 ng
RT: 19.359 min Scan# 2061
Delta R.T. 0.000 min
Lab File: BN029327.D
Acq: 20 Jan 2024 05:06

Tgt Ion:212 Resp: 10149
Ion Ratio Lower Upper
212 100
106 13.5 9.9 14.9
104 8.1 5.8 8.8





#29

Chrysene-d12

Concen: 0.400 ng

RT: 21.519 min Scan# 2473

Delta R.T. 0.000 min

Lab File: BN029327.D

Acq: 20 Jan 2024 05:06

Instrument :

BNA_N

ClientSampleId :

P3874-SP5





Tgt Ion:240 Resp: 10249

Ion Ratio Lower Upper

240 100

120 15.5 11.8 17.8

236 28.5 22.7 34.1



#31

Terphenyl-d14

Concen: 0.348 ng

RT: 19.968 min Scan# 2192

Delta R.T. 0.000 min

Lab File: BN029327.D

Acq: 20 Jan 2024 05:06




Tgt Ion:244 Resp: 8953


Ion Ratio Lower Upper

244 100

212 9.5 7.0 10.4

122 13.7 10.2 15.4









#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.183 ng
 RT: 21.456 min Scan# 2466
 Delta R.T. 0.000 min
 Lab File: BN029327.D
 Acq: 20 Jan 2024 05:06

Instrument :
 BNA_N
 ClientSampleId :
 P3874-SP5

Tgt Ion:149 Resp: 3272
 Ion Ratio Lower Upper
 149 100
 167 25.6 20.3 30.5
 279 3.8 2.6 4.0



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.932 min Scan# 3094
 Delta R.T. 0.000 min
 Lab File: BN029327.D
 Acq: 20 Jan 2024 05:06

Tgt Ion:264 Resp: 10120
 Ion Ratio Lower Upper
 264 100
 260 25.9 20.7 31.1
 265 31.7 21.4 32.0

