

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN012324\
 Data File : BN029371.D
 Acq On : 24 Jan 2024 06:36
 Operator : MA/JU
 Sample : SP6399
 Misc : 8270 SIM SURROGATE
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SP6399

Quant Time: Jan 24 07:03:32 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN012224.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jan 23 02:16:14 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.912	152	4649	0.400	ng	0.00
7) Naphthalene-d8	10.712	136	13133	0.400	ng	0.00
13) Acenaphthene-d10	14.554	164	6752	0.400	ng	0.00
19) Phenanthrene-d10	17.305	188	16001	0.400	ng	0.00
29) Chrysene-d12	21.501	240	11598	0.400	ng	# 0.00
35) Perylene-d12	23.903	264	11868	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.486	112	4286	0.347	ng	0.00
5) Phenol-d6	7.074	99	5777	0.350	ng	0.00
8) Nitrobenzene-d5	9.078	82	4215	0.303	ng	0.00
11) 2-Methylnaphthalene-d10	12.303	152	5885	0.271	ng	0.00
14) 2,4,6-Tribromophenol	16.052	330	784	0.223	ng	0.00
15) 2-Fluorobiphenyl	13.185	172	10295	0.317	ng	0.00
27) Fluoranthene-d10	19.341	212	11831	0.249	ng	0.00
31) Terphenyl-d14	19.949	244	9918	0.334	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN012324\
Data File : BN029371.D
Acq On : 24 Jan 2024 06:36
Operator : MA/JU
Sample : SP6399
Misc : 8270 SIM SURROGATE
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
SP6399

Quant Time: Jan 24 07:03:32 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN012224.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jan 23 02:16:14 2024
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.912 min Scan# 61
Delta R.T. -0.007 min
Lab File: BN029371.D
Acq: 24 Jan 2024 06:36




Instrument :
BNA_N
ClientSampleId :
SP6399


Tgt Ion:152 Resp: 4649
Ion Ratio Lower Upper
152 100
150 159.2 121.1 181.7
115 66.5 49.8 74.6



#4
2-Fluorophenol
Concen: 0.347 ng
RT: 5.486 min Scan# 333
Delta R.T. 0.000 min
Lab File: BN029371.D
Acq: 24 Jan 2024 06:36


Tgt Ion:112 Resp: 4286
Ion Ratio Lower Upper
112 100
64 59.3 47.6 71.4
63 32.5 27.0 40.6








#5
Phenol-d6
Concen: 0.350 ng
RT: 7.074 min Scan# 511
Delta R.T. 0.000 min
Lab File: BN029371.D
Acq: 24 Jan 2024 06:36


Instrument :
BNA_N
ClientSampleId :
SP6399





Tgt Ion:	99	Resp:	5777
Ion	Ratio	Lower	Upper
99	100		
42	21.4	19.3	28.9
71	37.5	31.0	46.6




#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.712 min Scan# 949
Delta R.T. 0.000 min
Lab File: BN029371.D
Acq: 24 Jan 2024 06:36



Tgt Ion:	136	Resp:	13133
Ion	Ratio	Lower	Upper
136	100		
137	11.4	9.4	14.0
54	8.9	7.9	11.9
68	7.3	6.3	9.5









#8
Nitrobenzene-d5
Concen: 0.303 ng
RT: 9.078 min Scan# 796
Delta R.T. 0.000 min
Lab File: BN029371.D
Acq: 24 Jan 2024 06:36




Instrument :
BNA_N
ClientSampleId :
SP6399


Tgt Ion: 82 Resp: 4215
Ion Ratio Lower Upper
82 100
128 37.3 29.8 44.6
54 48.0 42.5 63.7



#11
2-Methylnaphthalene-d10
Concen: 0.271 ng
RT: 12.303 min Scan# 1233
Delta R.T. -0.003 min
Lab File: BN029371.D
Acq: 24 Jan 2024 06:36

Tgt Ion: 152 Resp: 5885
Ion Ratio Lower Upper
152 100
151 21.1 16.9 25.3









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.554 min Scan# 1547
Delta R.T. 0.000 min
Lab File: BN029371.D
Acq: 24 Jan 2024 06:36




Instrument :
BNA_N
ClientSampleId :
SP6399


Tgt Ion:164 Resp: 6752
Ion Ratio Lower Upper
164 100
162 105.1 83.5 125.3
160 51.5 42.1 63.1



#14
2,4,6-Tribromophenol
Concen: 0.223 ng
RT: 16.052 min Scan# 1680
Delta R.T. 0.000 min
Lab File: BN029371.D
Acq: 24 Jan 2024 06:36

Tgt Ion:330 Resp: 784
Ion Ratio Lower Upper
330 100
332 96.2 77.3 115.9
141 49.5 37.2 55.8









#15
2-Fluorobiphenyl
Concen: 0.317 ng
RT: 13.185 min Scan# 1419
Delta R.T. 0.000 min
Lab File: BN029371.D
Acq: 24 Jan 2024 06:36




Instrument :
BNA_N
ClientSampleId :
SP6399


Tgt Ion:172 Resp: 10295
Ion Ratio Lower Upper
172 100
171 34.4 28.2 42.2
170 23.0 19.3 28.9



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.305 min Scan# 1781
Delta R.T. 0.000 min
Lab File: BN029371.D
Acq: 24 Jan 2024 06:36

Tgt Ion:188 Resp: 16001
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 10.8 9.4 14.2





#27

Fluoranthene-d10

Concen: 0.249 ng

RT: 19.341 min Scan# 2057

Delta R.T. 0.000 min

Lab File: BN029371.D

Acq: 24 Jan 2024 06:36

Instrument :

BNA_N

ClientSampleId :

SP6399





Tgt Ion:212 Resp: 11831

Ion Ratio Lower Upper

212 100

106 16.1 11.4 17.0

104 9.4 6.8 10.2



#29

Chrysene-d12

Concen: 0.400 ng

RT: 21.501 min Scan# 2471

Delta R.T. -0.008 min

Lab File: BN029371.D

Acq: 24 Jan 2024 06:36




Tgt Ion:240 Resp: 11598


Ion Ratio Lower Upper

240 100

120 17.8 7.8 11.6#

236 28.6 23.0 34.4









#31
 Terphenyl-d14
 Concen: 0.334 ng
 RT: 19.949 min Scan# 2188
 Delta R.T. 0.000 min
 Lab File: BN029371.D
 Acq: 24 Jan 2024 06:36

Instrument :
 BNA_N
 ClientSampleId :
 SP6399

Tgt Ion:244 Resp: 9918
 Ion Ratio Lower Upper
 244 100
 212 9.8 7.6 11.4
 122 16.3 12.8 19.2



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.903 min Scan# 3084
 Delta R.T. -0.002 min
 Lab File: BN029371.D
 Acq: 24 Jan 2024 06:36

Tgt Ion:264 Resp: 11868
 Ion Ratio Lower Upper
 264 100
 260 25.8 20.6 31.0
 265 31.3 24.8 37.2

