

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN012424\
 Data File : BN029375.D
 Acq On : 24 Jan 2024 10:49
 Operator : MA/JU
 Sample : SSTDCCC0.4
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4

Quant Time: Jan 24 11:17:36 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN012224.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jan 23 02:16:14 2024
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.912	152	4612	0.400	ng	0.00
7) Naphthalene-d8	10.712	136	13250	0.400	ng	# 0.00
13) Acenaphthene-d10	14.554	164	7030	0.400	ng	0.00
19) Phenanthrene-d10	17.305	188	15629	0.400	ng	0.00
29) Chrysene-d12	21.501	240	13343	0.400	ng	# 0.00
35) Perylene-d12	23.899	264	14860	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.478	112	5377	0.439	ng	0.00
5) Phenol-d6	7.074	99	7323	0.447	ng	0.00
8) Nitrobenzene-d5	9.078	82	5026	0.358	ng	0.00
11) 2-Methylnaphthalene-d10	12.302	152	7936	0.362	ng	0.00
14) 2,4,6-Tribromophenol	16.039	330	1294	0.353	ng	-0.01
15) 2-Fluorobiphenyl	13.175	172	12349	0.365	ng	-0.01
27) Fluoranthene-d10	19.340	212	15947	0.344	ng	0.00
31) Terphenyl-d14	19.944	244	12375	0.362	ng	0.00
Target Compounds						
2) 1,4-Dioxane	3.384	88	2289	0.382	ng	Qvalue 94
3) n-Nitrosodimethylamine	3.723	42	2028	0.334	ng	# 91
6) bis(2-Chloroethyl)ether	7.349	93	5945	0.393	ng	99
9) Naphthalene	10.754	128	15946	0.374	ng	99
10) Hexachlorobutadiene	11.043	225	2992	0.334	ng	# 99
12) 2-Methylnaphthalene	12.374	142	10067	0.363	ng	98
16) Acenaphthylene	14.265	152	13553	0.362	ng	100
17) Acenaphthene	14.607	154	9352	0.371	ng	99
18) Fluorene	15.592	166	12272	0.359	ng	100
20) 4,6-Dinitro-2-methylph...	15.679	198	885	0.307	ng	96
21) 4-Bromophenyl-phenylether	16.498	248	3962	0.347	ng	# 78
22) Hexachlorobenzene	16.597	284	4780	0.339	ng	96
23) Atrazine	16.771	200	2745	0.329	ng	# 92
24) Pentachlorophenol	16.945	266	1521	0.323	ng	97
25) Phenanthrene	17.342	178	19588	0.365	ng	99
26) Anthracene	17.429	178	16610	0.350	ng	100
28) Fluoranthene	19.368	202	22358	0.348	ng	98
30) Pyrene	19.731	202	22685	0.373	ng	100
32) Benzo(a)anthracene	21.492	228	20360	0.366	ng	99
33) Chrysene	21.546	228	21086	0.368	ng	99
34) Bis(2-ethylhexyl)phtha...	21.438	149	11618	0.379	ng	100
36) Indeno(1,2,3-cd)pyrene	26.379	276	21902	0.345	ng	97
37) Benzo(b)fluoranthene	23.171	252	21257	0.336	ng	99
38) Benzo(k)fluoranthene	23.221	252	21595	0.348	ng	# 96
39) Benzo(a)pyrene	23.794	252	16696	0.335	ng	98
40) Dibenzo(a,h)anthracene	26.411	278	17700	0.345	ng	98
41) Benzo(g,h,i)perylene	27.136	276	19228	0.349	ng	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN012424\
Data File : BN029375.D
Acq On : 24 Jan 2024 10:49
Operator : MA/JU
Sample : SSTDCCC0.4
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Quant Time: Jan 24 11:17:36 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN012224.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jan 23 02:16:14 2024
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.912 min Scan# 61
Delta R.T. -0.007 min
Lab File: BN029375.D
Acq: 24 Jan 2024 10:49


Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4





Tgt Ion:152 Resp: 4612
Ion Ratio Lower Upper
152 100
150 154.9 121.1 181.7
115 64.0 49.8 74.6




#2
1,4-Dioxane
Concen: 0.382 ng
RT: 3.384 min Scan# 42
Delta R.T. -0.007 min
Lab File: BN029375.D
Acq: 24 Jan 2024 10:49



Tgt Ion: 88 Resp: 2289
Ion Ratio Lower Upper
88 100
43 30.1 29.2 43.8
58 69.9 57.8 86.8





#3

n-Nitrosodimethylamine

Concen: 0.334 ng

RT: 3.723 min Scan# 89

Delta R.T. 0.000 min

Lab File: BN029375.D

Acq: 24 Jan 2024 10:49

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion: 42 Resp: 2028

Ion Ratio Lower Upper

42 100

74 119.2 87.4 131.0

44 1.6 3.1 4.7#



#4

2-Fluorophenol

Concen: 0.439 ng

RT: 5.478 min Scan# 332

Delta R.T. -0.007 min

Lab File: BN029375.D

Acq: 24 Jan 2024 10:49




Tgt Ion: 112 Resp: 5377


Ion Ratio Lower Upper

112 100

64 58.8 47.6 71.4

63 32.1 27.0 40.6









#5
Phenol-d6
Concen: 0.447 ng
RT: 7.074 min Scan# 511
Delta R.T. 0.000 min
Lab File: BN029375.D
Acq: 24 Jan 2024 10:49




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion: 99 Resp: 7323
Ion Ratio Lower Upper
99 100
42 21.2 19.3 28.9
71 37.8 31.0 46.6



#6
bis(2-Chloroethyl)ether
Concen: 0.393 ng
RT: 7.349 min Scan# 591
Delta R.T. 0.000 min
Lab File: BN029375.D
Acq: 24 Jan 2024 10:49

Tgt Ion: 93 Resp: 5945
Ion Ratio Lower Upper
93 100
63 77.0 61.0 91.4
95 32.6 26.5 39.7





#7

Naphthalene-d8

Concen: 0.400 ng

RT: 10.712 min Scan# 949

Delta R.T. 0.000 min

Lab File: BN029375.D

Acq: 24 Jan 2024 10:49

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4

Tgt Ion:136 Resp: 13250





Ion Ratio Lower Upper

136 100

137 11.5 9.4 14.0

54 7.8 7.9 11.9#

68 6.6 6.3 9.5



#8

Nitrobenzene-d5

Concen: 0.358 ng

RT: 9.078 min Scan# 796

Delta R.T. 0.000 min

Lab File: BN029375.D

Acq: 24 Jan 2024 10:49




Tgt Ion: 82 Resp: 5026


Ion Ratio Lower Upper

82 100

128 40.9 29.8 44.6

54 46.5 42.5 63.7









#9
Naphthalene
Concen: 0.374 ng
RT: 10.754 min Scan# 91
Delta R.T. -0.010 min
Lab File: BN029375.D
Acq: 24 Jan 2024 10:49




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:128 Resp: 15946
Ion Ratio Lower Upper
128 100
129 11.2 9.6 14.4
127 13.7 11.3 16.9



#10
Hexachlorobutadiene
Concen: 0.334 ng
RT: 11.043 min Scan# 980
Delta R.T. 0.000 min
Lab File: BN029375.D
Acq: 24 Jan 2024 10:49

Tgt Ion:225 Resp: 2992
Ion Ratio Lower Upper
225 100
223 0.0 0.0 0.0
227 63.9 50.6 76.0





#11

2-Methylnaphthalene-d10

Concen: 0.362 ng

RT: 12.302 min Scan# 11

Delta R.T. -0.004 min

Lab File: BN029375.D

Acq: 24 Jan 2024 10:49

Instrument :

BNA_N

ClientSampleId :





SSTDCCC0.4

Tgt Ion:152 Resp: 7936

Ion Ratio Lower Upper

152 100

151 21.1 16.9 25.3



#12

2-Methylnaphthalene

Concen: 0.363 ng

RT: 12.374 min Scan# 1252

Delta R.T. -0.007 min

Lab File: BN029375.D

Acq: 24 Jan 2024 10:49




Tgt Ion:142 Resp: 10067


Ion Ratio Lower Upper

142 100

141 90.5 71.1 106.7

115 42.8 33.4 50.0









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.554 min Scan# 11
Delta R.T. 0.000 min
Lab File: BN029375.D
Acq: 24 Jan 2024 10:49




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:164 Resp: 7030
Ion Ratio Lower Upper
164 100
162 104.6 83.5 125.3
160 51.3 42.1 63.1



#14
2,4,6-Tribromophenol
Concen: 0.353 ng
RT: 16.039 min Scan# 1679
Delta R.T. -0.012 min
Lab File: BN029375.D
Acq: 24 Jan 2024 10:49

Tgt Ion:330 Resp: 1294
Ion Ratio Lower Upper
330 100
332 93.1 77.3 115.9
141 50.9 37.2 55.8









#15
2-Fluorobiphenyl
Concen: 0.365 ng
RT: 13.175 min Scan# 1419
Delta R.T. -0.010 min
Lab File: BN029375.D
Acq: 24 Jan 2024 10:49




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:172 Resp: 12349
Ion Ratio Lower Upper
172 100
171 35.6 28.2 42.2
170 24.5 19.3 28.9



#16
Acenaphthylene
Concen: 0.362 ng
RT: 14.265 min Scan# 1520
Delta R.T. -0.010 min
Lab File: BN029375.D
Acq: 24 Jan 2024 10:49

Tgt Ion:152 Resp: 13553
Ion Ratio Lower Upper
152 100
151 19.5 15.5 23.3
153 12.9 10.2 15.4









#17
Acenaphthene
Concen: 0.371 ng
RT: 14.607 min Scan# 1552
Delta R.T. -0.010 min
Lab File: BN029375.D
Acq: 24 Jan 2024 10:49




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:154 Resp: 9352
Ion Ratio Lower Upper
154 100
153 116.0 93.7 140.5
152 61.2 49.4 74.2



#18
Fluorene
Concen: 0.359 ng
RT: 15.592 min Scan# 1643
Delta R.T. -0.012 min
Lab File: BN029375.D
Acq: 24 Jan 2024 10:49

Tgt Ion:166 Resp: 12272
Ion Ratio Lower Upper
166 100
165 99.1 79.4 119.2
167 13.5 10.9 16.3





#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.305 min Scan# 1781

Delta R.T. 0.000 min

Lab File: BN029375.D

Acq: 24 Jan 2024 10:49

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion:188 Resp: 15629

Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0

80 10.0 9.4 14.2



#20

4,6-Dinitro-2-methylphenol

Concen: 0.307 ng

RT: 15.679 min Scan# 1650

Delta R.T. 0.000 min

Lab File: BN029375.D

Acq: 24 Jan 2024 10:49




Tgt Ion:198 Resp: 885


Ion Ratio Lower Upper

198 100

51 71.7 60.5 90.7

105 57.8 48.7 73.1









#21
4-Bromophenyl-phenylether
Concen: 0.347 ng
RT: 16.498 min Scan# 1716
Delta R.T. -0.012 min
Lab File: BN029375.D
Acq: 24 Jan 2024 10:49




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:248 Resp: 3962
Ion Ratio Lower Upper
248 100
250 95.4 82.6 123.8
141 72.0 28.7 43.1#



#22
Hexachlorobenzene
Concen: 0.339 ng
RT: 16.597 min Scan# 1724
Delta R.T. 0.000 min
Lab File: BN029375.D
Acq: 24 Jan 2024 10:49

Tgt Ion:284 Resp: 4780
Ion Ratio Lower Upper
284 100
142 46.3 33.8 50.6
249 32.9 25.5 38.3





#23

Atrazine

Concen: 0.329 ng

RT: 16.771 min Scan# 1738

Delta R.T. -0.012 min

Lab File: BN029375.D

Acq: 24 Jan 2024 10:49

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion:200 Resp: 2745

Ion Ratio Lower Upper

200 100

173 33.1 18.6 28.0#

215 45.2 37.1 55.7



#24

Pentachlorophenol

Concen: 0.323 ng

RT: 16.945 min Scan# 1752

Delta R.T. 0.000 min

Lab File: BN029375.D

Acq: 24 Jan 2024 10:49




Tgt Ion:266 Resp: 1521


Ion Ratio Lower Upper

266 100

264 62.9 49.8 74.8

268 65.4 48.8 73.2









#25
Phenanthrene
Concen: 0.365 ng
RT: 17.342 min Scan# 1790
Delta R.T. 0.000 min
Lab File: BN029375.D
Acq: 24 Jan 2024 10:49




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:178 Resp: 19588
Ion Ratio Lower Upper
178 100
176 19.3 15.4 23.2
179 15.0 12.4 18.6



#26
Anthracene
Concen: 0.350 ng
RT: 17.429 min Scan# 1791
Delta R.T. -0.012 min
Lab File: BN029375.D
Acq: 24 Jan 2024 10:49

Tgt Ion:178 Resp: 16610
Ion Ratio Lower Upper
178 100
176 18.9 15.3 22.9
179 15.1 12.1 18.1









#27
Fluoranthene-d10
Concen: 0.344 ng
RT: 19.340 min Scan# 2057
Delta R.T. 0.000 min
Lab File: BN029375.D
Acq: 24 Jan 2024 10:49




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:212 Resp: 15947
Ion Ratio Lower Upper
212 100
106 16.3 11.4 17.0
104 9.5 6.8 10.2



#28
Fluoranthene
Concen: 0.348 ng
RT: 19.368 min Scan# 2063
Delta R.T. -0.004 min
Lab File: BN029375.D
Acq: 24 Jan 2024 10:49

Tgt Ion:202 Resp: 22358
Ion Ratio Lower Upper
202 100
101 12.8 9.0 13.4
203 17.2 13.8 20.8





#29

Chrysene-d12

Concen: 0.400 ng

RT: 21.501 min Scan# 2471

Delta R.T. -0.009 min

Lab File: BN029375.D

Acq: 24 Jan 2024 10:49

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion:240 Resp: 13343

Ion Ratio Lower Upper

240 100

120 18.7 7.8 11.6#

236 28.9 23.0 34.4



#30

Pyrene

Concen: 0.373 ng

RT: 19.731 min Scan# 2141

Delta R.T. -0.004 min

Lab File: BN029375.D

Acq: 24 Jan 2024 10:49




Tgt Ion:202 Resp: 22685


Ion Ratio Lower Upper

202 100

200 20.9 16.6 25.0

203 17.7 14.1 21.1









#31
 Terphenyl-d14
 Concen: 0.362 ng
 RT: 19.944 min Scan# 2188
 Delta R.T. -0.004 min
 Lab File: BN029375.D
 Acq: 24 Jan 2024 10:49




Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4


Tgt Ion:244 Resp: 12375
 Ion Ratio Lower Upper
 244 100
 212 9.7 7.6 11.4
 122 17.9 12.8 19.2



#32
 Benzo(a)anthracene
 Concen: 0.366 ng
 RT: 21.492 min Scan# 2470
 Delta R.T. 0.000 min
 Lab File: BN029375.D
 Acq: 24 Jan 2024 10:49

Tgt Ion:228 Resp: 20360
 Ion Ratio Lower Upper
 228 100
 226 27.1 22.0 33.0
 229 19.9 15.6 23.4





#33

Chrysene

Concen: 0.368 ng

RT: 21.546 min Scan# 2476

Delta R.T. 0.000 min

Lab File: BN029375.D

Acq: 24 Jan 2024 10:49

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion:228 Resp: 21086

Ion Ratio Lower Upper

228 100

226 30.1 24.6 36.8

229 20.0 16.1 24.1



#34

Bis(2-ethylhexyl)phthalate

Concen: 0.379 ng

RT: 21.438 min Scan# 2464

Delta R.T. -0.009 min

Lab File: BN029375.D

Acq: 24 Jan 2024 10:49




Tgt Ion:149 Resp: 11618


Ion Ratio Lower Upper

149 100

167 24.8 19.9 29.9

279 2.5 2.2 3.4





#35

Perylene-d12

Concen: 0.400 ng

RT: 23.899 min Scan# 3083

Delta R.T. -0.006 min

Lab File: BN029375.D

Acq: 24 Jan 2024 10:49

Instrument :

BNA_N

ClientSampleId :

SSTDCCC0.4





Tgt Ion:264 Resp: 14860

Ion Ratio Lower Upper

264 100

260 25.9 20.6 31.0

265 29.4 24.8 37.2



#36

Indeno(1,2,3-cd)pyrene

Concen: 0.345 ng

RT: 26.379 min Scan# 3931

Delta R.T. -0.011 min

Lab File: BN029375.D

Acq: 24 Jan 2024 10:49




Tgt Ion:276 Resp: 21902


Ion Ratio Lower Upper

276 100

138 30.1 21.9 32.9

277 24.7 19.9 29.9









#37
Benzo(b)fluoranthene
Concen: 0.336 ng
RT: 23.171 min Scan# 2834
Delta R.T. -0.003 min
Lab File: BN029375.D
Acq: 24 Jan 2024 10:49




Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4


Tgt Ion:252 Resp: 21257
Ion Ratio Lower Upper
252 100
253 23.4 18.7 28.1
125 13.3 9.7 14.5



#38
Benzo(k)fluoranthene
Concen: 0.348 ng
RT: 23.221 min Scan# 2851
Delta R.T. -0.006 min
Lab File: BN029375.D
Acq: 24 Jan 2024 10:49


Tgt Ion:252 Resp: 21595
Ion Ratio Lower Upper
252 100
253 23.1 18.8 28.2
125 15.9 9.7 14.5#








#39
Benzo(a)pyrene
Concen: 0.335 ng
RT: 23.794 min Scan# 3049
Delta R.T. -0.006 min
Lab File: BN029375.D
Acq: 24 Jan 2024 10:49

Instrument :
BNA_N
ClientSampleId :
SSTDCCC0.4







Tgt Ion:	252	Resp:	16696
Ion Ratio	Lower	Upper	
252	100		
253	25.2	19.6	29.4
125	15.3	11.6	17.4



#40
Dibenzo(a,h)anthracene
Concen: 0.345 ng
RT: 26.411 min Scan# 3942
Delta R.T. -0.006 min
Lab File: BN029375.D
Acq: 24 Jan 2024 10:49


Tgt Ion:	278	Resp:	17700
Ion Ratio	Lower	Upper	
278	100		
139	21.1	15.7	23.5
279	25.2	20.5	30.7





#41
 Benzo(g,h,i)perylene
 Concen: 0.349 ng
 RT: 27.136 min Scan# 41
 Delta R.T. -0.009 min
 Lab File: BN029375.D
 Acq: 24 Jan 2024 10:49

Instrument :
 BNA_N
 ClientSampleId :
 SSTDCCC0.4



Tgt Ion:	276	Resp:	19228
Ion Ratio	Lower	Upper	
276	100		
277	23.8	19.8	29.8
138	26.6	19.5	29.3

