

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN012524\
 Data File : BN029389.D
 Acq On : 25 Jan 2024 16:45
 Operator : MA/JU
 Sample : PB158451BL
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 PB158451BL

Quant Time: Jan 26 01:57:23 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN012524.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jan 26 01:42:55 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.912	152	4193	0.400	ng	0.00
7) Naphthalene-d8	10.712	136	11489	0.400	ng	0.00
13) Acenaphthene-d10	14.554	164	5574	0.400	ng	0.00
19) Phenanthrene-d10	17.305	188	13210	0.400	ng	# 0.00
29) Chrysene-d12	21.510	240	11421	0.400	ng	0.00
35) Perylene-d12	23.908	264	12520	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.478	112	4110	0.359	ng	0.00
5) Phenol-d6	7.074	99	5266	0.342	ng	0.00
8) Nitrobenzene-d5	9.068	82	3410	0.282	ng	-0.01
11) 2-Methylnaphthalene-d10	12.303	152	5184	0.283	ng	0.00
14) 2,4,6-Tribromophenol	16.051	330	480	0.196	ng	0.00
15) 2-Fluorobiphenyl	13.175	172	8000	0.311	ng	0.00
27) Fluoranthene-d10	19.341	212	10963	0.288	ng	0.00
31) Terphenyl-d14	19.949	244	8810	0.310	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN012524\
Data File : BN029389.D
Acq On : 25 Jan 2024 16:45
Operator : MA/JU
Sample : PB158451BL
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
PB158451BL


Quant Time: Jan 26 01:57:23 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN012524.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jan 26 01:42:55 2024
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.912 min Scan# 669
Delta R.T. 0.000 min
Lab File: BN029389.D
Acq: 25 Jan 2024 16:45


Instrument :
BNA_N
ClientSampleId :
PB158451BL





Tgt Ion:152 Resp: 4193
Ion Ratio Lower Upper
152 100
150 150.9 123.6 185.4
115 63.7 53.2 79.8




#4
2-Fluorophenol
Concen: 0.359 ng
RT: 5.478 min Scan# 332
Delta R.T. 0.000 min
Lab File: BN029389.D
Acq: 25 Jan 2024 16:45



Tgt Ion:112 Resp: 4110
Ion Ratio Lower Upper
112 100
64 58.9 46.2 69.4
63 31.7 25.8 38.8









#5
Phenol-d6
Concen: 0.342 ng
RT: 7.074 min Scan# 511
Delta R.T. 0.000 min
Lab File: BN029389.D
Acq: 25 Jan 2024 16:45




Instrument :
BNA_N
ClientSampleId :
PB158451BL


Tgt Ion:	99	Resp:	5266
Ion	Ratio	Lower	Upper
99	100		
42	21.4	16.9	25.3
71	37.4	29.7	44.5



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.712 min Scan# 949
Delta R.T. 0.000 min
Lab File: BN029389.D
Acq: 25 Jan 2024 16:45

Tgt Ion:	136	Resp:	11489
Ion	Ratio	Lower	Upper
136	100		
137	11.5	9.0	13.6
54	7.9	6.4	9.6
68	6.4	5.5	8.3









#8
Nitrobenzene-d5
Concen: 0.282 ng
RT: 9.068 min Scan# 796
Delta R.T. -0.011 min
Lab File: BN029389.D
Acq: 25 Jan 2024 16:45




Instrument :
BNA_N
ClientSampleId :
PB158451BL


Tgt Ion: 82 Resp: 3410
Ion Ratio Lower Upper
82 100
128 33.3 33.0 49.6
54 53.7 37.6 56.4



#11
2-Methylnaphthalene-d10
Concen: 0.283 ng
RT: 12.303 min Scan# 1233
Delta R.T. 0.000 min
Lab File: BN029389.D
Acq: 25 Jan 2024 16:45

Tgt Ion: 152 Resp: 5184
Ion Ratio Lower Upper
152 100
151 20.5 16.8 25.2









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.554 min Scan# 1547
Delta R.T. 0.000 min
Lab File: BN029389.D
Acq: 25 Jan 2024 16:45




Instrument :
BNA_N
ClientSampleId :
PB158451BL


Tgt Ion:164 Resp: 5574
Ion Ratio Lower Upper
164 100
162 104.1 81.3 121.9
160 51.4 40.2 60.2



#14
2,4,6-Tribromophenol
Concen: 0.196 ng
RT: 16.051 min Scan# 1680
Delta R.T. 0.000 min
Lab File: BN029389.D
Acq: 25 Jan 2024 16:45

Tgt Ion:330 Resp: 480
Ion Ratio Lower Upper
330 100
332 96.3 75.5 113.3
141 55.6 43.0 64.6









#15
2-Fluorobiphenyl
Concen: 0.311 ng
RT: 13.175 min Scan# 1418
Delta R.T. 0.000 min
Lab File: BN029389.D
Acq: 25 Jan 2024 16:45




Instrument :
BNA_N
ClientSampleId :
PB158451BL


Tgt Ion:172 Resp: 8000
Ion Ratio Lower Upper
172 100
171 35.4 28.6 43.0
170 24.6 20.1 30.1



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.305 min Scan# 1781
Delta R.T. 0.000 min
Lab File: BN029389.D
Acq: 25 Jan 2024 16:45

Tgt Ion:188 Resp: 13210
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 14.0 8.8 13.2#









#27
Fluoranthene-d10
Concen: 0.288 ng
RT: 19.341 min Scan# 2057
Delta R.T. 0.000 min
Lab File: BN029389.D
Acq: 25 Jan 2024 16:45




Instrument :
BNA_N
ClientSampleId :
PB158451BL


Tgt Ion:212 Resp: 10963
Ion Ratio Lower Upper
212 100
106 16.4 12.8 19.2
104 9.5 7.7 11.5



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.510 min Scan# 2472
Delta R.T. 0.000 min
Lab File: BN029389.D
Acq: 25 Jan 2024 16:45

Tgt Ion:240 Resp: 11421
Ion Ratio Lower Upper
240 100
120 13.3 9.0 13.6
236 28.0 22.6 34.0









#31
Terphenyl-d14
Concen: 0.310 ng
RT: 19.949 min Scan# 2188
Delta R.T. 0.000 min
Lab File: BN029389.D
Acq: 25 Jan 2024 16:45

Instrument :
BNA_N
ClientSampleId :
PB158451BL

Tgt Ion:244 Resp: 8810
Ion Ratio Lower Upper
244 100
212 9.6 7.6 11.4
122 17.6 13.8 20.8



#35
Perylene-d12
Concen: 0.400 ng
RT: 23.908 min Scan# 3086
Delta R.T. 0.006 min
Lab File: BN029389.D
Acq: 25 Jan 2024 16:45

Tgt Ion:264 Resp: 12520
Ion Ratio Lower Upper
264 100
260 26.0 21.3 31.9
265 32.2 25.7 38.5

