

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN012624\
 Data File : BN029396.D
 Acq On : 26 Jan 2024 16:47
 Operator : MA/JU
 Sample : P1263-02
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 EB01-012524

Quant Time: Jan 26 17:13:15 2024
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN012524.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jan 26 01:42:55 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.912	152	5113	0.400	ng	0.00
7) Naphthalene-d8	10.712	136	14967	0.400	ng	0.00
13) Acenaphthene-d10	14.554	164	7857	0.400	ng	0.00
19) Phenanthrene-d10	17.305	188	17100	0.400	ng	0.00
29) Chrysene-d12	21.510	240	16538	0.400	ng	# 0.00
35) Perylene-d12	23.908	264	14768	0.400	ng	0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.478	112	1318	0.094	ng	0.00
5) Phenol-d6	7.074	99	1093	0.058	ng	0.00
8) Nitrobenzene-d5	9.067	82	4390	0.279	ng	-0.01
11) 2-Methylnaphthalene-d10	12.299	152	7251	0.304	ng	0.00
14) 2,4,6-Tribromophenol	16.051	330	523	0.151	ng	0.00
15) 2-Fluorobiphenyl	13.175	172	11489	0.316	ng	0.00
27) Fluoranthene-d10	19.341	212	15435	0.313	ng	0.00
31) Terphenyl-d14	19.949	244	14722	0.357	ng	0.00
Target Compounds						Qvalue
9) Naphthalene	10.754	128	8350	0.175	ng	97
12) 2-Methylnaphthalene	12.374	142	920	0.030	ng	# 94
24) Pentachlorophenol	16.945	266	112	0.129	ng	90
25) Phenanthrene	17.342	178	1627	0.028	ng	97
34) Bis(2-ethylhexyl)phtha...	21.447	149	1961	0.047	ng	# 79


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN012624\
Data File : BN029396.D
Acq On : 26 Jan 2024 16:47
Operator : MA/JU
Sample : P1263-02
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
EB01-012524


Quant Time: Jan 26 17:13:15 2024
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN012524.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jan 26 01:42:55 2024
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 0.400 ng
RT: 7.912 min Scan# 669
Delta R.T. 0.000 min
Lab File: BN029396.D
Acq: 26 Jan 2024 16:47

Instrument :
BNA_N
ClientSampleId :
EB01-012524







Tgt Ion:152 Resp: 5113
Ion Ratio Lower Upper
152 100
150 151.0 123.6 185.4
115 63.3 53.2 79.8



#4
2-Fluorophenol
Concen: 0.094 ng
RT: 5.478 min Scan# 332
Delta R.T. -0.000 min
Lab File: BN029396.D
Acq: 26 Jan 2024 16:47

Tgt Ion:112 Resp: 1318
Ion Ratio Lower Upper
112 100
64 58.4 46.2 69.4
63 30.8 25.8 38.8









#5
Phenol-d6
Concen: 0.058 ng
RT: 7.074 min Scan# 511
Delta R.T. -0.000 min
Lab File: BN029396.D
Acq: 26 Jan 2024 16:47




Instrument :
BNA_N
ClientSampleId :
EB01-012524


Tgt Ion:	99	Resp:	1093
Ion	Ratio	Lower	Upper
99	100		
42	23.6	16.9	25.3
71	43.8	29.7	44.5



#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.712 min Scan# 949
Delta R.T. -0.000 min
Lab File: BN029396.D
Acq: 26 Jan 2024 16:47

Tgt Ion:	136	Resp:	14967
Ion	Ratio	Lower	Upper
136	100		
137	11.7	9.0	13.6
54	7.5	6.4	9.6
68	6.5	5.5	8.3









#8
Nitrobenzene-d5
Concen: 0.279 ng
RT: 9.067 min Scan# 795
Delta R.T. -0.011 min
Lab File: BN029396.D
Acq: 26 Jan 2024 16:47




Instrument :
BNA_N
ClientSampleId :
EB01-012524


Tgt Ion: 82 Resp: 4390
Ion Ratio Lower Upper
82 100
128 32.2 33.0 49.6#
54 53.6 37.6 56.4



#9
Naphthalene
Concen: 0.175 ng
RT: 10.754 min Scan# 953
Delta R.T. -0.011 min
Lab File: BN029396.D
Acq: 26 Jan 2024 16:47

Tgt Ion: 128 Resp: 8350
Ion Ratio Lower Upper
128 100
129 12.3 9.0 13.6
127 14.5 10.6 15.8





#11

2-Methylnaphthalene-d10

Concen: 0.304 ng

RT: 12.299 min Scan# 11

Delta R.T. -0.004 min

Lab File: BN029396.D

Acq: 26 Jan 2024 16:47

Instrument :

BNA_N

ClientSampleId :





EB01-012524

Tgt Ion:152 Resp: 7251

Ion Ratio Lower Upper

152 100

151 85.9 16.8 25.2#



#12

2-Methylnaphthalene

Concen: 0.030 ng

RT: 12.374 min Scan# 1252

Delta R.T. -0.000 min

Lab File: BN029396.D

Acq: 26 Jan 2024 16:47




Tgt Ion:142 Resp: 920


Ion Ratio Lower Upper

142 100

141 90.5 71.0 106.4

115 52.3 34.3 51.5#









#13
Acenaphthene-d10
Concen: 0.400 ng
RT: 14.554 min Scan# 11
Delta R.T. -0.000 min
Lab File: BN029396.D
Acq: 26 Jan 2024 16:47




Instrument :
BNA_N
ClientSampleId :
EB01-012524


Tgt Ion:164 Resp: 7857
Ion Ratio Lower Upper
164 100
162 103.9 81.3 121.9
160 49.8 40.2 60.2



#14
2,4,6-Tribromophenol
Concen: 0.151 ng
RT: 16.051 min Scan# 1680
Delta R.T. -0.000 min
Lab File: BN029396.D
Acq: 26 Jan 2024 16:47

Tgt Ion:330 Resp: 523
Ion Ratio Lower Upper
330 100
332 90.8 75.5 113.3
141 50.7 43.0 64.6









#15
2-Fluorobiphenyl
Concen: 0.316 ng
RT: 13.175 min Scan# 1418
Delta R.T. -0.000 min
Lab File: BN029396.D
Acq: 26 Jan 2024 16:47




Instrument :
BNA_N
ClientSampleId :
EB01-012524


Tgt Ion:172 Resp: 11489
Ion Ratio Lower Upper
172 100
171 35.2 28.6 43.0
170 24.4 20.1 30.1



#19
Phenanthrene-d10
Concen: 0.400 ng
RT: 17.305 min Scan# 1781
Delta R.T. -0.000 min
Lab File: BN029396.D
Acq: 26 Jan 2024 16:47

Tgt Ion:188 Resp: 17100
Ion Ratio Lower Upper
188 100
94 0.0 0.0 0.0
80 10.7 8.8 13.2





#24

Pentachlorophenol

Concen: 0.129 ng

RT: 16.945 min Scan# 1752

Delta R.T. 0.000 min

Lab File: BN029396.D

Acq: 26 Jan 2024 16:47

Instrument :

BNA_N

ClientSampleId :

EB01-012524





Tgt Ion:266 Resp: 112

Ion Ratio Lower Upper

266 100

264 68.8 50.6 75.8

268 75.0 51.9 77.9



#25

Phenanthrene

Concen: 0.028 ng

RT: 17.342 min Scan# 1784

Delta R.T. -0.000 min

Lab File: BN029396.D

Acq: 26 Jan 2024 16:47




Tgt Ion:178 Resp: 1627


Ion Ratio Lower Upper

178 100

176 20.6 15.4 23.2

179 16.5 12.2 18.4









#27
Fluoranthene-d10
Concen: 0.313 ng
RT: 19.341 min Scan# 2057
Delta R.T. -0.000 min
Lab File: BN029396.D
Acq: 26 Jan 2024 16:47




Instrument :
BNA_N
ClientSampleId :
EB01-012524


Tgt Ion:212 Resp: 15435
Ion Ratio Lower Upper
212 100
106 16.8 12.8 19.2
104 9.7 7.7 11.5



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.510 min Scan# 2472
Delta R.T. -0.000 min
Lab File: BN029396.D
Acq: 26 Jan 2024 16:47

Tgt Ion:240 Resp: 16538
Ion Ratio Lower Upper
240 100
120 13.8 9.0 13.6#
236 28.5 22.6 34.0





#31

Terphenyl-d14

Concen: 0.357 ng

RT: 19.949 min Scan# 2188

Delta R.T. -0.000 min

Lab File: BN029396.D

Acq: 26 Jan 2024 16:47

Instrument :

BNA_N

ClientSampleId :

EB01-012524





Tgt Ion:244 Resp: 14722

Ion Ratio Lower Upper

244 100

212 9.2 7.6 11.4

122 17.6 13.8 20.8



#34

Bis(2-ethylhexyl)phthalate

Concen: 0.047 ng

RT: 21.447 min Scan# 2465

Delta R.T. 0.009 min

Lab File: BN029396.D

Acq: 26 Jan 2024 16:47




Tgt Ion:149 Resp: 1961


Ion Ratio Lower Upper

149 100

167 35.1 19.5 29.3#


279 6.5 2.1 3.1#





#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.908 min Scan# 3086
 Delta R.T. 0.006 min
 Lab File: BN029396.D
 Acq: 26 Jan 2024 16:47

Instrument :
 BNA_N
 ClientSampleId :
 EB01-012524



Tgt Ion:264 Resp: 14768

Ion	Ratio	Lower	Upper
264	100		
260	26.2	21.3	31.9
265	33.6	25.7	38.5

