

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN012925\
 Data File : BN036122.D
 Acq On : 30 Jan 2025 00:07
 Operator : RC/JU
 Sample : Q1173-05
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_N
 ClientSampleId :
 BP-VPB-192-GW-200-202

Quant Time: Jan 30 01:51:39 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN012225.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jan 23 00:34:56 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.803	152	2210	0.400	ng	-0.01
7) Naphthalene-d8	10.590	136	5163	0.400	ng	#-0.02
13) Acenaphthene-d10	14.437	164	3019	0.400	ng	-0.01
19) Phenanthrene-d10	17.181	188	6554	0.400	ng	0.00
29) Chrysene-d12	21.367	240	5368	0.400	ng	0.00
35) Perylene-d12	23.671	264	4990	0.400	ng	# 0.00
System Monitoring Compounds						
4) 2-Fluorophenol	5.412	112	1023	0.178	ng	0.02
5) Phenol-d6	7.016	99	833	0.123	ng	0.04
8) Nitrobenzene-d5	8.946	82	2022	0.415	ng	-0.01
11) 2-Methylnaphthalene-d10	12.182	152	2818	0.401	ng	-0.02
14) 2,4,6-Tribromophenol	15.928	330	733	0.379	ng	0.00
15) 2-Fluorobiphenyl	13.057	172	4561	0.338	ng	-0.01
27) Fluoranthene-d10	19.216	212	8006	0.472	ng	0.00
31) Terphenyl-d14	19.815	244	6656	0.597	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	3.303	88	520	0.210	ng	# 76
9) Naphthalene	10.643	128	701	0.047	ng	# 79
16) Acenaphthylene	14.159	152	293	0.020	ng	# 92
18) Fluorene	15.484	166	337	0.027	ng	# 89
25) Phenanthrene	17.219	178	1262	0.064	ng	96
28) Fluoranthene	19.248	202	756	0.033	ng	# 85
30) Pyrene	19.610	202	608	0.028	ng	95
34) Bis(2-ethylhexyl)phtha...	21.286	149	1683	0.158	ng	# 95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_N\Data\BN012925\
Data File : BN036122.D
Acq On : 30 Jan 2025 00:07
Operator : RC/JU
Sample : Q1173-05
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_N
ClientSampleId :
BP-VPB-192-GW-200-202


Quant Time: Jan 30 01:51:39 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_N\Methods\8270-SIM-BN012225.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jan 23 00:34:56 2025
Response via : Initial Calibration








#1
 1,4-Dichlorobenzene-d4
 Concen: 0.400 ng
 RT: 7.803 min Scan# 64
 Delta R.T. -0.014 min
 Lab File: BN036122.D
 Acq: 30 Jan 2025 00:07

Instrument :
 BNA_N
 ClientSampleId :
 BP-VPB-192-GW-200-202



Tgt Ion:152 Resp: 2210




Ion	Ratio	Lower	Upper
152	100		
150	154.2	117.4	176.2
115	67.7	51.0	76.4




#2
 1,4-Dioxane
 Concen: 0.210 ng
 RT: 3.303 min Scan# 17
 Delta R.T. -0.007 min
 Lab File: BN036122.D
 Acq: 30 Jan 2025 00:07

Tgt Ion: 88 Resp: 520

Ion	Ratio	Lower	Upper
88	100		
43	85.2	38.5	57.7#
58	77.9	66.6	99.8









#4
2-Fluorophenol
Concen: 0.178 ng
RT: 5.412 min Scan# 306
Delta R.T. 0.022 min
Lab File: BN036122.D
Acq: 30 Jan 2025 00:07




Instrument :
BNA_N
ClientSampleId :
BP-VPB-192-GW-200-202


Tgt Ion:112 Resp: 1023
Ion Ratio Lower Upper
112 100
64 62.8 50.0 75.0
63 41.2 30.7 46.1



#5
Phenol-d6
Concen: 0.123 ng
RT: 7.016 min Scan# 531
Delta R.T. 0.043 min
Lab File: BN036122.D
Acq: 30 Jan 2025 00:07

Tgt Ion: 99 Resp: 833
Ion Ratio Lower Upper
99 100
42 0.0 26.8 40.2#
71 67.5 36.6 55.0#









#7
Naphthalene-d8
Concen: 0.400 ng
RT: 10.590 min Scan# 91
Delta R.T. -0.021 min
Lab File: BN036122.D
Acq: 30 Jan 2025 00:07




Instrument :
BNA_N
ClientSampleId :
BP-VPB-192-GW-200-202


Tgt Ion:	136	Resp:	5163
Ion Ratio	Lower	Upper	
136	100		
137	12.6	10.4	15.6
54	12.8	7.7	11.5#
68	8.7	5.4	8.0#



#8
Nitrobenzene-d5
Concen: 0.415 ng
RT: 8.946 min Scan# 770
Delta R.T. -0.011 min
Lab File: BN036122.D
Acq: 30 Jan 2025 00:07

Tgt Ion:	82	Resp:	2022
Ion Ratio	Lower	Upper	
82	100		
128	35.4	28.8	43.2
54	92.0	55.8	83.8#









#9
Naphthalene
Concen: 0.047 ng
RT: 10.643 min Scan# 91
Delta R.T. -0.011 min
Lab File: BN036122.D
Acq: 30 Jan 2025 00:07




Instrument :
BNA_N
ClientSampleId :
BP-VPB-192-GW-200-202


Tgt Ion:128 Resp: 701
Ion Ratio Lower Upper
128 100
129 21.7 9.4 14.2#
127 22.9 12.6 19.0#



#11
2-Methylnaphthalene-d10
Concen: 0.401 ng
RT: 12.182 min Scan# 1143
Delta R.T. -0.015 min
Lab File: BN036122.D
Acq: 30 Jan 2025 00:07

Tgt Ion:152 Resp: 2818
Ion Ratio Lower Upper
152 100
151 20.7 16.6 25.0









#13
 Acenaphthene-d10
 Concen: 0.400 ng
 RT: 14.437 min Scan# 14
 Delta R.T. -0.011 min
 Lab File: BN036122.D
 Acq: 30 Jan 2025 00:07




Instrument :
 BNA_N
 ClientSampleId :
 BP-VPB-192-GW-200-202


Tgt Ion:	164	Resp:	3019
Ion	Ratio	Lower	Upper
164	100		
162	102.0	84.1	126.1
160	50.9	43.8	65.8



#14
 2,4,6-Tribromophenol
 Concen: 0.379 ng
 RT: 15.928 min Scan# 1573
 Delta R.T. 0.000 min
 Lab File: BN036122.D
 Acq: 30 Jan 2025 00:07

Tgt Ion:	330	Resp:	733
Ion	Ratio	Lower	Upper
330	100		
332	92.5	81.0	121.4
141	50.3	36.7	55.1









#15
2-Fluorobiphenyl
Concen: 0.338 ng
RT: 13.057 min Scan# 11
Delta R.T. -0.011 min
Lab File: BN036122.D
Acq: 30 Jan 2025 00:07




Instrument :
BNA_N
ClientSampleId :
BP-VPB-192-GW-200-202


Tgt Ion:	172	Resp:	4561
Ion Ratio	Lower	Upper	
172	100		
171	37.7	30.9	46.3
170	26.0	21.2	31.8



#16
Acenaphthylene
Concen: 0.020 ng
RT: 14.159 min Scan# 1413
Delta R.T. -0.011 min
Lab File: BN036122.D
Acq: 30 Jan 2025 00:07

Tgt Ion:	152	Resp:	293
Ion Ratio	Lower	Upper	
152	100		
151	21.5	16.2	24.2
153	19.8	10.4	15.6#





#18

Fluorene

Concen: 0.027 ng

RT: 15.484 min Scan# 1537

Delta R.T. -0.011 min

Lab File: BN036122.D


Acq: 30 Jan 2025 00:07

Instrument :

BNA_N

ClientSampleId :

BP-VPB-192-GW-200-202






Tgt Ion:166 Resp: 337

Ion Ratio Lower Upper

166 100

165 109.5 78.5 117.7

167 17.2 10.7 16.1#



#19

Phenanthrene-d10

Concen: 0.400 ng

RT: 17.181 min Scan# 1674

Delta R.T. 0.000 min

Lab File: BN036122.D

Acq: 30 Jan 2025 00:07




Tgt Ion:188 Resp: 6554


Ion Ratio Lower Upper

188 100

94 0.0 0.0 0.0

80 13.0 12.3 18.5









#25
Phenanthrene
Concen: 0.064 ng
RT: 17.219 min Scan# 1678
Delta R.T. -0.012 min
Lab File: BN036122.D
Acq: 30 Jan 2025 00:07




Instrument :
BNA_N
ClientSampleId :
BP-VPB-192-GW-200-202


Tgt Ion:178 Resp: 1262
Ion Ratio Lower Upper
178 100
176 20.6 16.0 24.0
179 18.3 12.4 18.6



#27
Fluoranthene-d10
Concen: 0.472 ng
RT: 19.216 min Scan# 1933
Delta R.T. -0.005 min
Lab File: BN036122.D
Acq: 30 Jan 2025 00:07

Tgt Ion:212 Resp: 8006
Ion Ratio Lower Upper
212 100
106 11.6 9.7 14.5
104 7.8 6.0 9.0









#28
Fluoranthene
Concen: 0.033 ng
RT: 19.248 min Scan# 1940
Delta R.T. 0.000 min
Lab File: BN036122.D
Acq: 30 Jan 2025 00:07




Instrument :
BNA_N
ClientSampleId :
BP-VPB-192-GW-200-202


Tgt Ion:202 Resp: 756
Ion Ratio Lower Upper
202 100
101 12.7 7.6 11.4#
203 25.0 13.8 20.6#



#29
Chrysene-d12
Concen: 0.400 ng
RT: 21.367 min Scan# 2255
Delta R.T. 0.000 min
Lab File: BN036122.D
Acq: 30 Jan 2025 00:07

Tgt Ion:240 Resp: 5368
Ion Ratio Lower Upper
240 100
120 20.0 13.9 20.9
236 29.7 23.7 35.5





#30

Pyrene

Concen: 0.028 ng

RT: 19.610 min Scan# 2018

Delta R.T. 0.000 min

Lab File: BN036122.D

Acq: 30 Jan 2025 00:07

Instrument :

BNA_N

ClientSampleId :

BP-VPB-192-GW-200-202





Tgt Ion:202 Resp: 608

Ion Ratio Lower Upper

202 100

200 18.9 17.0 25.4

203 20.2 14.4 21.6



#31

Terphenyl-d14

Concen: 0.597 ng

RT: 19.815 min Scan# 2062

Delta R.T. -0.005 min

Lab File: BN036122.D

Acq: 30 Jan 2025 00:07




Tgt Ion:244 Resp: 6656


Ion Ratio Lower Upper

244 100

212 10.4 9.1 13.7

122 14.1 11.3 16.9









#34
 Bis(2-ethylhexyl)phthalate
 Concen: 0.158 ng
 RT: 21.286 min Scan# 21
 Delta R.T. -0.009 min
 Lab File: BN036122.D
 Acq: 30 Jan 2025 00:07

Instrument :
 BNA_N
 ClientSampleId :
 BP-VPB-192-GW-200-202

Tgt Ion:149 Resp: 1683
 Ion Ratio Lower Upper
 149 100
 167 24.7 21.9 32.9
 279 6.2 3.0 4.6#



#35
 Perylene-d12
 Concen: 0.400 ng
 RT: 23.671 min Scan# 2804
 Delta R.T. 0.006 min
 Lab File: BN036122.D
 Acq: 30 Jan 2025 00:07

Tgt Ion:264 Resp: 4990
 Ion Ratio Lower Upper
 264 100
 260 26.1 21.8 32.6
 265 124.8 56.6 84.8#

